### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



THE ARY

OCT 9 - 1946

U S Depart on Agriculture

# PHICE LIST

स्थात । १९५६ - १८५१ । १९५७



ROSES EVERGREENS
TREES SHRUBS
HERBACEOUS PERENNIALS

# Henry Kohankie & Son

PAINESVILLE, OHIO

30 Miles East of Cleveland on Route 20

TELEPHONE 4380



#### PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

#### HENRY KOHANKIE & SON

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

## Please Read Carefully

#### CONDITIONS OF SALE

**Prices** do not include packing. A charge for the cost of the boxes and material used in baling will be made.

**Stock** specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, decription, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery— We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

#### CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines	5-162
Herbaceous Material (including Rock and Alpine Plants)	163-200
Fruit Garden Material	201
Large Specimen Material	211
Plants for Special Purposes	211-212
Schedule of B&B Charges	213
PLANT CLASSIFICATIONS	
Coniferous Evergreens	
	202-203
Broad-leaved Evergreens	
	203
Broad-leaved Evergreens	203 203-204
Broad-leaved Evergreens  Deciduous Shade Trees	203-204 205-206

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

#### DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

				5-24 Each	25 & up Each
Abelia chir	nensis. Chinese Abelia	. 5'	Lucii	Lucii	Lucii
15	to 18 in., 4 in. pots.		1.75	1.50	1.25
grandi	flora. Glossy Abelia.	. 3'			
12	to 15 in., 4 in. pots.		1.00	.85	.75
15	to 18 in., 4 in. pots.		1.25	1.10	1.00
18	to 24 in	.B&B	2.00	1.85	1.75
2	to 3 ft	.B&B	2.50	2.25	2.00
schum	anni. Schumann Abe	elia. 5'			
12	to 18 in., 4 in. pots.		1.75	1.50	
Abies alba	Silver Fir. 50'				
2	ft	.B&B	6.00	5.00	
3	ft	.B&B	7.50	6.00	
alba p	yramidalis. Sentinel	Fir.	50'		
18	in	B&B	5.00		
2	ft	. B&B	6.00		
, 3	ft	. B&B	8.00		
balsan	nea. Balsam Fir. 50	o'			
3	ft	.B&B	6.00		- N. Va. 19 7 -
4	ft	B&B	8.50		
5	ft	B&B	12.50		*
6	ft	B&B	15.00		
7	ft	B&B	18.00		
For	larger sizes to 15 ft.	, add \$	55.00 pe	r foo	t
cephal	onica. Greek Fir. 6	0'			
2	ft	B&B	7.50		

	Secretary sales		1-4	5-24	25 & up				
Abies			Each	Each	Each				
concolor. White Fir. 70'									
2	ft	.B&B	6.00	5.00					
3	ft	B&B	7.50	6.50					
4	ft	.B&B	10.00	8.50					
5	ft	.B&B	15.00	12.50					
6	ft	.B&B	18.00	15.00					
7	ft	.B&B	22.50	18.00					
8	ft	B&B	30.00	25.00					
9	ft	B&B	35.00	30.00					
10	ft	.B&B	40.00	35.00					
concol	or violacea. Purplece	one Wh	ite Fi	r. 70'					
2	ft	.B&B	7.50						
3	ft	B&B	9.00						
4	ft	.B&B	12.50						
5	ft	.B&B	15.00						
6	ft	.B&B	17.50						
firma.	Momi Fir. 50'								
3	ft	.B&B	6.00						
4	ft	B&B	7.50						
fraser	i. Fraser Fir. 50'								
4	ft	B&B	6.50						
5	ft		7.50						
6	ft								
7	ft		12.50						
homol	epis. Nikko Fir. 60'								
3		D&D	7.50	6.50					
4									
	ft								
	ft								
	10	· D&D	10.00	10.00					
	rpa arizonica. Cork-			)'					
2	ft	.B&B	10.00						
nordm	anniana. Nordmann l	Fir 7	5'						
	ft								
	o. Spanish Fir. 70'			1 6					
2	ft	B&B	7.50	6.00					
procer	a glauca. Blueleaf No	oble F	ir. 50	,					
	in								
2	ft	.B&B	10.00						

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Abies			
veitchi. Veitch Fir. 80'			
2 ft			
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B			
For larger sizes to 12 ft., add	\$5.00 I	per foo	t.
Acanthopanax henryi. Henry Acanth	opanas	c. 10'	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00		
πicinifolium (see Kalopanax pictus	s).		
sieboldianus (pentaphyllum). $Five$	-leaved	l Arali	a. 10'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
Acer buergerianum. Trident Maple.	40'		
2 to 3 ft		2.50	
3 to 4 ft	3.50	3.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.50	3.50	
8 to 10 ft	10.00	7.50	
10 to 12 ft	12.50	10.00	
cappadocicum. Coliseum Maple.	40'		
2 to 3 ft			
dasycarpum, (see saccharinum)			
ginnala. Amur Maple. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	1.25
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
glabrum. Rocky Mountain Maple	. 25'		
2 to 3 ft	2.50		
3 to 4 ft	3.50		

25 & up Each

	1-4	5-24
Acer	Each	Each
japonicum aureum. $Goldenmoon\ M$	aple.	15'
2 to 3 ftB&B	6.00	
3 to 4 ftB&B	7.50	
4 to 5 ftB&B	10.00	
5 to 6 ft	15.00	
mandschuricum. Manchurian Maple	e. 30'	
8 to 10 ft	5.50	4.50
10 to 12 ft	7.50	6.00
negundo. Box Elder. 60'		
6 to 8 ft	2.00	1.50
8 to 10 ft	2.50	2.00
11/4 to 11/2 in.	3.00	2.50
1½ to 1¾ in	3.50	3.00
13/4 to 2 in	4.50	4.00
nigrum. Black Maple. 80'		
8 to 10 ft	5.00	
nikoense. Nikko Maple. 40'		
The state of the s	7.50	
8 to 10 ft	0.00	
palmatum. Japanese Maple. 15'		
2 to 3 ftB&B	3.00	2.00
3 to 4 ftB&B	4.00	3.00
4 to 5 ftB&B	5.00	4.00
5 to 6 ftB&B	6.00	5.00
6 to 8 ftB&B 1	0.00	7.50
8 to 10 ftB&B 1	2.50	10.00
palmatum atropurpureum.		
Bloodleaf Japanese Maple. 10	P	
2 to 3 ftB&B		
3 to 4 ftB&B 1		
4 to 5 ft		10.00
5 to 6 ft., heavyB&B 2		
6 to 8 ft., heavy B&B 2		
8 to 10 ft., heavyB&B 3		
palmatum dissectum atropurpureur		
Purple Threadleaf Japanese	-	6'
18 to 24 in		
2 to 3 ft		
3 to 4 ft	00.61	
palmatum elegans.		
18 to 24 inB&B	8.50	

Acer	1-4 Each	5-24 Each	25 & up Each
	Manla	10'	
palmatum filicifolium. Fernleaf A 4 to 5 ftB&B	_	10'	
5 to 6 ftB&B			
6 to 8 ftB&B	25.00		
	<i>25</i> ′		
4 to 5 ft	3.50		
5 to 6 ft	4.50		
6 to 8 ft	6.00		
platanoides. Norway Maple. 75'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
1½ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	5.50	4.50	4.00
13/4 to 2 in	6.50	5.50	5.00
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	12.50	10.00	
3 to 3½ in	18.00	15.00	
3½ to 4 in	25.00	22.50	
platanoides columnare. $Column\ M$	I a m l a	NE	
_	-	75'	
8 to 10 ft			
174 to 172 m	10.00		
platanoides globosum. $Globe\ Nor$	_	Iaple.	
4 year, 6 ft. standards	15.00		
platanoides schwedleri. Schwedler	Mapl	e. 60'	
	6.00		
1½ to 1¾ in	7.50		
13/4 to 2 in	10.00		
2 to 2½ in	15.00		
2½ to 3 in	18.00		
3 to 3½ in	25.00		
	30.00		
pseudoplatanus. Planetree Maple.	60 <b>'</b>		
8 to 10 ft	4.50		
1½ to 1½ in	5.00		
1½ to 1¾ in	6.00		
134 to 2 in	7.50		
	10.00		
	12.50		
3 to 3½ in			
0 / 00 0 /2 111	20.00		

3			1-4	5-24	25 & up
Acer	Dad 1	Aaple. 75'	Each	Each	Each
fubrum.	to 8	•	3.50	2.75	
8	to 10	ft	4.00	3.50	
11/4		in	5.00	4.50	
		in	6.50	5.50	
13/4		in	10.00	7.50	
2		in		10.00	
2½		in	20.00	15.00	
3		in		20.00	
31/2		in.		20.00	
4	to 5	in			
*		<b>4.1.1</b>	00.00		
rubrum	column	are. Column Red	•	. 75'	
6 to			7.50		
8 to	o 10 ft.		10.00		
sacchari	num. S	Silver Maple. 75'			
8	to 10	•	2.00	1.75	
		in	3.00	2.50	
		in	3.50	3.00	
	to 2		4.00	3.50	
2		in	6.50	5.50	
	to 3			8.50	
3		in			
		ramidale.			
Pyr		Silver Maple. 75'			
6		ft			
8		ft	3.00		
11/4		in			
1½		in	4.50		
13/4	to 2	in	6.00		
sacchari	inum wi	ieri. Wier Maple.	75'		
8	to 10	ft	3.00		
11/4	to 1½	in	3.50		
11/2	to 13/4	in	4.00		
saccharı	um. Su	gar Maple. 75'			
6	to 8	ft	3.00	2.75	2.50
8	to 10	ft		3.50	3.25
11/4		in.		4.50	4.00
11/2		in	• • • • •	5.50	5.00
13/4				8.50	7.50
2		in		11.50	10.00
21/2		in		13.50	12.50

1-4 Each	5-24 Each	25 & up Each							
saccharum continued.									
3 to 3½ in									
3½ to 4 in	30.00								
4 to 4½ in	40.00								
4½ to 5 in									
sieboldianum. Siebold Maple. 25'									
8 to 10 ft									
10 to 12 ft 12.50									
spicatum. Mountain Maple. 20'									
3 to 4 ft									
4 to 5 ft									
5 to 6 ft									
tataricum. Tatarian Maple. 20'									
4 to 5 ft	1.25	1.00							
5 to 6 ft	1.50	1.25							
6 to 8 ft	2.25	2.00							
8 to 10 ft	2.75	2.50							
10 to 12 ft 5.00	4.50								
Actinidia arguta. Bower Actinidia. 20'									
2 year	.55	.45							
2 Jean	,00	.10							
Aesculus carnea. Red Horsechestnut. 40'									
6 to 8 ft									
8 to 10 ft 15.00									
1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in									
glabra. Ohio Buckeye. 25'									
6 to 8 ft	3.00								
8 to 10 ft 4.50	4.00								
1½ to 1½ in 6.00									
1½ to 2 in 7.50									
2 to 2½ in 10.00									
2½ to 3 in 12.50									
3 to 3½ in									
3½ to 4 in 20.00									

				1-4 Each	5-24 Each	25 & up Each	
Aesculus.							
hippocas	star	ium.	Horsechestnut. 7	0'			
6	to	8	ft	3.00	2.75		
8	to	10	ft	4.50	4.00		
11/4	to	11/2	in	5.50	5.00		
11/2	to	13/4	in	6.00	5.50		
13/4	to	2	in	7.50	6.50		
2	to	$2\frac{1}{2}$	in	10.00	8.50		
21/2	to	3	in	15.00	12.50		
3	to	$3\frac{1}{2}$	in	18.00	15.00		
31/2	to	4	in	22.50			
4	to	5	in	30.00			
hippocas	star	num l	baumanni.				
			unn Horsechestnut	. 50'			
5	to	6	ft	7.50			
. 6	to	8	ft	10.00			
8	to	10	ft	12.50			
_	to	3	in				
3	to	31/2	in				
31/2	to	4	in				
octandra	a. ]	Yellon	v Buckeye. 60'				
6	to	8	ft	3.00	2.75	2.50	
8	to	10	ft	4.50	4.00	3.75	
11/4		11/2	in	5.50	5,00	4.50	
1½			in	6.00	5.50	5.00	
13/4	to	2	in	7.50	6.50	***	
2	to	21/2	in		8.50	7.50	
21/2	to	3	in	12.50	10.00		
3	to	31/2	in	15.00	12.50	11.00	
31/2	to	4	in	25.00			
4	to	5	in	35.00			
parviflo	ra.	Bottl	lebrush Buckeye 1.	2 <b>'</b>			
15 to	18	in.	B&B	3.00			
			B&B				
			B&B				
Arra Tribana							
			nese Horsechestn		,		
5 to	6	in		50.00			

	1-4 Each	5-24 Each	25 & up Each					
Ailanthus altissima (glandulosa).	Eden	Lacii	Lacii					
Tree of Heaven. 50'								
6 to 8 ft	2.50	2.25						
8 - to 10 ft	3.00	2.75	2.50					
10 to 12 ft	3.50	3.25						
1½ to 1¾ in	4.50	4.00						
13/4 to 2 in	6.00	5.00						
2 to 2½ in	7.50	6.50						
vilmoriniana. Vilmorin Ailanthus.								
•	6.00							
-	7.50							
	10.00							
	12.50							
3 to 3½ in	15.00							
Nichia Anifaliata (Microstrum Alberta)	4 ~!							
Akebia trifoliata. Threeleaf Akebia.		C.F.	CO					
· · · · · · · · · · · · · · · · · · ·	.75	.65	.60					
3 year from pots	1.00	.85	.75					
quinata. Fiveleaf Akebia. 15'								
2 year								
3 year	1.00	.75	.60					
Albirria iulibriggia rogga Cilletras 2	0'							
Albizzia julibrissin rosea. Silktree. 3 3 to 4 ft								
4 to 5 ft								
4 to 5 1t	10.00							
Alnus cordata. Italian Alder. 40'								
6 to 8 ft	2.50	2.25						
8 to 10 ft	4.00	3.50						
1½ to 1¾ in	6.50	5.50						
13/4 to 2 in	8.50	7.50						
2½ to 3 in	12.50							
3 to 3½ in	20.00							
glutinosa. European Alder. 60'								
6 to 8 ft	2.50	2.25	2.00					
8 to 10 ft	4.00	3.50	3.00					
1½ to 1½ in	5.50	4.50	4.00					
1½ to 1¾ in	6.50	5.50	5.00					
1¾ to 2 in	7.50	6.50	6.00					
2 to 2½ in	10.00	7.50						
— · — · · · · · · · · · · · · · · · · ·	12.50							
3 to 3½ in	20.00							

Section   Sect		1-4 Each	5-24 Each	25 & u Each
4 to 5 ft. 5.00 5 to 6 ft. 7.50 6 to 8 ft. 10.00  hirsuta. Manchurian Alder. 60' 1½ to 1½ in. 5.00  incana. Speckled Alder. 50' 6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.50 4 4.50 1½ to 1¾ in. 7.50 6.00 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50' 8 to 10 ft. 6.00  pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10' 3 to 4 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 5 to 6 ft. 1.50 1.25 4 to 5 ft. 1.50 1.50 5 to 6 ft. 1.50 1.50 5 to 6 ft. 2.75 2.25	Alnus			
5 to 6 ft. 7.50 6 to 8 ft. 10.00  hirsuta. Manchurian Alder. 60' 1½ to 1½ in. 5.00  incana. Speckled Alder. 50' 6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.50 4.50 1½ to 1¾ in. 7.50 6.00 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50' 8 to 10 ft. 6.00  pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10' 3 to 4 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 1.50 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50	glutinosa laciniata. Cutleaf Alder.	40'		
hirsuta. Manchurian Alder. 60'  11/4 to 11/2 in	4 to 5 ft	5.00		
hirsuta. Manchurian Alder. 60'  11/4 to 11/2 in. 5.00  incana. Speckled Alder. 50' 6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 11/4 to 11/2 in. 5.50 4.50 11/2 to 13/4 in. 7.50 6.00 11/4 to 2 in. 10.00 7.50 2 to 21/2 in. 12.50 21/2 to 3 in. 15.00 3 to 31/2 in. 20.00  japonica. Japanese Alder. 50' 8 to 10 ft. 6.00  pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 40' 3 to 4 ft. 2.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1,50 5 to 6 ft. 2.75 2.25	5 to 6 ft	7.50		
incana. Speckled Alder. 50'  6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.50 4.50 1½ to 1¾ in. 7.50 6.00 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50' 8 to 10 ft. 6.00  pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10' 3 to 4 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.50 5 to 6 ft. 1.50 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.50 5 to 6 ft. 2.75 2.25	6 to 8 ft	10.00		
incana. Speckled Alder. 50'  6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.50 4.50 1½ to 1¾ in. 7.50 6.00 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50' 8 to 10 ft. 6.00  pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10' 3 to 4 ft. 2.00 4 to 5 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 5 to 6 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	hirsuta. Manchurian Alder. 60'			
6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.50 4.50 1½ to 1¾ in. 7.50 6.00 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50′ 8 to 10 ft. 6.00  pendula. Nodding Alder. 30′ 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10′ 3 to 4 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6′ 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 1.75 5 to 6 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.50 3 to 4 ft. 1.50 3 to 4 ft. 1.50 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 3 to 4 ft. 1.50 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50	1¼ to 1½ in,	5.00		
8 to 10 ft. 4.00 3.50  1½ to 1½ in. 5.50 4.50  1½ to 1¾ in. 7.50 6.00  1¾ to 2 in. 10.00 7.50  2 to 2½ in. 12.50  2½ to 3 in. 15.00  3 to 3½ in. 20.00  japonica. Japanese Alder. 50′  8 to 10 ft. 6.00  pendula. Nodding Alder. 30′  2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10′  3 to 4 ft. 2.50  5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6′  3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7′  3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50 4 to 5 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50 4 to 5 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50 4 to 5 ft. 2.50  5 to 6 ft. 2.75 5 to 6 ft. 2.75	incana. Speckled Alder. 50'			
1¼ to 1½ in. 5.50 4.50  1½ to 1¾ in. 7.50 6.00  1¾ to 2 in. 10.00 7.50  2 to 2½ in. 12.50  2½ to 3 in. 15.00  3 to 3½ in. 20.00  japonica. Japanese Alder. 50′  8 to 10 ft. 6.00  pendula. Nodding Alder. 30′  2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10′  3 to 4 ft. 2.50  5 to 6 ft. 3.50  6 to 8 ft. 4.50  8 to 10 ft. 6.00  viridis. European Green Alder. 6′  3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7′  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50  1.50  4 to 5 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50  3 to 4 ft. 1.50  4 to 5 ft. 2.50  5 to 6 ft. 2.50	6 to 8 ft	3.00	2.50	
1½ to 1¾ in. 7.50 6.00  1¾ to 2 in. 10.00 7.50  2 to 2½ in. 12.50  2½ to 3 in. 15.00  3 to 3½ in. 20.00  japonica. Japanese Alder. 50′  8 to 10 ft. 6.00  pendula. Nodding Alder. 30′  2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10′  3 to 4 ft. 2.00  4 to 5 ft. 3.50  6 to 8 ft. 4.50  8 to 10 ft. 6.00  viridis. European Green Alder. 6′  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 1.75  5 to 6 ft. 1.75  5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50  4 to 5 ft. 2.50  asiatica. Asian Serviceberry. 40′  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 2.50  5 to 6 ft. 2.75  2.25		4.00	3.50	
1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12,50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50′ 8 to 10 ft. 6.00  pendula. Nodding Alder. 30′ 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 40′ 3 to 4 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6′ 3 to 4 ft. 1.50 4 to 5 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 4 to 5 ft. 2.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 4 to 5 ft. 2.50  asiatica. 2.75 2.25				
2 to 2½ in. 12.50 2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50′ 8 to 10 ft. 6.00  pendula. Nodding Alder. 30′ 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10′ 3 to 4 ft. 2.00 4 to 5 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6′ 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7′ 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.75				
2½ to 3 in. 15.00 3 to 3½ in. 20.00  japonica. Japanese Alder. 50′ 8 to 10 ft. 6.00  pendula. Nodding Alder. 30′ 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10′ 3 to 4 ft. 2.00 4 to 5 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6′ 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7′ 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 4 to 5 ft. 2.50  asiatica. Asian Serviceberry. 40′ 3 to 4 ft. 1.50 5 to 6 ft. 2.75 5 to 6 ft. 2.75 5 to 6 ft. 2.75			7.50	
3 to 3½ in				
japonica. Japanese Alder. 50'  8 to 10 ft. 6.00  pendula. Nodding Alder. 30'  2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10'  3 to 4 ft. 2.00  4 to 5 ft. 2.50  5 to 6 ft. 3.50  6 to 8 ft. 4.50  8 to 10 ft. 6.00  viridis. European Green Alder. 6'  3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7'  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.00 1,50  5 to 6 ft. 2.75 2.25				
8 to 10 ft. 6.00  pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10' 3 to 4 ft. 2.00 4 to 5 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 5 to 6 ft. 2.75 2.25	3 to 3½ in	20.00		
pendula. Nodding Alder. 30' 2 yr. 6 ft. stems 7.50  rugosa. Hazel Alder. 10' 3 to 4 ft. 2.00 4 to 5 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	japonica. Japanese Alder. 50'			
2 yr. 6 ft. stems 7,50  rugosa. Hazel Alder. 10'  3 to 4 ft. 2.00  4 to 5 ft. 2.50  5 to 6 ft. 3.50  6 to 8 ft. 4.50  8 to 10 ft. 6.00  viridis. European Green Alder. 6'  3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7'  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.00 1.50  5 to 6 ft. 2.75 2.25	8 to 10 ft	6.00		
rugosa. Hazel Alder. 10'  3 to 4 ft. 2.00  4 to 5 ft. 2.50  5 to 6 ft. 3.50  6 to 8 ft. 4.50  8 to 10 ft. 6.00  viridis. European Green Alder. 6'  3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7'  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.00 1.50  5 to 6 ft. 2.75 2.25	pendula. Nodding Alder. 30'			
3 to 4 ft. 2.00 4 to 5 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	2 yr. 6 ft. stems	7.50		
3 to 4 ft. 2.00 4 to 5 ft. 2.50 5 to 6 ft. 3.50 6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	rugosa. Hazel Alder. 10'			
5 to 6 ft.       3.50         6 to 8 ft.       4.50         8 to 10 ft.       6.00         viridis. European Green Alder. 6'         3 to 4 ft.       2.00         Amelanchier alnifolia. Saskatoon Serviceberry. 7'         3 to 4 ft.       1.50         4 to 5 ft.       1.75         5 to 6 ft.       2.50         asiatica. Asian Serviceberry. 40'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         5 to 6 ft.       2.75       2.25	_	2.00		
6 to 8 ft. 4.50 8 to 10 ft. 6.00  viridis. European Green Alder. 6' 3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7' 3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	4 to 5 ft	2.50		
8 to 10 ft. 6.00  viridis. European Green Alder. 6'  3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7'  3 to 4 ft. 1.50  4 to 5 ft. 1.75  5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.00 1.50  5 to 6 ft. 2.75 2.25	5 to 6 ft	3.50		
viridis. European Green Alder6'         3 to 4 ft.       2.00         Amelanchier alnifolia. Saskatoon Serviceberry7'         3 to 4 ft.       1.50         4 to 5 ft.       1.75         5 to 6 ft.       2.50         asiatica. Asian Serviceberry40'         3 to 4 ft.       1.50         4 to 5 ft.       2.00         5 to 6 ft.       2.75         2.25	6 to 8 ft	4.50		
3 to 4 ft. 2.00  Amelanchier alnifolia. Saskatoon Serviceberry. 7'  3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	8 to 10 ft	6.00		
Amelanchier alnifolia.       Saskatoon Serviceberry.       7'         3 to 4 ft.       1.50         4 to 5 ft.       1.75         5 to 6 ft.       2.50         asiatica.       Asian Serviceberry.       40'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         5 to 6 ft.       2.75       2.25	viridis. European Green Alder. 6'			
3 to 4 ft. 1.50 4 to 5 ft. 1.75 5 to 6 ft. 2.50 asiatica. Asian Serviceberry. 40' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	3 to 4 ft	2.00		
4 to 5 ft. 1.75 5 to 6 ft. 2.50  asiatica. Asian Serviceberry. 40'  3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	Amelanchier alnifolia. Saskatoon Ser	viceber	ry. 7	,
5 to 6 ft.       2.50         asiatica. Asian Serviceberry. 40'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         5 to 6 ft.       2.75       2.25	3 to 4 ft	1.50		
asiatica. Asian Serviceberry. 40'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         5 to 6 ft.       2.75       2.25	4 to 5 ft	1.75		
3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         5 to 6 ft.       2.75       2.25	5 to 6 ft	2.50		
4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	asiatica. Asian Serviceberry. 40'			
4 to 5 ft. 2.00 1.50 5 to 6 ft. 2.75 2.25	3 to 4 ft	1.50	1.25	
5 to 6 ft				
6 to 8 ft				
	6 to 8 ft	3.50	3.00	

۸	alawahian		1-4 Each	5-24 Each	25 & up Each
4m	elanchier.				
	canadensis.	Shadblow Serviceber	ry. 30	) <b>'</b>	
	2 to 3	ft	.75	.65	.60
	3 to 4	ft	1.00	.85	.75
	4 to 5	ft	1.50	1.25	1.00
	5 to 6	ft	1.75	1.50	1.25
	6 to 8	ft	4.50	3.50	
	8 to 10	ft	7.50	6.00	
	10 to 12	ft	12.50		
	6 to 8	ft. standards	6.00	5.00	
	8 to 10	ft. standards	7.50	6.00	
	grandiflora	rubescens.			
	Rue	ddy Allegheny Service	berry.	35 <b>'</b>	
	6 to 8	ft. standards	6.00	5.00	
	8 to 10	ft. standards	7.50	6.50	,
	10 to 12	ft. standards	10.00		
	laevis. Alle	egheny Serviceberry.	35'		
	5 to 6	ft	2.50	2.00	1,50
		ft	3.00	2.75	2.50
	8 to 10	ft	4.50	4.00	3.75
	6 to 8	ft. standards	6.00	5.00	
	8 to 10	ft. standards	7.50	6.00	
	10 to 12	ft. standards	10.00		
		m1	0.71		
	oblongiiolia.	Thicket Serviceberry	y. 25'		
		ft	.75	.65	.60
		ft	1.00	.85	.75
		ft	1.50	1.25	1.00
		ft	1.75	1.50	
		ft	3.50	2.75	
		ft; Den	4.50	4.00	3.75
		ft. clumpsB&B			
		ft. clumps B&B			
	10 to 12	ft. clumpsB&B	23.00		

	1-4 Each	5-24 Each	25 & up Each
Amelanchier		o el	
ovalis (vulgaris). Garden Serviceb		25'	CO
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	4.50	4.00	3.75
6 to 8 ft. standards	5.00	4.00	
8 to 10 ft. standards	6,00	5.00	
*	18.00		
10 to 12 ft. clumpsB&B			
sanguinea. Roundleaf Serviceber			
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	
stolonifera. Running Serviceberry			
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	
Amorpha brachycarpa, 3'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	
canescens. Leadplant Amorpha.	4'		
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.60
fruiticosa. Indigobush Amorpha.	20'		`
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.50	1.25
Ampelopsis acontifolia. Monkshood V		15'	
2 year	.75		.50
3 year			.60
4 year			.75
brevipedunculata. Amur Ampelop	sis.	25'	
2 year		.75	.60
3 year	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis			
brevipedunculata elegans. Basket	-	elopsis.	15'
2 year	1.00		
brevipedunculata maximowiczi.			
Porcelain Ampelopsis. 2		0.0	50
2 year			
3 year			.60
4 year quinquefolia. (see Parthenocissus)	1.25	1.00	.75
Amygdalus (see Prunus)			
Aralia pentaphyllum (see Acanthopana spinosa. Devil's Walkingstick. 25			
3 to 4 ft	1.00	.75	.60
4 to 5 ft		1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.50	1.75	1.50
	10.00	7.50	2,00
-	12.50	10.00	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	1.00	.85	
Aristolochia durior. Dutchman's Pipe.			
2 year	1.25	1.00	
tomentosa. 30'	1.20	1.00	
2 year	1.00	.75	.60
Aronia arbutifolia. Red Chokeberry.			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
melanocarpa. Black Chokeberry.			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
melanocarpa elata. Glossy Chokel	erry.	10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
prunifolia. Purplefruit Chokeberr	y. 10	)'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90

Artemesia abrotanum. Oldman W	orma	1-4 Each	Each	25 & up Each
3 to 4 ft				.60
4 to 5 ft				
5 to 6 ft				
3 to 6 It		1.50	1.20	1.00
Asimina triloba. Papaw. 30'		1 50	1.05	
2 to 3 ft		1.50	1,23	
<b>1</b> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,	o.t		
Azalea calendulacea. Flame Azal			5 75	E
2 to 3 ft		6.00	5.75	5.50
canescens. Piedmont Azalea.		0.00	- 7-	E E0
2 to 3 ft	8 B	6.00	5.75	5.50
ledifolia (see rosmarinifolia).				
lutea. 10'	0_10	E 00	4.50	4.00
18 to 24 in			4.50	
24 to 30 inB			5.50	5.00
3 to 4 ftB	ωB	7.50	6.50	6.00
mollis. Chinese Azalea. 6'	0 D	9.50	2.00	
15 to 18 in				
18 to 24 in			4.00	
2 to 3 ft B			5.00	
3 to 4 ft			6.00	
4 to 5 ftB			0.00	
nudiflora. Pinxterbloom. 4'	αБ	10.00		
2 to 3 ftB	Q.D	6.00	5.75	
3 to 4 ft			7.00	
obtusa amoena. Amoena Azal		1.00	1.00	
10 to 12 inB		2 00		
12 to 15 inB				
o. japonica hinodegiri.	i & D	2.50		
Hinodegiri Kurume	A zale	20 21		
10 to 12 inB		2.25		
12 to 15 inB		2.75		
o. kaempferi. Torch Azalea.		2.10		
15 to 18 inB		3 50		
18 to 24 inB				
24 to 30 inB		7.50		
30 to 36 inB		-		
rosmarinifolia. Snow Azalea.		10.00		
15 to 18 in		4.00	3.50	3.25
18 to 24 in B		5.50	4.50	3.75
24 to 30 inB		7.50	6.00	0.10
== 00 00 AII	T.	1.00	0.00	

Azalea	1-4 Each	5-24 Each	25 & up Each
r. sekidera. Sekidera Snow Azalea	. 6'	Edeli	Lacii
15 to 18 inB&B	4.00	3.50	
18 to 24 inB&B	5.50	4.50	
24 to 30 inB&B	7.50		
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B			
24 to 30 inB&B	6.00	5.75	
yedoensis. Yodogawa Azalea. 4'			
18 to 24 inB&B	6.00		
24 to 30 in,B&B			
3 to 4 ftB&B	10.00		
y. poukhanensis. Korean Yodogav			4'
18 to 24 inB&B			
24 to 30 inB&B	7.50	6.00	
Baccharis halimifolia. Eastern Bacchar	ris.	<i>10</i> ′	
2 to 3 ft	.65	.55	.45
3 to 4 ft	.75	.65	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
Benzoin aestivale. (see Lindera)			
Berberis beaniana. Beans Barberry.	<b>5</b> '		
15 to 18 inB&B		2.25	
10 to 10 m	2.00	2.20	
candidula. Paleleaf Barberry. 5'			
15 to 18 inB&B	2.50	2.25	
circumserrata. Cutleaf Barberry.	<b>5'</b>		
18 to 24 inB&B	3.00		
julianae. Wintergreen Barberry.	<i>5</i> ′		
18 to 24 inB&B	3.00	2.75	2.50
24 to 30 inB&B	4.00	3.75	3.50
30 to 36 inB&B	5.50	5.00	4.50
koreana. Korean Barberry. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	.85	.75
4 to 5 ft	1.50	1.25	1.00
sargentiana. Sargent Barberry.	5'		
15 to 18 in	2.75	2.50	2.25
18 to 24 inB&B	3.00	2.75	2.50
24 to 30 inB&B	4.00	3.75	3.50
30 to 36 inB&B	5.50	5.00	4.50

	1-4 Each	5-24 Each	25 & up Each
Berberis.	Lacii	2,0011	
thunbergi. Japanese Barberry. 4	,		
15 to 18 in	.50	.35	.30
18 to 24 in	.60	.45	.40
24 to 30 in	.70	.55	.50
30 to 36 in	1.00	.75	.65
2 to 2½ ft. spec	2.50	2.00	
2½ to 3 ft. spec	3.00	2.50	
3 to 3½ ft. spec	3.50	3.00	
thunbergi atropurpurea.			
Redleaf Japanese Barl	berry.	5'	
18 to 24 in	.75	.60	.55
24 to 30 in	1.00	.85	.75
30 to 36 in	1.25	1.10	1.00
36 to 42 in	1.50	1.35	1.25
thunbergi minor. Box Barberry.	2'		
12 to 15 in	.50	.45	.40
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.60	.55
24 to 30 in	1.00	.75	.65
thunbergi pluriflora. Flame Japan	nese B	arberr	y. 5'
18 to 24 in	.60	.50	.40
24 to 30 in	.75	.60	.50
30 to 36 in	1.00	.75	.65
thunbergi erecta. Truehedge Colur	nnber	ry. 5'	
12 to 15 in	.60	.50	.45
15 to 18 in	.75	.60	.55
18 to 24 in	1.00	.75	.65
24 to 30 in	1.25	.90	.75
triacanthophora. Threespine Barb	erry.	<i>5'</i>	
18 to 24 inB&B	3.00	2.75	2.50
24 to 30 inB&B	4.00	3.75	3.50
verruculosa. Warty Barberry. 3	,		
8 to 10 inB&B		2.00	
12 to 15 inB&B	3.00	2.50	
18 to 24 inB&B	3.50	3.00	
Berchemia racemosa. Japanese Supple	ejack.	3'	
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Betula alba. (see pendula)			
fontinalis. Water Birch. 40'			
5 to 6 ft	7.50		
6 to 8 ft			

Betula		1-4 Foods	5-24 25 & up	)
*lenta.	Sweet Birch. 40'	Each	each each	
8	to 10 ft	4.00	3.50	
. 11/4	to 1½ in	5.00	4.50	
11/2	to 13/4 in	7.50	6.00	
13/4	to 2 in	10.00	7.50	
2	to 2½ in	12.50	10.00	
21/2	to 3 in	15.00	12.50	
3	to 3½ in	25.00	18.00	
*lutea.	Yellow Birch. 50'			
6	to 8 ft	3.50	3.00	
8	to 10 ft	4.00	3.50	
11/4		5.00	4.50	
	to 13/4 in	7.50	6.00	
13/4			7.50	
2	to 2½ in	12.50	10.00	
$2\frac{1}{2}$		15.00	12.50	
3	to 3½ in		18.00	
31/2	to 4 in	30.00	25.00	
*maxim	owicziana. Monarch Birc.	h. 60'		
6	to 8 ft	5.00	4.00	
8	to 10 . ft	6.00	5.00	
11/2	to 13/4 in	7.50	6.00	
13⁄4	to 2 in	10.00	7.50	
*nigra.	River Birch. 50'			
8	to 10 ft	5.00		
2	to 2½ in	12.50		
6	to 8 ft. clumps B&B	20.00		
8	to 10 - ft. clumps B&B	25.00		
*papyri	fera. Paper Birch. 40'			
11/4	to 1½ in	6.00		
1½	to 13/4 in	7.50		
	to 2 in			
	to 2½ in			
$2\frac{1}{2}$	to 3 in			
3	to 3½ in			
	to 4 in	30.00		
	fera cordifolia. 40'	1000		
	to 134 in			
2	to 2½ in		wol	
	a (alba). European White			
	to 1½ in		3.25	
	to 134 in			
13/4	to 2 in	6.50	5.00	

1-4 Each	5-24 25 & up Each Each
Betula.	Eden Eden
*pendula (alba). continued	
2 to 2½ in 10.00	7.50
2½ to 3 in	12.50
3 to 3½ in	18.00
*p. fastigiata.	
Pyramidal European White Bir	ch. 50'
6 to 8 ft	
8 to 10 ft	
10 to 12 ft	
*p. laciniata. Cutleaf European White B	Sirch. 50'
6 to 8 ft 5.00	
8 to 10 ft 6.00	
1½ to 1½ in 7.50	
*populifolia. Gray Birch. 40'	
8 to 10 ft 4.00	3.50
1¼ to 1½ in 5.00	4.00
1½ to 1¾ in 6.00	5.00
134 to 2 in 7.50	6.00
2 to 2½ in	7.50
2½ to 3 in	12.50
3 to 3½ in	18.00
4 to 4½ in	30.00
8 to 10 ft. clumps B&B 25.00	
Bignonia. (see Campsis)	
Bischofia javanica. Java Bishopwood. 12'	
3 to 4 ft	
Broussonetia papyrifera. Paper Mulberry.	40'
4 to 5 ft	4.00
Bruckenthalia spiculifolia. Spikehealth. 1'	
6 in., 3 inch pots 2.00	1.75
Buddleia alternifolia. Fountain Butterfly Bu	ısh. 10'
2 to 3 ft	
3 to 4 ft	
Charming. Pink Butterfly Bush. 5'	
2 to 3 ft	.50 .40
davidi. Orange-eye Butterfly Bush. 5	
2 to 3 ft	.50 .40
3 to 4 ft	.60 .50
davidi Ile de France. 4'	•,
2 to 3 ft	.50 .40
3 to 4 ft	.60 .50

Buddleia	1-4 Each	5-24 Each	25 & up Each
davidi superba. 5'		***	4.0
2 to 3 ft	.60		.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
davidi veitchi. Veitch Butterfly B	ush.	5'	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
Dubonnet. 5'			
2 to 3 ft	.75	.60	
farquhari. 5'	0.0	=0	40
2 to 3 ft	.60	•	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
intermedia. Wisteria Butterfly Br	ush.	<i>5</i> ′	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
lindleyana. Lindley Butterfly Bus	h. 5'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Orchid Beauty. 5'			
2 to 3 ft	1.00	.75	
paniculata. Panicle Butterfly Bus			
3 to 4 ft	.75	.60	
Royal Purple. 5'			
2 to 3 ft	1.00	.75	
Buxus microphylla. Littleleaf Box: 3	,,		
12 to 15 inB&B		1.75	
15 to 18 inB&B	2.25	2.00	
18 to 24 inB&B	2.50	2.25	
microphylla koreana. Korean Litt	lelenf	Rox	2'
6 to 8 inB&B	_		~
12 to 15 in			
15 to 18 in			
10 00 10 111	0.00	2.00	

	1-4 Each	5-24 Each	25 & up Each
Buxus.			
sempervirens handsworthi. Hands			8'
8 to 10 inB&B		1.50	
10 to 12 in	2.00	1.75	
sempervirens suffruticosa. Truedu	varf B	ox. 4	,
12 to 15 inB&B	3.00	2.50	2.00
15 to 18 inB&B	3.50	3.00	2.50
Callianuma amanisana Amanisan Basa	tark and	·y. 6'	
Callicarpa americana. American Beau 2 to 3 ft	.tyberi .75	.65	
bodinieri giraldiana. Girald Beauty			
2 to 3 ft	1.00	.75	
b. giraldiana subincanescens. 6'			
2 to 3 ft	1.25		
dichotoma (purpurea). Purple Bea		ry. 6	,
18 to 24 in		.50	.40
2 to 3 ft	.75	.60	.50
japonica. Japanese Beautyberry.	4'		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
Calluna vulgaris. Scotch Heather. 2'			
6 to 8 in., 4 inch pots	1 25	1.00	.90
12 to 15 in., F. GB&B		1.50	.00
·			
vulgaris alba. White Scotch Heat			00
6 to 8 in., 4 inch pots			.90
12 to 15 in., F. GB&B			
vulgaris alporti. Alport Scotch Ho			
4 inch pots	1.25	1.00	
vulgaris aurea. Goldleaf Scotch H	Ieathe	r. 2'	
6 to 8 in., 4 inch pots		1.00	.90
12 to 15 in., F. GB&B	2.00	1.50	
vulgaris carnea. Flesh Scotch Hea	ther.	2'	
6 to 8 in., 4 inch pots	1.25	1.00	
vulgaris compacta. 2'			
6 to 8 in., 4 inch pots	1.25	1.00	
vulgaris rubra. 2'			
6 to 8 in., 4 inch pots	1.25	1.00	.90
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	1.25	1.00	.90
12 to 15 in., F. G B&B			.00
		1.00	

	1-4 Each	5-24 Each	25 & up Each
Calycanthus floridus. Sweet Shrub. 5'	Eden	Eden	Lucii
18 to 24 in	.65	.55	.50
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.10	1.00
5 to 6 ft	1.75	1.35	1.25
occidentalis. California Sweetshru	b. 1	2'	
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00	1.75	
Campsis grandiflora. Chinese Trumpetc	reepe	r. 20'	
2 year	.75	.60	.50
3 year	1.00	.75	.60
4 year	1.25	1.00	.90
radicans. Common Trumpetcreeper	. 30	•	
2 year	.50	_	.35
3 year	.60	.50	.45
radicans speciosa.			
Showy Common Trumpeter	-	. 30'	
2 year		.75	
3 year	1.25	1.00	
tagliabuana Mme. Galen.			
Mme. Galen Trumpetcreep		20'	
2 year	1.50	1.25	
Common orbanicas Cibanias Dagah	L	201	
Caragana arborescens. Siberian Peash		.50	.45
3 to 4 ft	.75		
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
a. lorbergi. Lorberg Siberian Peasl			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft		2.00	
boisi. Bois Peashrub. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
4 to 5 ft	1.75		
decorticans Afghanistan Peashrub		,	
2 to 3 ft	1.50	1.25	
3 to 4 ft		1.50	
U UU X XV,		1.00	

	1-4 Each	5-24 Each	25 & up Each
Caragana			
frutex. Russian Peashrub. 10'			
2 to 3 ft		1.00	
3 to 4 ft		1.25	1.00
4 to 5 ft	1.75		
5 to 6 ft	2.50	2.00	
sophoraefolia. Sophoraleaf Peashr	ub. 1	0'	
2 to 3 ft	1.50		
3 to 4 ft	1.75		
	0.01		•
Carpinus betulus. European Hornbean 3 to 4 ft			7.50
3 to 4 ftB&B 4 to 5 ftB&B		8.00	
5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ftB&B			10.00
10 to 12 ftB&B		30.00	
		00,00	
Sheared plants, 4 to 10 ft. quoted	on re	quest.	
betulus fastigiata.			
Pyramid European Hornb	beam.	40'	
3 to 4 ftB&B	15.00		
4 to 5 ftB&B			
5 to 6 ftB&B	20.00		
caroliniana. American Hornbeam.	40'		
3 to 4 ftB&B		8.00	7.50
4 to 5 ftB&B		11.00	10.00
5 to 6 ftB&B		13.50	12.50
6 to 8 ftB&B		16.00	15.00
8 to 10 ftB&B	25.00	20.00	18.00
japonica. Japanese Hornbeam. 40			
3 to 4 ft. bushy			
4 to 5 ft. bushyB&B	12.50		
tschonoski. Ýeddo Hornbeam. 25'			
3 to 4 ftB&B		8.00	7.50
4 to 5 ftB&B		11.00	10.00
5 to 6 ft		13.50	12.50
6 to 8 ftB&B		18.00	
8 to 10 ftB&B 2	25.00	20.00	

	1-4	5-24	25 & up
Carya ovata. Shagbark Hickory. 75'	Each	Each	Each
3 to 4 ft	2.50		
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
Catalpa bignonioides nana syn. bungei.	,		
Umbrella Catalpa. 12'			
2 yr. heads,			
5 to 6 ft	1.75	1.50	
ovata. Chinese Catalpa. 30'			
2 to 2½ in	10.00		
2½ to 3 in	15.00		
speciosa. Northern Catalpa. 100	<i>)'</i>		
8 to 10 ft	2.50		
1½ to 1¾ in	3.50		
13/4 to 2 in	4.50		
Ceanothus americanus. Jerseytea Cean	othus.	3'	
18 to 24 in		.70	.60
2 to 3 ft		.85	.75
Cedrela sinensis. Chinese Cedrela. 50	)*		
5 to 6 ft			
	7.50		
	10.00		
	15.00		
Cedrus deodara. Deodar Cedar. 50'			
2 ftB&B	6.00		
3 ftB&B			
libani. Cedar of Lebanon. 50'			
2 ftB&B	6.00		
3 ftB&B	7.50		
Celastrus gemmata. Chinese Bitterswee	et. 20	,	
2 year	1.25	1.00	
orbiculatus. Oriental Bittersweet.	20'	_,,,	
2 year	.60	.50	.45
3 year	.75	.60	.50
4 year	1.00	.75	.60
scandens. American Bittersweet.	25'	,,,	
2 year	.60	.50	.45
3 year	.75	.60	.50
4 year	1.00	.75	.60
1 Jours	1.00	.,,	.00

	1-4 Each	5-24 Each	25 & up
Celtis occidentalis. Hackberry. 50'	Each	Eden	EUCH
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	
11/4 to 11/2 in	5.50	5.00	
1½ to 1¾ in	7.50	6.00	
2½ to 3 in	15.00	12.50	
Cephalanthus occidentalis. Button Bus	sh. 6'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
Cercidiphyllum japonicum. Katsura	$T_{roo}$	<i>30</i> ′	
4 to 5 ft		8.00	7.50
5 to 6 ftB&B		11.00	10.00
6 to 8 ftB&B		13.50	12.50
8 to 10 ftB&B		18.00	15.00
10 to 12 ftB&B	30.00	25.00	
8 to 10 ft. spec	25.00		
10 to 12 ft. specB&B	30.00		
12 to 14 ft. specB&B	40.00		
14 to 16 ft. specB&B	50.00		
japonicum sinense. Chinese Katsu	ra Tre	ee. 50	,
5 to 6 ftB&B	15.00		
6 to 8 ftB&B	20.00		
Cercis canadensis. Eastern Redbud.	40'		
	1.50	1.25	1.00
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft		2.75	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft		6.00	5.00
6 to 8 ft. specB&B			
8 to 10 ft. spec	18.00		
10 to 12 ft. specB&B	25.00		
canadensis alba. White Eastern I	Redbu	d. 40'	
3 to 4 ftB&B	7.50	6.00	
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
6 to 8 ftB&B		12.50	
8 to 10 ftB&B	20.00		

	1-4 Each	5-24 Each	25 & up
Cercis	Eden	Edeli	Eden
*chinensis. Chinese Redbud. 30'			
2 to 3 ft	2.50	2.00	
3 to .4 ft	3.00	2.50	
4 to 5 ft	4.00	3.50	
5 to 6 ft	6.00	5.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50		
Corgognerius montanus			
Cercocarpus montanus.	u et		
True Mountainmahogang 2 to 3 ftB&B			
2 10 3 11	1.50		
Chaenomeles japonica (maulei).			
Japanese Flowering Qui	nce. 5'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
japonica alpina.			
Alpine Japanese Flower	ing Qu	ince.	4'
18 to 24 in	1.75	1.50	1.25
2 to 3 ft	2.00	1.75	1.50
lagenaria (japonica). Common Fl	owering	Quin	ce. 5'
18 to 24 in	.60	.45	.40
2 to 3 ft	.75	.55	.50
3 to 4 ft	1.00	.65	.60
1. alba. White Flowering Quince	. 5'		
15 to 18 in	1.50		
18 to 24 in	1.75		
1. cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
1. Columbia. Deep Rose Floweri	ing Qui	nce. 5	•
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
1. Falconet Charlot. White Flow	vering (	Quince	. 6'
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
4 to 5 ft	3.50		
1. Kermesina Semiplena. 4'			
2 to 3 ft	2.00	1.75	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up
Chaenomeles	Lacii	·	
1. Pygmaea. Dwarf Common Flow	vering	Quinc	e. 3'
18 to 24 in		.60	.50
2 to 3 ft		.75	.60
15 to 18 in	1.50	1.25	
18 to 24 in		1,50	
2 to 3 ft	2.00	1.75	
l. Roseaplena. 5'			, •
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00	1.75
1. Rubra. 6'			
18 to 24 in	2.00	1.75	1.50
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.00	2.50	2.25
1. Semperflorens. Soft Rose Flou	ering	Quinc	e. 6'
2 to 3 ft	_	2.25	2.00
3 to 4 ft	3.00	2.50	2.25
1. Umbilicata. 8'	•		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.85	
4 to 5 ft	1.50	1.25	1.00
4 to 5 ft. heavyB&B	10.00		
1. Vermilion. Red Flowering Qui	nce.	<b>6'</b>	
18 to 24 in	1.75	1.50	
sinensis. Chinese Flowering Qui	nce.	20'	
2 to 3 ft	2.50	2.25	
3 to 4 ft	3.00	2.50	
Chamaecyparis lawsoniana. Lawson F	'alsecy	press.	100'
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ft		0 (	
For larger sizes to 12 ft., add \$5	.00 pe	r foot.	
lawsoniana alumni.			
Scarab Lawson Falsecypr		40'	
2 ftB&B 3 ftB&B			
lawsoniana Triomphe de Boskoop	•		
2 ftB&B	5.00		

Chamaecy		1-4 Each	5-24 Each	25 & up Each
nootka	atensis. Nootka Falsecypres	ss. 75'	•	
2				4.00
<b>3</b>	ftB&B	6.50	5.50	5.00
4	ft B&B	10.00	7.50	
5	ft.,B&B	12.50	10.00	
nootka	atensis pendula.			
	Weeping Nootka Fa	lsecum	ess. 2	20'
3	ftB&B			
4	ft			
5	ft. B&B		20,00	
6	ft			
· ·				
obtusa	compacta. Compact Hinoki	False	cypress	. 10'
4	ftB&B	10.00	7.50	
5	ftB&B	12.50	10.00	
6	ftB&B	15.00	12.50	
7	ftB&B			
obtusa	gracilis. Slender Hinoki F	alsecyp	oress.	<i>15</i> ′
6	ftB&B	15.00	12.50	
obtusa	n nana. Dwarf Hinoki Fals	e o e ume o	000 16	مار
	The state of the s			
	inB&B		6.50	
18	inB&B			
	in		8.50	7.50
30	ш	12.50		
ohtusa	nana compacta. 3'			
	inB&B	7.50	6.00	
	in		-	
10	ш	10.00	1.50	
pisifera. Sawara Falsecypress. 30'				
2			4.00	
· <del></del>	ft			
	ft. B&B		7.50	
5				
, T	ft. spec			
	ft. spec		15.00	

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis			
p. aurea. Golden Sawara Falsecy	press.	<i>30</i> ′	
		4.00	
2 ftB&B		5.50	
3 ftB&B		0.00	
4 ftB&B			
5 ft			
6 ft. spec			
8 ft. specB&B			
9 ft. spec			
10 ft. specB&B	31,30		
p. filifera. Thread Sawara Falsec	ypress	3. 15'	
2 ftB&B	6.50	5.50	5.00
3 ftB&B	7.50	7.00	6.25
4 ftB&B	12.50	10.00	7.50
4 ft. specB&B	15.00	12.50	
5 ft. spec	20.00	15.00	
p. filifera aurea.  Yellowthread Sawara Fa	lsecyp	ress.	10'
18 in. spdB&B	5.00		
24 in. spdB&B	7.50		
30 in. spdB&B	10.00		
p. filifera aurea-variegata.			
Variegated Thread Saware	a Fals	ecypre	ss. 10'
18 to 24 in. spdB&B	5.00		
p. plumosa. Plume Sawara False	cypres	s. 30'	
2 ft. sheared B&B	5.00	4.50	4.00
3 ft. sheared	7.50	6.00	5.50
4 ft. sheared B&B	10.00	7.50	
5 ft. shearedB&B	12.50	10.00	
6 ft. shearedB&B	15.00	12.50	
7 ft. sheared B&B	20.00	15.00	
8 ft. sheared B&B	25.00	20.00	
9 ft. sheared B&B	30.00	25.00	
10 ft. sheared B&B	37.50	30.00	

1-4	5-24	25 & up
Each	Each	Each

## Chamaecyparis

p. plumosa aurea.			
Goldplume Sawara Fals	ecypre	ss. 30'	
2 ft. shearedB&B	5.00	4.50	4.00
3 ft. shearedB&B	7.50	6.00	5.50
4 ft. sheared B&B	10.00	7.50	
5 ft. sheared	12.50	10.00	
6 ft. sheared B&B	15.00	12.50	
7 ft. shearedB&B	20.00	18.00	
8 ft. shearedB&B	25.00		
9 ft. shearedB&B	32.50		
10 ft. sheared B&B	37.50		
p. plumosa argentea. Globe Form	n. 5'		
18 in,B&B	6.00	4.50	4.00
24 inB&B	7.50	5.50	5.00
p. plumosa sulphurea. $Sulphurplume\ False cypr$	ess. 2	25'	
3 ftB&B	7.50		
4 ftB&B	10.00		
p. squarrosa. Moss Sawara Fals	ecypre	ess. 30'	
2 ft. sheared B&B	5.00	4.50	4.00
3 ft. sheared B&B	7.50	6.00	5.50
4 ft. sheared B&B	10.00	7.50	
p. squarrosa glauca. 10'			
2 ftB&B	7.50	6.00	

Chamaedaphne calyculata. Leatherleas	1-4 Each	5-24 Each	25 & up Each
24 to 30 inB&B		5.50	5.00
Chionanthus retusus. Chinese Fringet		20'	
2 to 3 ftB&B	7.50		
virginicus. White Fringetree. 30'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	3.75	3.25	
8 to 10 ft		5.00	4.50
5 to 6 ft. spec			•
6 to 8 ft. spec			
8 to 10 ft. spec	20.00		
	1 50	,	
Cladrastis lutea. American Yellowwood			
6 to 8 ft	_		
10 to 12 ftB&B 3			
2 to 242 m			
272 to 5 m	#9.00		
Clematis apiifolia. October Clematis.	25'		
2 year	.75	.60	
chrysocoma sericea. Silky Goldwo	ol. Cle	matis.	20'
2 year	1.00		
coccinea. (See texensis)			
crispa. $Curly\ Clematis$ .	1.00		
	1.00		
fargesi. Farges Clematis. 15' 2 year, 3 in. pots	1.00		,
hybrids. Large Flowering Clemat	is.		
2 years	1.00	.90	
Jackmanni, Mad. Ed Ande, Hen	ryi,		
Duchess of Edinburg.			
ligusticifolia. Western Virgins-box	wer	15'	
2 year		.75	
montana rubens. Pink Anemone ( 3 inch pots			
o men pots	1.40	1.00	

Clematis	1-4 Each		25 & up Each
montana undulata.  3½ inch pots	1.25		
montana wilsoni. Wilson Anemon 3 inch pots		matis.	15'
paniculata. Sweet Autumn Clemat	tis. 2	5 <b>'</b>	
2 year			.45
3 year	.75	.60	.55
serratifolia. Hermitgold Clematis. 2 year		.90	
2 year	1.00	.00	
texensis syn. coccinea. Scarlet Cl	lemati	s. 10'	
2 year	1.00	.75	
viorna. Leatherflower.			
2 year	1.00	.75	
		• • •	
virginiana. Virgins-bower. 25'	= 0	4.0	0.5
2 year	-		.35
3 year	.60	.50	.45
vitalba. Travelers-joy. 25'			
2 year	1.25		
· ·			
viticella. Italian Clematis. 10'	1.05	1.00	
2 year	1.25	1.00	
Cl. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<i>α</i> 1	1	ol.
Clerodendron trichotomum. Harlequin		yoower	. 0
3 to 4 ft			
4 to 5 ft	2.00		
Club a desiration Commenced Clathe	naca 1	01	
Clethra alnifolia. Summersweet Clethra 18 to 24 in	ra. $1$	.55	.50
18 to 24 in	.75		.60
2½ to 3 ft	1.00		.75
<del> </del>	1.25		1.00
4 to 5 ft	1.00	1.00	1.20
a. paniculata. 5'			
18 to 24 in	1.00		
2 to 3 ft	1.25	1.10	1.00
barbinervis. Tree Clethra. 5'			
4 to 5 ft	2,50		
7 10 0 10			

Calada and an annual Divilia Canan	1-4 Each	5-24 Each	25 & up Each
Colutea arborescens. Bladder Senna.	10'	0.	
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
	10'		
2 to 3 ft	1.50		
media. Hybrid Bladder Senna.			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
Comptonia peregrina asplenifolia. $Swe$	at form	. 5'	
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
2 10 0 10	1,20	1.00	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
alba argenteo-marginata. Creamed	ge Do	gwood	10'
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.50	1.15	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50		
alba sibirica. Siberian Dogwood.	10'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
alba spaethi. Yellowedge Dogwood			
2 to 3 ft	1.00	.90	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
alternifolia. Pagoda Dogwood. 2	-		
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.75	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.50	
		1,00	

	1-4 Each	5-24 Each	25 & up Each
ornus	Eden	Eden	Edch
amomum. Silky Dogwood. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1,25
8 to 10 ft	1.75	1.65	1.50
baileyi. Bailey Dogwood. 10'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	2,00
•	2.00	1,00	
florida. Flowering Dogwood. 25'			
3 to 4 ftB&B	3.75	3.25	3.00
4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ftB&B	7.50	7.00	6.50
6 to 8 ftB&B	12.50	10.00	9.00
8 to 10 ftB&B	15.00	13.50	12.50
5 to 14 ft., heavy spec.			
B&B at \$3.00 per foot.			
florida plena. Dbl. White Flg. Do	gwood	d. 25'	
5 to 6 ft. spec	_	10.00	
6 to 8 ft. specB&B			
8 to 10 ft. spec			
florida rubra. Red Flowering Dogo	wood.	20'	
3 to 4 ftB&B	6.50	5.50	5.00
4 to 5 ftB&B	7.50	7.00	6.50
5 to 6 ftB&B	12.50	10.00	9.00
6 to 8 ftB&B	15.00	13.50	12.50
8 to 10 ftB&B	20.00	18.00	16.00
5 ft., heavy specB&B			
6 ft., heavy specB&B			
For larger sizes to 12 ft., add \$5.0		foot.	
florida welchi. Varileaf Dogwood.	25'		
2 to 3 ftB&B			
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
J 10 0 11,	12.00		

	1-4 Each	5-24 Each	25 & up
Cornus			
kousa. Kousa Dogwood. 20'	e		
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.50	
4 to 5 ft. heavyB&B	12.50	10.00	
5 to 6 ft. heavyB&B	15.00	12.50	
6 to 8 ft. heavyB&B	20.00	18.00	
8 to 10 ft. heavyB&B	25.00	22.50	
kousa chinensis. Chinese Kousa D	oawoo	od. 20'	•
3 ftB&B	_	7.50	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00		٩
mas. Corneliancherry Dogwood.	20'		
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.85	1.75
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.75		
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
officinalis. Japanesecornel Dogwood		5 <b>'</b>	
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	5.00		
paniculata. (see racemosa)			
paucinervis. Littleleaf Dogwood.	6'		
3 to 4 ft		2.00	
4 to 5 ft	3.00	2.50	
pubescens. 15'			
3 to 4 ft	1.00	.75	
4 to 5 ft		1.00	
5 to 6 ft	1.50	1.25	
racemosa. (paniculata). $Gray\ Dogv$	vood.	15'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft		1.10	1.00
6 to 8 ft	1.50	1.35	1.25
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.50		
4 to 5 ft			

•	1-4	5-24	25 & up
Cornus	Each	Each	Each
sanguinea. $Bloodtwig\ Dogwoods$	10'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
	1.00	.85	.75
5 to 6 ft	1.25	1.10	
	1,20	1.10	1.00
sanguinea viridissima. Greentwig	Dogw	ood.	10'
	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
stolonifera. Redosier Dogwood. 10	) <b>'</b>		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
	2,00	2.00	
s. flaviramea. Yellowtwig Redosie	r $Dog$	wood.	8'
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
Corylopsis sinensis. Chinese Winterhaz	el. 8'		
2 to 3 ftB&B	7.50		
3 to 4 ftB&B	10.00		
spicata. Spike Winterhazel. 6'			
2 to 3 ftB&B	7.50		
Corylus americana. American Filbert.	10'		
2 to 3 ft	.75	.70	.65
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.65	1.50
avellana. European Filbert. 15'			
2 to 3 ft	.75	.70	.65
3 to 4 ft	1.00		.75
4 to 5 ft			1.00
5 to 6 ft	1.50		
6 to 8 ft	2.00		
U to U Iti	2.00	1.00	1.00

## Corylus

avellana	airopurpurea.			
	Purple European Filbe	rt. 1	<b>5'</b>	
5 to				
6 to	8 ft	10.00		
8 to	10 ft	12.50		
avellana	aurea. Golden European	Filbe	rt. 15'	
6 to	8 ft	7.50		
8 to	10 ft	10.00		
heteroph	ylla setchuenensis. Szechv	van F	ilbert.	12'
3 to	4 ft	3.00		
4 to	5 ft	4.00		
rostrata.	Beaked Filbert. 6'			
	3 ft			.65
	4 ft	1.25	1.00	.75
4 to	5 ft	1.50	1.25	1.00
Cotinus cogg	ygria. Common Smoketree			
3 to	4 ft	1.75	1.50	1.25
4 to		2.00	1.75	1.50
5 to	6 ft	2.50	2.25	2.00
6 to		3.00	2.75	2.50
8 to	10 ft	5.00	4.00	3.50
	ere ere ere ere ere		4.01	
	acutifolia. Peking Coton			4.5
2 to		.60	.50	.45
3 to		.75	.60	.55
	5 ft	1.00	.85	.75
	ia villosula. 12'	1.25	1.10	1.00
	3  ft	.65	.55	.50
	4 ft	.75	.65	.60
	5 ft	1.00	.85	.75
	6 ft.	1.25	1.10	1.00
	8 ft	1.50	1.35	1.25
	. Creeping Cotoneaster. 2		1.00	1,20
_	8 in, from pots		1.75	
ambigua		2.00	1.10	
	3 ftB&B	3.00	2.75	2.50
	4 ft	3.75	3.50	3.25
	a. Cranberry Cotoneaster.	6'	0.00	0.20
	12 in, from pots	2.00	1.75	1.50
	15 in. from pots	2.50	2.00	1.00
		2100	2.00	

Cotoneaster	1-4 Each	5 <b>-24</b> Each	25 & up Each
dammeri. Bearberry Cotoneaster.	2'		
6 to 8 in. from pots	2.00	1.75	
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
divaricata. Spreading Cotoneaster	. 6'		
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
foveolata. Glossy Cotoneaster. 10	) <sup>*</sup>		
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
francheti. Franchet Cotoneaster.	10'		
12 to 18 in., 4 in. pots	2.00		
himalaicus. Littleleaf Cotoneaster.	6'		
8 to 10 in., 4 in. pots	2.00	1.75	
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	2.50	2.25	2.00
15 to 18 in. spd. from pots	3.00	2.50	2.25
18 to 24 in. spdB&B		3.00	2.50
horizontalis perpusilla. Ground Co			
10 to 12 in., from pots		1.75	1.50
12 to 15 in., from pots		2.25	2.00
horizontalis wilsoni. Wilson Coton			0.50
2 to 3 ftB&B 3 to 4 ftB&B		2.75 3.50	2.50 3.25
hupehensis. Hupeh Cotoneaster. 5		3.50	3.20
2 to 3 ftB&B	3.00		
3 to 4 ftB&B	4.00		
integerrima. European Cotoneaste		,	
	3.00		
3 to 4 ftB&B	3.50		
*lucida. Hedge Cotoneaster. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
melanocarpa. 6'			
2 to 3 ftB&B	3.50	3.00	
3 to 4 ftB&B	4.50	3.50	
4 to 5 ftB&B	5.00	4.50	

Cotoneaster	1-4 Each	5-24 Each	25 & up
microphylla. Rockspray Cotoneaste	n	,	
10 to 12 in., 4 in. pots			1.50
moupinensis. Mupin Cotoneaster.	10'		
15 to 18 in., 4 in. pots		1.75	
10 to 10 mi, 1 m. pots	2.00	1.,0	
multiflora. 6'			
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
nitens. Pinkblush Cotoneaster. 4			
2 to 3 ftB&B	3.50		
obscura. Bloodberry Cotoneaster.	10'		
2 to 3 ftB&B		2.75	2,50
3 to 4 ft			3.25
4 to 5 ftB&B	0.00	4.50	4.00
racemiflora soongarica Sungari (	Coton	easter.	6'
2 to 3 ftB&B			2.75
3 to 4 ftB&B			3.50
4 to 5 ftB&B			4.50
1 00 0 101	0,00	<b>V.</b> 00	1,00
rotundifolia. Redbox Cotoneaster.	2'		
10 to 12 in. from pots	2.00	1.75	1.50
12 to 15 in .from pots	2.25	2.00	1.75
	401		
rosea. Redcurrant Cotoneaster.			0.50
2 to 3 ft		2.75	
3 to 4 ftB&B			
4 to 5 ftB&B			4.00
5 to 6 ftB&B	7.50	6.00	
1:-:6-1:- 61			
salicifolia floccosa.		at	
Hardy Willowleaf Cotonea		<b>6'</b>	
15 to 18 in. from pots	2.50		
simonsi. Simons Cotoneaster. 8'			
12 to 18 in., 4 in.pots	2.50	2.00	1.75
tenuipes. Slender Cotoneaster. 6	,		
8 to 12 in, from pots		1.75	
12 to 15 in., from pots			
		2,00	
zabeli. Cherryberry Cotoneaster.			
15 to 18 in., from pots	2.50		
LARGE SPECIMEN SHRUBS QUOTED	ON R	EQUEST	

*Crataegus aprica. Beadle Hawthorn.	1-4 Each 20'	5-24 Each	25 & up Each
3 to 4 ft.	3.50	3.00	2.75
4 to 5 ft	4.00	3.50	3.25
5 to 6 ft		4.25	
		W. F	
*arkansana. Arkansas Hawthorn.		38)	
3 to 4 ft		<ul><li>2.75</li></ul>	
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft.	4.25	4.00	<b>3.75</b>
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	
*arnoldiana. Arnold Hawthorn.	20'		
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*calpodendron. Pear Hawthorn.	15'	2 4	
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5,75	5.50
coccinea (see intricata)	1 :		
*coccinioides. Kansas Hawthorn.	20'	:	
4 to 5 ft	3.50	3,25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	
*cordata (see phaenopyrum).		a gratima	
*crusgalli. Cockspur Thorn. 30'		- 4 - 4	
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft			
5 to 6 ft			
6 to 8 ft.m. W. A			
8 to 10 ft.			
10 ft. spec			0.00
*cuneata. Nippon Hawthorn. 20		.,	
3 to 4 ft			
*hupehensis. 20'			
4 to 5 ft	4.00		
5 to 6 ft	5.00	. :	
6 to 8 ft			
18 to 10 ft.;	7.50		; * .

	1-4 Each	5-24 Each	25 & up Each
*Crataegus.			
*intricata (coccinea). Thicket Ha	wthor	n. 20'	
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*lavallei Lavalle Hawthorn. 20'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
6 to 8 ft. standards, quoted of	on rec	uest.	
*macracantha. Spike Hawthorn.	20'		
3 to 4 ft	3.50		
4 to 5 ft	4.50		
5 to 6 ft	5.50		
*mollis. Downy Hawthorn. 20'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*monogyna. Singleseed Hawthorn	. 20'		
5 to 6 ft	4.50	4.00	
6 to 8 ft	6.00	5.75	
8 to 10 ft	7.50	7.00	
*monogyna stricta,		,	
	<b>h</b>	201	
Pyramidal Singleseed Hawt 3 to 4 ft	4.00	20'	
4 to 5 ft			
4 10 0 11,	3.00		
*nitida. Glossy Hawthorn. 15'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Contraction	1-4 Each	5-24 Each	25 & up Each
Crataegus	201		
*oxyacantha. English Hawthorn.	20'	0.05	0.00
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	
8 to 10 ft. specB&B	15.00		
*o. plena. Doublewhite English H	awtho	rn. 1	5 <b>'</b>
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00
8 to 10 ft	12.50	10.00	
10 to 12 ft	18.00		
*o. pauli Paul's Scarlet English H	awthe	orn. 1	5 <b>'</b>
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00
8 to 10 ft	12.50	10.00	
10 to12 ft	18.00		
*o. punicea. Singlered English H	lawth	orn. 1	15'
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00
8 to 10 ft	12.50	10.00	
10 to 12 ft	18.00		
*o. rosea plena. Doublepink Englis	sh Ha	wthorn	n. 15'
4 to 5 ft	4.00	3.75	
5 to 6 ft	5.00	4.75	
6 to 8 ft	7.50	6.50	
8 to 10 ft	12.50	10.00	
*peregrina. Peregrina Hawthorn.	15'		
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50	3.25	
5 to 6 ft	4.25	4.00	
6 to 8 ft	6.00	5.75	
8 to 10 ft	8.50	7.50	
*persistens. 15'			
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00

HENRY NORANNIE & SC	214		
	1-4		25 & up
Crataegus	Each	Each	Each
*phaenopyrum. (cordata)			
Washington Hawthorn. 20	) <b>,</b>		
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
	6.00	5.75	5.50
6 to 8 ft	7.50	7.00	6.50
8 to 10 1t	1.50	1.00	0.00
*pinnatifida major. Large Chines	se Har	vthorn.	20'
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50	3.25	
5 to 6 ft	4.25	4.00	•
6 to 8 ft	6.00	5.75	
*pruinosa. Frosted Hawthorn. 18	Q*		
4 to 5 ft	4.50	4.00	
5 to 6 ft	5.50	5.00	
6 to 8 ft	7.50	6.00	
		0.00	
*prunifolia. Plumleaf Hawthorn.	25'	0.75	2.50
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft,	6.00	5.75	5.50
*punctata. Dotted Hawthorn. 25			
4 to 5 ft		3.25	
5 to 6 ft		4.00	
6 to 8 ft		5.75	
8 to 10 ft		7.00	
pyracantha (See Pyracantha coccin	nea).	711	
*succulenta. Fleshy Hawthorn.	20'.		
4 to 5 ft		4.00	
*viridis. Green Hawthorn. 25'			
5 to 6 ft	4.50	4.00	3.75
6 to 8 ft.			5.50
8 to 10 ft		7.00	, , , , ,
Cryptomeria japonica lobbi Lobb Cryp			,
2 ftB&B		$\frac{7a.}{4.00}$	3.50
3 ft			
4 ft			
5 ft			
6 ft			•
7 ft			
8 ft			
0 1tt	20.00	20.00	17.50

Cudrania tricuspidata. 25'	1-4 Each	5-24 Each	25 & up Each
4 to 5 ft	4:00	atti o grasij	
5 to 6 ft			
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5'	1 19	da reggi	
12 to 15 in., 4 in. pots	1.50	1.25	
nigricans. Spike Broom. 4' 12 to 15 in	1.50		
scoparius. Scotch Broom. 10'	1.50	105	1.00
18 to 24 in	1.50	1.25	1.00
scoparius andreanus. Paradise Br			
18 to 24 in			
supinus. Bigflower Broom. 3'		194 85	4
10 to 12 in., 4 in. pot	1.50	1.25	
Daphne cneorum. Rose Daphne. 1'			
8 to 10 in. spd	1.50	1.35	1.25
10 to 12 in. spd	1.75	1.60	1.50
12 to 15 in. spdB&B	2.50	2.25	2.00
mezereum. February Daphne. 4'	• • •		
15 to 18 inB&B		2.00	1.75
18 to 24 in	3.00	2.50	2.25
2 to 2½ ftB&B		3.50	3.00
2½ to 3 ft B&B			
mezereum alba. White February	Daph	ne. 4	,
18 to 24 in			
24 to 30 inB&B			
2½ to 3 ftB&B			
Decumaria barbara. Southeast Decum	naria.		
3 yr. from pots	1.00	.75	.60
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.60	.50	.45
18 to 24 in	.75		
18 to 24 in	.85	.70	.65
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.60	.50	.45
24 to 30 in	.75	.60	.55
2½ to 3 ft			
LARGE SPECIMEN SHRUBS QUOTED	ON - RE	QUEST	· .

	1-4 Each	5-24 Each	25 & up Each
Deutzia	Lucii	Eddi	Edell
lemoine compacta. 5'			
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
myriantha Boule Rose. Pink Deu	tzia.	4'	
18 to 24 in			
2 to 3 ft	1.00	.75	
ningpoense. 5'			
3 to 4 ft	1.50		
parviflora. Mongolian Deutzia. 5	,		
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.75	.55	.50
24 to 30 in	.85	.65	.60
2½ to 3 ft	1.00	.80	.75
rosea campanulata.			
Bellflower Rosepanicle Deu	tzia.	<i>5</i> ′	
18 to 24 in			.50
2 to 3 ft			.60
rosea carminea. Carmine Rosepa	nicle I	Deutzie	α. 4'
18 to 24 in			.50
2 to 3 ft	-		.60
3 to 4 ft		.80	.75
rosea venusta. White Rosepanicle	Deut	zia. 5	,
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.00	.80	
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
scabra Pride of Rochester. 12'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Deutzia         12'           2 to 3 ft.         .60         .50         .45           3 to 4 ft.         .75         .60         .55           4 to 5 ft.         1.00         .80         .75           5 to 6 ft.         1.25         1.10         1.00           scabra watereri. Waterer's Deutzia. 12'           2 to 3 ft.         .60         .50         .45           3 to 4 ft.         .75         .60         .55           scabra wellsi. Wells Deutzia. 12'           3 to 4 ft.         .75         .65         .60           4 to 5 ft.         1.00         .85         .75           schneideriana laxiflora. 6'           3 to 4 ft.         1.75         1.50           4 to 5 ft.         2.00         1.75           Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4'           2 to 3 ft.         .75         .65         .60           3 to 4 ft.         1.00         .85         .75           sessilifolia. Southern Bush Honeysuckle. 5'           2½ to 3 ft.         .65         .55         .50           3 to 4 ft.         .75         .65         .60		1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	Deutzia	Lucii	Edeii	Eden
3 to 4 ft		se De	utzia.	12'
4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.10       1.00         scabra watereri. Waterer's Deutzia. 12'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         scabra wellsi. Wells Deutzia. 12'         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         schneideriana laxiflora. 6'         3 to 4 ft.       1.75       1.50         4 to 5 ft.       2.00       1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .85       .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00				.45
5 to 6 ft.       1.25       1.10       1.00         scabra watereri. Waterer's Deutzia. 12'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         scabra wellsi. Wells Deutzia. 12'         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         schneideriana laxiflora. 6'         3 to 4 ft.       1.75       1.50         4 to 5 ft.       2.00       1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .85       .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00				
scabra watereri. Waterer's Deutzia. 12'         2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         scabra wellsi. Wells Deutzia. 12'         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         schneideriana laxiflora. 6'         3 to 4 ft.       1.75 1.50         4 to 5 ft.       2.00 1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4'         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .85 .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00 5.00         8 to 10 ft.       7.50 6.00				
2 to 3 ft	5 to 6 ft	1.25	1.10	1.00
3 to 4 ft.       .75       .60       .55         scabra wellsi.       Wells Deutzia.       12'         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         schneideriana laxiflora.       6'       6'       3 to 4 ft.       1.75       1.50       4 to 5 ft.       2.00       1.75         Diervilla lonicera.       (trifida). Dwf. Bush Honeysuckle.       4'       2 to 3 ft.       .75       .65       .60       3 to 4 ft.       1.00       .85       .75         sessilifolia.       Southern Bush Honeysuckle.       5'       5'       2½ to 3 ft.       .65       .55       .50       .50       .65       .65       .60       .60       .60       .75       .65       .60       .60       .75       .65       .60       .60       .75       .65       .60       .60       .75       .65       .60       .60       .75       .65       .60       .60       .75       .65       .60       .60       .75       .60       .60       .75       .60       .75       .60       .60       .75       .60       .75       .60       .60       .75       .60       .60       .60       .60	scabra watereri. Waterer's Deutz	ia. 12	•	
scabra wellsi. Wells Deutzia. 12'         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         schneideriana laxiflora. 6'         3 to 4 ft.       1.75 1.50         4 to 5 ft.       2.00 1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .85 .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00 5.00         8 to 10 ft.       7.50 6.00	2 to 3 ft	.60	.50	.45
3 to 4 ft	3 to 4 ft	.75	.60	.55
4 to 5 ft.       1.00       .85       .75         schneideriana laxiflora.       6'         3 to 4 ft.       1.75       1.50         4 to 5 ft.       2.00       1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle.       4         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .85       .75         sessilifolia. Southern Bush Honeysuckle.       5'         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon.       15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00	scabra wellsi. Wells Deutzia. 12	,		
schneideriana laxiflora.       6'         3 to 4 ft.       1.75 1.50         4 to 5 ft.       2.00 1.75         Diervilla lonicera.       (trifida). Dwf. Bush Honeysuckle.       4'         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .85 .75         sessilifolia.       Southern Bush Honeysuckle.       5'         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         Diospyros virginiana.       Common Persimmon.       15'         6 to 8 ft.       6.00 5.00         8 to 10 ft.       7.50 6.00			.65	.60
3 to 4 ft.       1.75       1.50         4 to 5 ft.       2.00       1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .85       .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00	4 to 5 ft	1.00	.85	.75
3 to 4 ft.       1.75       1.50         4 to 5 ft.       2.00       1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .85       .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00	schneideriana laviflora 6'			
4 to 5 ft.       2.00 1.75         Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .85 .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00 5.00         8 to 10 ft.       7.50 6.00		1.75	1.50	
Diervilla lonicera. (trifida). Dwf. Bush Honeysuckle. 4         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .85 .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00 5.00         8 to 10 ft.       7.50 6.00				
2 to 3 ft				
3 to 4 ft.       1.00       .85       .75         sessilifolia. Southern Bush Honeysuckle. 5'         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00			_	
sessilifolia.       Southern Bush Honeysuckle.       5'         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .85 .75         Diospyros virginiana.       Common Persimmon.       15'         6 to 8 ft.       6.00 5.00         8 to 10 ft.       7.50 6.00				
2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .85       .75         Diospyros virginiana.       Common Persimmon.       15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00	5 to 4 it	1.00	.00	.10
3       to 4 ft.       .75       .65       .60         4       to 5 ft.       1.00       .85       .75         Diospyros virginiana. Common Persimmon. 15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00	•		- •	
4       to 5 ft.       1.00       .85       .75         Diospyros virginiana.       Common Persimmon.       15'         6 to 8 ft.       6.00       5.00         8 to 10 ft.       7.50       6.00				
Diospyros virginiana.         Common Persimmon.         15'           6 to 8 ft.         6.00         5.00           8 to 10 ft.         7.50         6.00				
6 to 8 ft. 6.00 5.00 8 to 10 ft. 7.50 6.00	4 to 5 ft	1.00	.85	.75
8 to 10 ft 7.50 6.00	Diospyros virginiana. Common Persin	mmon.	<i>15</i> ′	
'				
10 to 19 ft	8 to 10 ft	7.50	6.00	
10 to 12 tt	10 to 12 ft	10.00	7.50	
Dirca palustris. Atlantic Leatherwood. 6'	Dirca palustris. Atlantic Leatherwood	d. 6'		•
8 to 10 inB&B 3.50	,			
Elaeagnus angustifolia. Russian Olive. 20'	Elaeagnus angustifolia. Russian Olive.	20'		
3 to 4 ft			.75	
4 to 5 ft	4 to 5 ft	1.25	1.00	
5 to 6 ft	5 to 6 ft	1.75	1.35	
6 to 8 ft	6 to 8 ft	2.50	2.00	
8 to 10 ft 3.00 2.75	8 to 10 ft	3.00	2.75	
10 to 12 ft 7.50 5.00	10 to 12 ft	7.50	5.00	
commutata. Silverberry. 12'	commutata Silverherry 19'			
5 to 6 ft		2.00	1.75	
LARGE SPECIMEN SHRUBS QUOTED ON REQUEST			EQUEST	

	1-4 Fach	5-24 , Each	25 % up Each
Elaeagnus	Lacii	, Edeir	20011
multiflora. (longipes) Cherry El	aeagn	us. 6	,
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	`
umbellata. Autumn Elaeagnus.	12'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
u. parvifolia. Chinese Elaeagnus	s. 15'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
Elsholtzia stauntoni. 4'			
18 to 24 in	1.00	85	.75
2 to 3 ft	1.25	1.00	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.90
darleyensis. Darley Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.90
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.90
Eucommia ulmoides. 60'			
6 to 8 ft	7.50	6.00	
8 to 10 ft	10.00	7.50	
Euonymus alatus. Winged Euonymus	. 10'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft			1.50
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft		3.75	3.50
6 to 8 ft. heavyB&B			
8 to 10 ft. heavyB&B	20.00		
alatus compactus. Dwarf Winged	Euor	nymus.	<i>6'</i>
2 to 3 ft			
3 to 4 ft	1.75	1.50	

Fuonemus	1-4 Each	5-24 Each	25 & up Each		
Euonymus					
americanus. Brook Euonymus. 8'	1 00	0.0			
2 to 3 ft	1.00		.75		
3 to 4 ft	1.25	1.10	1.00		
4 to 5 ft,	1.50	1.35	-ur		
airopurpureus. Eastern Wahoo.	15'				
2 to 3 ft	.60	.50	.45		
3 to 4 ft	.75	.60	.55		
4 to 5 ft	1.00	.80	.75		
5 to 6 ft	1.35	1.10	1.00		
6 to 8 ft	1.75	1.60	1.50		
bungeanus. Winterberry Euonymu	s. 15	,			
2 to 3 ft	.60	.50	.45		
3 to 4 ft	.75	.60	.55		
4 to 5 ft	1.00	.80	.75		
5 to 6 ft	1.35	1.10	1.00		
6 to 8 ft	1.75	1.60	1.50		
europaeus. European Euonymus.	15'				
2 to 3 ft	.60	.50	.45		
3 to 4 ft	.75	.60	.55		
4 to 5 ft	1.00	.80	.75		
5 to 6 ft	1.35	1.10	1.00		
6 to 8 ft	1.75	1.60	1.50		
fortunei. (acutus). Wintercreeper Euonymus. 2'					
12 to 15 in	.65	.55	.50		
15 to 18 in	.85	.70	.65		
f. argenteo-marginatus.					
Silveredge Wintercreeper	Euon	ymus.	2'		
12 to 15 in	.65	.55	.45		
15 to 18 in	.85	.70	.65		
f. carrierei. G'ossy Wintercreeper	Euon	ymus.	3'		
12 to 15 in	.65	.55	.50		
15 to 18 in	.85	.70	.65		
18 to 24 ft	1.00	.80	.75		
f. coloratus.					
$Purple leaf\ Wintercreeper$	Euo	nymus	. 3'		
12 to 15 in		.50	.45		
15 to 18 in	.75	.65	.60		
18 to 24 in					

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Engage	1-4 Each	5-24 Each	25 & up Each
Euonymous			
f. kewensis. Kew Wintercreeper			
8 to 12 in. from pots	.75	.65	.60
f. minimus. Baby Wintercreeper	Euon	ymus.	1'
8 to 12 in. from pots	.75	.65	.60
12 to 15 in. from pots			.75
f. radicans. Common Wintercree			านจ
8 to 12 in		.50	.45
12 to 15 in.	.65		.50
15 to 18 in	.80		
18 to 24 in			.75
f. vegetus. Bigleaf Wintercreepe			
12 to 15 in		.80	.75
15 to 18 in	1.25		1.00
18 to 24 in	1.50		1.25
24 to 30 in		2.25	
kiautschovicus (patens). Spreadi	ng Eu	_	
	2.75	2.50	2.25
2 to 3 ftB&B	3.50	3.00	
latifolius. Broadleaf. Euonymus.	10'		
3 to 4 ft	.90	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
maacki. Maack Euonymus. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nanus. Dwarf Euonymus. 3'			
12 to 15 in	1.50	1.25	1.00
15 to 18 in			_,,
obovatus. Running Euonymus.			
8 to 10 in		.60	.50
	.10	.00	.50
oxyphyllus 15'		4 = -	4 2 -
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	2.25	2.00	1.75
patens. (see kiautschovicus).			

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
radicans. (see fortunei).			
yedoensis. Yeddo Euonymus. 10	P		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia danieli. Korean Evodia. 25'			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
hupehensis. Hupeh Evodia. 25'			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
Exochorda giraldi wilsoni Wilson Redb	bud Pe	earlbus	h. 15'
3 to 4 ft	3.00	2.50	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.50	4.00	
racemosa. (grandiflora). Pearlbus	sh. 11	<b>7</b> ′	
2 to 3 ft		.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft		.85	.75
5 to 6 ft			1.00
6 to 8 ft		1.60	1.50
8 to 10 ft		3.00	
6 to 8 ft. specB&B	12.50		
8 to 10 ft. specB&B	15.00		
Fagus grandiflora. (americana). $Ame$	erican	Beech.	60 <b>'</b>
3 to 4 ftB&B	8.50	7.50	
4 to 5 ftB&B	12.50	10.00	
5 to 6 ftB&B	15.00	12.50	
6 to 8 ftB&B	20.00	15.00	
8 to 10 ftB&B	25.00	20.00	
10 to 12 ftB&B	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

				1-4 Each	5-24 Each	25 & Jup Each
Fagus				Lucii	Eden	Edell
sylvat	ica.	$\overline{E}$	uropean Beech. 75'			
3	to	4	ftB&B	6.00	5.50	5.00
4	to	5	$ft.\dotsB\&B$	7.50	7.00	6.50
5	to		ftB&B		10.00	9.50
6	to		ftB&B		13.50	12.50
8	to		ftB&B			
			ftB&B			25.00
			ftB&B		40.00	
14	to	16	ftB&B	60.00	50.00	
sylvat	ica	fas	tigiata. <i>Pyramidal B</i>	eech.	25'	
_			ftB&B			
sylvat	ica	het	erophylla. Cutleaf I	Beech.	25'	
6	to	8	$ft.\dots\dots.B\&B$	25.00		
8	to	10	ftB&B	30.00		
svlvai	ica	per	ndula. Weeping Beed	ch. 50	,	
_			ftB&B			
14	to	16	ftB&B	75.00		
, L	arg	er s	izes quoted on reque	st.		
cylyst	ica	חוות	$r$ purea. $_{-}Purple$ $Beec$	h 75	,	
_	to	_	ftB&B			
			ftB&B			
			ftB&B			
10	to	12	ftB&B	45.00		
avelera t	ian		ersi. River's Beech.	MEI		
_			ftB&B			
			ft., 1½ in. B&B			
			·			
$\mathbf{L}_i$	arge	er s	izes quoted on reque	st.		
			nei. Fortune Fontan			
			ft			.60
			ft			
			ft.,			
			ft			
8	to	10	ft	2.00	1.85	1.75

	1-4 Each	5-24 Each	25 & up Each
Forsythia europea. Albanian Forsythia	ia. 6'	Lacii	Lucii
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
intermedia. Border Forsythia.	8'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
intermedia primulina.			
Primrose Border Forsythi	a. 10'		
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
intermedia spectabilis. Showy Bo	rder F	or sythi	ia. 8'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.75	1.50
ovata. Early Forsythia. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.85
suspensa. $Weeping\ Forsythia.$	)'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
suspensa atrocaulis.			
$Purplestem \ Weeping \ Fo$	rsythia	. 6'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75		.55
4 to 5 ft	1.00		.75
5 to 6 ft			1.00
suspensa fortunei. Fortune Weep	_		ı. 8'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00		.75
5 to 6 ft	1.25		1.00
6 to 8 ft	1.50	1.35	1.25

	1-4 Each	5-24 Each	25 & up Each
Forsythia	a Far	authia	. 8'
suspensa sieboldi. Siebold Weepin. 2 to 3 ft	9 F 07 .60	.50	. 0
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.10	1.25
		1.00	1.20
viridissima. Greenstem Forsythia.			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
Fothergilla gardeni. Dwarf Fothergille	a. 3'		
18 to 24 inB&B	5.00	4.00	
24 to 30 inB&B	6.00	5.00	
30 to 36 inB&B	7.50		
Franklinia alatamaha. 20'			
3 to 4 ftB&B	12.50		
8 to 10 ft			
Fraxinus americana. White Ash. 80'	0.00	0.50	0.05
8 to 10 ft	3.00	2.50	2.25
1½ to 1½ in	3.50	2.75	2.50
1½ to 1¾ in	4.50	4.00	3.75
	6.00	5.50	5.00
	7.50	7.00	6.50
	12.50	10.00	9.00
excelsior. European Ash. 100'			
8 to 10 ft		2.50	2.25
1½ to 1½ in	3.50	2.75	2.50
	4.50	4.00	3.75
13/4 to 2 in	6.00	5.50	5.00
	7.50	7.00	6.50
$2\frac{1}{2}$ to 3 in	12.50	10.00	9.00
mandshurica. Manchurian Ash. 8	80 <b>'</b>		
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	4.00	3.25	3.00
1½ to 1½ in	5.00	4.25	4.00
1½ to 1¾ in		5.50	5.00
nigra. Black Ash. 80'			
8 to 10 ft	2.50	2.05	2.00
	3.50	3.25	3.00
1½ to 1½ in	4.50	4.00	
172 10 194 111	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Fraxinus	20011	Edeli	Edeli
pennsylvanica. Red Ash. 60'			
8 to 10 ft	4.00	3.25	
1¼ to 1½ in	5.00		4.00
1½ to 1¾ in	6.50	5.50	5.00
13/4 to 2 in		7.50	
	12.50	10.00	
p. lanceolata. Green Ash. 60'			
8 to 10 ft	3.00	2.50	2.25
1½ to 1½ in	3.50	2.75	2.50
1½ to 1¾ in	4.50	4.00	3.75
13/4 to 2 in	6.00	5.50	5.00
2 to 2½ in		7.00	6.50
	12.50	10.00	9.00
quadrangulata. Blue Ash. 80'			
6 to 8 ft			
8 to 10 ft	5.00		
Gaylussacia baccata. Black Huckleber	ry. 3	P	
18 to 24 inB&B			
24 to 30 inB&B	4.00	3.50	
Genista juncea. 2'			
15 to 18 in. from pots	1.00	.75	
pilosa. Silky Leaf Woadwaxen.			
4 to 6 in	1.00	.75	
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	1.00	.90	
scoparia (see Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Ginkgo biloba. Maidenhair Tree. 60'	0.05	0.75	9.50
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
1½ to 1½ in	5.00	4.50	4.25
1½ to 1¾ in	6.00 7.50	5.50 7.00	5.00
13/4 to 2 in	10.00	9.50	<b>6.</b> 50 <b>9</b> .00
	18.00	15.00	12.50
	25.00	20.00	12.00
	30.00	25.00	
	60'	20.00	
6 to 8 ft			
0 10 0 11	1.00		

1-4 Each	5-24 Each	25 & up Each
Gleditsia japonica. Japanese Honeylocust.		
3 to 4 ft 2.50	2.00	
4 to 5 ft	2.50	
5 to 6 ft	3.00	
6 to 8 ft	4.00	
triacanthos. Honeylocust. 60'		
5 to 6 ft	1.50	1.35
6 to 8 ft	2.25	2.00
8 to 10 ft 3.75	3.50	3.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.75
1½ to 1¾ in 5.50	5.00	4.50
1 <sup>3</sup> / <sub>4</sub> to 2 in	6.00	
2 to 2½ in 10.00	7.50	
2½ to 3 in	10.00	
triacanthos elegantissima. $Bushy\ Hone$	ylocust	. 20'
4 to 5 ft	2.50	2.00
5 to 6 ft	3.00	2.50
triacanthos inermis. Thornless Honeyle	cust.	<i>50'</i>
6 to 8 ft 3.00	2.75	2.50
8 to 10 ft 4.00	3.50	3.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.50	5.00	4.50
13/4 to 2 in 7.50	6.00	
2 to 2½ in 10.00		
Gordonia alatamaha. (see Franklinia).		
Gymnocladus dioca. Kentucky Coffeetree.	/ <sub>1</sub> O'	
5 to 6 ft 4.00		2.50
6 to 8 ft		3.50
8 to 10 ft 6.00		4.50
10 to 12 ft 7.50		
2 to 3 in 15.00		0.00
Halesia carolina. (tetraptera). Carolina Sil		. 15 <b>'</b>
4 to 5 ft		
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
10 to 12 ft		
8 to 10 ft. spec B&B 15.00		4.50
10 to 12 ft. spec B&B 15.00		
10 to 12 it. spec D&D 20.00		

	1-4 Each	5-24 Each	25 & up Each
Halesia			
monticola. Mountain Silverbell.	<i>50</i> ′		
4 to 5 ft	5.00		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
Hamamelis japonica. Japanese Witch	hazel.	20'	
5 to 6 ft	3.50		
japonica rubra. 20'			
6 to 8 ft	5.00		
mollis. Chinese Witchhazel. 20'	•		
2 to 3 ft	4.00		
3 to 4 ft	5.00		
4 to 5 ft	6.00		
vernalis. Vernal Witchhazel. 8'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
vernalis tomentella. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
virginiana. Common Witchhazel.	15'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.50		
5 to 6 ft	1.75	1.50	1.25
6 to .8 ft	2.25		
8 to 10 ft	3.00	2.75	2.50
Hedera helix. English Ivy. 20'			
2 year, 2 in. pots	.40	.30	.25
2 year, 3 in. pots	.50	.35	.30
3 year, 4 in. pots	.60	.45	.40
helix Albany. Albany English I	vy. 1	0'	
2 year, 3 in. pots	.50	.40	.30

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Hedera			
helix baltica. Baltic English Ivy.			
2 year, 3 in. pots	.55	.45	.40
helix conglomerata. Bunchleaf Eng	glish I	vy. 1	O <b>'</b>
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Miniature English	lvy. 1	!o'	
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.55	.45	.40
helix Hahn's			
2 year, 3 in. pots	.50	.40	.35
3 year, 4 in. pots	.60	.50	.45
helix lobata.			
2 year, 3 in. pots	.50	.40	.35
Helwingia japonica. 5'	,00	.10	.00
12 to 15 in., 3 in. pots	1.50		
Hibiscus syriacus. Shrub Althea. 12'	1.00	,	
double varieties			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft. hvy	15.00		
Ardens — Purple.			
Banner — Blush.			
Jeanne d Arc — White.			
Lady Stanley — White, shaded	d rose.		
Rubra Plena — Red.			
Speciosa Plena — Pink.			
single varieties.			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	
4 to 5 ft	1.00		
5 to 6 ft	1.25	1.10	1.00
Coelestis — Blue.			
Rosea — White, crimson eye.			
Rubis — Red.			
Totus albus — White.			

	1-4 Each		25 & up Each
Hibiscus			
variegatus. Leopardleaf Shrub Alt			
2 to 3 ft		.65	.60
3 to 4 ft		.85	.75
4 to 5 ft	1.25		1.00
5 to 6 ft	1.50	1.35	1.25
variegatus Meehani. Meehan Varie	-		a. 6'
2 to 3 ft		•	
3 to 4 ft	1.25	1.00	
Hippophae rhamnoides. Sea-buckthorn	n. 12	2'	
	2.50		
4 to 5 ft			
5 to 6 ft	4.00		
Hydrangea arborescens. Smooth Hydr	ranaei	a. 6'	
	_	.55	.50
3 to 4 ft	_		
4 to 5 ft			.75
arborescens grandiflora. Snowhill			
2 to 3 ft			_,
3 to 4 ft	1.00	80.	
cineria sterilis. Sterile Ashy Hyd	range	a. 6'	
2 to 3 ft	1.00		
macrophylla Otaksa. 3'			
4 year	1.00	.75	.60
paniculata. Panicle Hydrangea.	10'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.75	.65
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
paniculata grandiflora. Peegee H	ydran	gea.	10'
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	
3 to 4 ft., tree form	2.00	1.50	
4 to 5 ft., tree form	2.50	1.75	
paniculata praecox. Early Hydro	ingea.	10'	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
	1.50	1.25	
5 to 6 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Hydrangea			
petiolaris. Climbing Hydrangea.			
4 inch pots	2.00		
quercifolia. Oakleaf Hydrangea.	4'		
2 to 3 ft	. 1.50	1.35	
3 to 4 ft	2.00		
radiata. Silverleaf Hydrangea. 6'	•		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
xanthoneura Thos. Hogg. 3'			
4 year	1.00	.75	.60
Hypericum arnoldianum. Arnold St.	Johns	wort.	5'
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	
bucklei. Blueridge St. Johnswort	. 1'	1	
	1.00	.75	
densiflorum. Dense St. Johnsword	t. 6'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
frondosum. (aureum). Golden St.	Johnst	wort.	4'
18 to 24 in	.60		.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
kalmianum. 4'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
lobocarpum. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
moserianum. Goldflower. 2'			
15 to 18 in	.70	.60	.55
18 to 24 in	.85	.70	.65
patulum. Goldencup St. Johnwor	t. 3'		
18 to 24 in	.85	.70	.65
patulum henryi. Henry St. Johns	wort		
18 to 24 in	.70	.60	.55
2 to 3 ft		.70	.65

	1-4 Each	5-24 Each	25 & up Each
Hypericum	Lucii	Lucii	Eden
prolificum. Shrubby St. Johnswor	rt. 5'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
vanfleeti. Van Fleet St. Johnswor	t. 4'		
2 to 3 ft	-		
Idesia polycarpa. 40'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	4.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.75	2.25	2.00
18 in B&B	3.50	2.75	2.50
24 in B&B	4.50		
30 inB&B	6.50	5.50	5.00
36 inB&B	10.00	8.00	
42 in B&B	12.50	10.00	
crenata bullata. Convexleaf Japan	nese I	Hol'y.	10'
15 to 18 inB&B		-	2.75
18 to 24 inB&B	4.50	4.00	3.50
24 to 30 inB&B	6.00		1
crenata latifolia. Bigleaf Japanes	se Hol	lu. 10	,
18 to 24 in B&B			
24 to 30 inB&B			
30 to 36 in			
36 to 42 inB&B	10.00		
crenata microphylla. Littleleaf Ja	nanese	e Hollu	. 10'
15 inB&B			. 10
18 in			
24 in B&B			
crenata rotundifolia. 6'			
15 to 18 inB&B	3.75	3.25	
18 to 24 in			
	_,00	2,50	
geniculata. Droopbead Holly. 8'	2.50		
3 to 4 ft			
4 10 0 11	5.00		

Seach   Each   Each   Each   Each   Each		1-4	5-24	25 & up
15 to 18 in. B&B 3.50 2.75 2.25  18 to 24 in. B&B 4.00 3.25 2.75  24 to 30 in. B&B 5.00 4.25 3.75  30 to 36 in. B&B 6.50 5.50 5.00  36 to 42 in. B&B 10.00 7.50   laevigata. Smooth Winterberry. 6'  2 to 3 ft. 1.00 .75 .65  3 to 4 ft. 1.25 1.00 .75  4 to 5 ft. 1.50 1.25 1.00  montana. Mountain Winterberry. 10'  3 to 4 ft. 2.50  opaca. American Holly. 40'  5 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.75 1.50 1.25  4 to 5 ft. 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft. 75 .65 .60  3 to 4 ft. 1.00 .90 .85  4 to 5 ft. 1.50 1.25 1.10 1.00  5 to 6 ft. 1.50 1.35 1.25  6 to 8 ft. 1.50 1.35 1.25  6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10'  2 to 3 ft. 2.25 2.00  3 to 4 ft. 2.50 2.25		Each	Each	Each
18 to 24 in. B&B 4.00 3.25 2.75 24 to 30 in. B&B 5.00 4.25 3.75 30 to 36 in. B&B 6.50 5.50 5.00 36 to 42 in. B&B 10.00 7.50  laevigata. Smooth Winterberry. 6'  2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00  montana. Mountain Winterberry. 10' 3 to 4 ft. 2.50  opaca. American Holly. 40'  5 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50  verticillata. Common Winterberry. 10' 2 to 3 ft. 7.5 6.5 6.0 3 to 4 ft. 1.00 .90 .85 4 to 5 ft. 1.50 1.25 1.10  to 6 ft. 1.50 1.25 1.00 3 to 4 ft. 1.50 1.25 1.50 4 to 5 ft. 1.50 1.25 1.50 4 to 5 ft. 1.50 1.35 1.25 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10' 2 to 3 ft. 2.25 2.00 3 to 4 ft. 2.50 2.25	glabra. Inkberry. 8'			
24 to 30 in. B&B 5.00 4.25 3.75 30 to 36 in. B&B 6.50 5.50 5.00 36 to 42 in. B&B 10.00 7.50  laevigata. Smooth Winterberry. 6'  2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00  montana. Mountain Winterberry. 10' 3 to 4 ft. 2.50  opaca. American Holly. 40'  5 ft. B&B 20.00 7 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10' 2 to 3 ft. 75 .65 .60 3 to 4 ft. 1.00 .90 .85 4 to 5 ft. 1.25 1.10 1.00 5 to 6 ft. 1.25 1.10 1.05 5 to 6 ft. 1.25 1.25 1.10 1.05 5 to 6 ft. 1.25 1.05 5 to 8 ft. 1.25 1.25 5 to	15 to 18 inB&B	3.50	2.75	2.25
30 to 36 in B&B 6.50 5.50 5.00 36 to 42 in B&B 10.00 7.50  laevigata. Smooth Winterberry. 6'  2 to 3 ft 1.00 .75 .65 3 to 4 ft 1.25 1.00 .75 4 to 5 ft 1.50 1.25 1.00  montana. Mountain Winterberry. 10' 3 to 4 ft 2.50  opaca. American Holly. 40'  5 ft B&B 15.00 6 ft B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft 1.50 1.25 1.00 3 to 4 ft 1.75 1.50 1.25 4 to 5 ft 2.50 2.00 1.75 5 to 6 ft 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft 1.00 .90 .85 4 to 5 ft 1.50 1.25 1.10 1.00 5 to 6 ft 1.50 1.35 1.25 6 to 8 ft 1.50 1.35 1.25 6 to 8 ft 1.50 1.35 1.25 6 to 8 ft 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10' 2 to 3 ft 2.25 2.00 3 to 4 ft 2.25 2.00	18 to 24 in B&B	4.00	3.25	2.75
36 to 42 in.       B&B 10.00       7.50         laevigata.       Smooth Winterberry.       6'         2 to 3 ft.       1.00       .75       .65         3 to 4 ft.       1.25       1.00       .75         4 to 5 ft.       1.50       1.25       1.00         montana.       Mountain Winterberry.       10'         3 to 4 ft.       2.50         opaca.       American Holly.       40'         5 ft.       B&B 15.00         6 ft.       B&B 20.00         7 ft.       B&B 25.00         For larger sizes to 12 ft., add \$5.00 per foot.         serrata.         Finetooth Holly.         12'         2 to 3 ft.       1.50       1.25       1.00         3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.50       2.00       1.75         5 to 6 ft.       1.00       90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.	24 to 30 inB&B	5.00	4.25	3.75
laevigata. Smooth Winterberry. 6'  2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00  montana. Mountain Winterberry. 10' 3 to 4 ft. 2.50  opaca. American Holly. 40'  5 ft. 8&B 15.00 6 ft. 8&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft. 1.50 1.25 1.10 1.00 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10' 2 to 3 ft. 2.25 2.00 3 to 4 ft. 2.25 2.00 3 to 4 ft. 2.25 2.00 3 to 4 ft. 2.25 2.00	30 to 36 inB&B	3.50	5.50	5.00
2 to 3 ft. 1.00 .75 .65 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00  montana. Mountain Winterberry. 10' 3 to 4 ft. 2.50  opaca. American Holly. 40' 5 ft. B&B 15.00 6 ft. B&B 20.00 7 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12' 2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10' 2 to 3 ft 75 .65 .60 3 to 4 ft. 1.00 .90 .85 4 to 5 ft. 1.25 1.10 1.00 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa. Ye'low-fruit Winterberry. 10' 2 to 3 ft. 2.25 2.00 3 to 4 ft. 2.25 2.00 3 to 4 ft. 2.25 2.25	36 to 42 inB&B 10	0.00	7.50	
3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00  montana. Mountain Winterberry. 10' 3 to 4 ft. 2.50  opaca. American Holly. 40' 5 ft. B&B 15.00 6 ft. B&B 20.00 7 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12' 2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10' 2 to 3 ft75 .65 .60 3 to 4 ft. 1.00 .90 .85 4 to 5 ft. 1.25 1.10 1.00 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa. Ye'low-fruit Winterberry. 10' 2 to 3 ft. 2.25 2.00 3 to 4 ft. 2.25 2.25	laevigata. Smooth Winterberry. 6	,		
### ### ### ### ### ### ### ### ### ##	2 to 3 ft	1.00	.75	.65
montana. Mountain Winterberry. 10'  3 to 4 ft. 2.50  opaca. American Holly. 40'  5 ft. B&B 15.00 6 ft. B&B 20.00 7 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft. 7.75 .65 .60 3 to 4 ft. 1.00 .90 .85 4 to 5 ft. 1.25 1.10 1.00 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10'  2 to 3 ft. 2.25 2.00 3 to 4 ft. 2.50 2.25	3 to 4 ft	1.25	1.00	.75
3 to 4 ft.       2.50         opaca. American Holly. 40'         5 ft.       B&B 15.00         6 ft.       B&B 20.00         7 ft.       B&B 25.00         For larger sizes to 12 ft., add \$5.00 per foot.         serrata. Finetooth Holly. 12'         2 to 3 ft.       1.50 1.25 1.00         3 to 4 ft.       1.75 1.50 1.25         4 to 5 ft.       2.50 2.00 1.75         5 to 6 ft.       3.00 2.75 2.50         verticillata. Common Winterberry. 10'         2 to 3 ft.       75 .65 .60         3 to 4 ft.       1.00 .90 .85         4 to 5 ft.       1.25 1.10 1.00         5 to 6 ft.       1.50 1.35 1.25         6 to 8 ft.       2.00 1.85 1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry. 10'         2 to 3 ft.       2.25 2.00         3 to 4 ft.       2.50 2.25	4 to 5 ft	1.50	1.25	1.00
opaca.       American Holly.       40'         5 ft.       B&B 15.00         6 ft.       B&B 20.00         7 ft.       B&B 25.00         For larger sizes to 12 ft., add \$5.00 per foot.         serrata. Finetooth Holly. 12'         2 to 3 ft.       1.50 1.25 1.00         3 to 4 ft.       1.75 1.50 1.25         4 to 5 ft.       2.50 2.00 1.75         5 to 6 ft.       3.00 2.75 2.50         verticillata. Common Winterberry. 10'         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .90 .85         4 to 5 ft.       1.25 1.10 1.00         5 to 6 ft.       1.50 1.35 1.25         6 to 8 ft.       2.00 1.85 1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry. 10'         2 to 3 ft.       2.25 2.00         3 to 4 ft.       2.25 2.00	montana. Mountain Winterberry.	10'		
5 ft. B&B 15.00 6 ft. B&B 20.00 7 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft	3 to 4 ft	2.50		
6 ft	opaca. American Holly. 40'			
7 ft. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft. 75 .65 .60 3 to 4 ft. 1.00 .90 .85 4 to 5 ft. 1.25 1.10 1.00 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10'  2 to 3 ft. 2.25 2.00 3 to 4 ft. 2.50 2.25	5 ft	5.00		
For larger sizes to 12 ft., add \$5.00 per foot.  serrata. Finetooth Holly. 12'  2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft	6 ftB&B 2	0.00		
serrata. Finetooth Holly. 12'         2 to 3 ft.       1.50       1.25       1.00         3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.50       2.00       1.75         5 to 6 ft.       3.00       2.75       2.50         verticillata. Common Winterberry. 10'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	7 ft	5.00		
2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50  verticillata. Common Winterberry. 10'  2 to 3 ft	For larger sizes to 12 ft., add \$5.00	per :	foot.	
3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.50       2.00       1.75         5 to 6 ft.       3.00       2.75       2.50         verticillata. Common Winterberry. 10'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry. 10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	serrata. Finetooth Holly. 12'			
4 to 5 ft.       2.50       2.00       1.75         5 to 6 ft.       3.00       2.75       2.50         verticillata. Common Winterberry. 10'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry. 10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	2 to 3 ft	1.50	1.25	1.00
5 to 6 ft.       3.00       2.75       2.50         verticillata. Common Winterberry. 10'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry. 10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	3 to 4 ft	1.75	1.50	1.25
verticillata. Common Winterberry. 10'         2 to 3 ft.       .75 .65 .60         3 to 4 ft.       1.00 .90 .85         4 to 5 ft.       1.25 1.10 1.00         5 to 6 ft.       1.50 1.35 1.25         6 to 8 ft.       2.00 1.85 1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25 2.00         3 to 4 ft.       2.50 2.25			2.00	1.75
2 to 3 ft	5 to 6 ft	3.00	2.75	2.50
3 to 4 ft.       1.00       .90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	verticillata. Common Winterberry.	10'		
3 to 4 ft.       1.00       .90       .85         4 to 5 ft.       1.25       1.10       1.00         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	2 to 3 ft	.75	.65	.60
5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.85       1.75         verticillata chrysocarpa.         Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	3 to 4 ft	1.00		
6 to 8 ft. 2.00 1.85 1.75  verticillata chrysocarpa.  Ye'low-fruit Winterberry. 10'  2 to 3 ft. 2.25 2.00  3 to 4 ft. 2.50 2.25	4 to 5 ft	1.25	1.10	1.00
verticillata chrysocarpa.         Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	5 to 6 ft	1.50	1.35	1.25
Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	6 to 8 ft	2.00	1.85	1.75
Ye'low-fruit Winterberry.       10'         2 to 3 ft.       2.25       2.00         3 to 4 ft.       2.50       2.25	vorticillata chrycogarna			
3 to 4 ft		0'		
3 to 4 ft	2 to 3 ft	2.25	2.00	

Indicators amblemaths District	1-4 Each	5-24 Each	25 & up Each
Indigofera amblyantha. Pink Indigo.	6'	1 05	1 00
2 to 3 ft	1.50 1.75		1.00 $1.25$
3 to 4 1t	1,70	1.50	1.20
kirilowi. Kirilow Indigo. 4'			
18 to 24 in	2.00	1.75	1.50
potanini. Potanin Indigo. 5'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
Tton minerials Tringinia Constanting	8'		
Itea virginica. Virginia Sweetspire.	8		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
Jasminum nudiflorum. Winter Jasmi	ine. 3	? <b>'</b>	
15 / 10 '	00	50	4.0
15 to 18 in	.60	.50	.40
18 to 24 in	.75 1.00	.60 .85	.50 .75
12 to 15 in., 2½ in pots	1.00	.00	,10
stephanense. Stephan Jasmine.	3'		
2 ft., 4 in. pots	1.50	1.25	
Juglans cinerea. Butternut. 75'			
6 to 8 ft	4.00		
8 to 10 ft			
nigra. Black Walnut. 80'			
6 to 8 ft	3 50	3.00	2.50
8 to 10 ft			
1½ to 1¾ in			
1 <sup>3</sup> / <sub>4</sub> to 2 in			5.50
2 to 2½ in			
sieboldiana. Siebold Walnut. 50'			
	6.00	5.00	
1½ to 1¾ in			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8.50		
2 to 2½ in			
LARGE SPECIMEN SHRUBS QUOTED	ON R	FOUEST	

		1-4 Each	5-24 Each	25 & up
Juniperus	chinensis. Pyramid Chines			
2	ftB&B	5.00	4.00	
3	ftB&B	7.50	6.00	
4	ftB&B	10.00	8.00	
5	ftB&B	12.50	10.00	
6	ftB&B	18.00	15.00	
7	ftB&B	20.00	18.00	
8	ftB&B	30.00	25.00	
chiner	sis albovariegata.			
	Whiteleaf Pyramid Chines	e $Jun$	iper.	20'
3	ftB&B	10.00	7.50	
4	ftB&B	12.50	10.00	
5	ftB&B	15.00	12.50	
6	ftB&B	18.00	15.00	
chiner	sis columnaris.			
	Columnar Pyramid Chines	e Jun	iper.	20'
4	ftB&B	12.50	10.00	
5	ftB&B	15.00	12.50	
6	ftB&B	18.00	15.00	
7	ftB&B	20.00	18.00	
8	ftB&B	30.00	25.00	
chiner	nsis globosa.			
	Globe Pyramid Chinese Ju	niper.	<i>5'</i>	
18	inB&B	5.00	4.00	,
24	inB&B	6.00	5.00	
chiner	nsis japonica. $Japanese$ $Jun$	iner.	8'	
	in	•		
	ftB&B			
	ftB&B			
c. jape	onica aureovariegata.			
	Yellow Variegated Japane.	se Jur	iper.	8'
18	inB&B	4.00	•	
2	ftB&B	5.00		
chiner	asis mas. 10'			
5	ftB&B	15.00	12.50	
chinen	asis neaboriensis. Conical Cl	hinese	Junipe	r. 10'
3				
4	ftB&B	10.00	7.50	
5	ftB&B	12.50		

## 1-4 5-24 25 & up Each Each Each

## Juniperus

chinensis obonga. Oblong	a Chinese	Junin	er. 20'	
6 ft				
7 ft				
chinensis pfitzeriana. Pfa				
18 to 24 in. spd.				
2 to $2\frac{1}{2}$ ft. spd.	B&B	4.50	4.00	3.75
$2\frac{1}{2}$ to 3 ft. spd.	B&B	6.00	5.50	5.00
3 to $3\frac{1}{2}$ ft. spd.				
$3\frac{1}{2}$ to 4 ft. spd.				
4 to $4\frac{1}{2}$ ft. spd.				
$4\frac{1}{2}$ to 5 ft. spd.				
5 to 6 ft. spd.				
6 to 7 ft. spd.	B&B	35.00	30.00	25.00
(Upright form can be fur	nished in	sizes	18" to 6	3′)
chinensis pfitzeriana com	pacta. 6'	•		
18 to 24 in. spd	_		4.00	
24 to 30 in. spd				
30 to 36 in. spd				
				a.t
chinensis sargenti. Sarge			_	S.
18 in				
24 in	B&B	6.00	5.00	
chinensis smithi. Smith	Chinese .	Junipe	r. 8'	
2 ft		_		
3 ft				
communis. Common Jun				
3 ft	-		4 00	
4 ft				
T 10		0.00	0.00	
communis depressa. Old	field Com	mon s	Juniper.	3'
18 to 24 in spd	B&B	2.75	2.50	2.25
24 to 30 in. spd	B&B	3.50	3.00	
2½ to 3 ft. spd	B&B	5.00	4.00	
3 to 4 ft. spd	B&B	10.00		
4 to 5 ft. spd	B&B	12.50		
communis aureo-spica				
Golden Prostrat	e Juniper	. 3'		
15 to 18 in. spd			3.00	
18 to 24 in. spd				

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
communis depressa plumosa.			
(see horizontalis plumosa)	• .		
communis hibernica. Irish Juniper. 15'			
2 ftB&B	3.00	2.50	2.25
3 ftB&B			3.00
4 ftB&B			
5 ftB&B	7.50	6.00	
communis suecica. Swedish Juniper. 25'			
2 ftB&B	3.00	2.75	2.50
3 ftB&B			
4 ftB&B			
5 ftB&B	9.00	7.50	
communis suecica nana. Dwarf Swedish Juniper. 6'			
2 ftB&B	4.50	4.00	
3 ftB&B	5.50	5.00	
communis vase-shaped. 10'			
2 to 2½ ft B&B	4.50	4.00	
2½ to 3 ftB&B	6.00	5.00	
3 to 3½ ftB&B	7.50	-6.00	
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	3.00
2 ftB&B	5.00	4.50	4.00
2½ ftB&B	6.50	5.50	5.00
3 ftB&B	7.50	6.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	5.00	4.00	
4 ft B&B			
5 ft B&B	7.50	6.00	
excelsa stricta. Spiny Greek Juniper. 8'			
18 in			2.50
2 ftB&B			
2½ ft B&B	5.50		
3 ftB&B	7.50		
3½ ftB&B	0.00		
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spdB&B		2.50	2.25
24 to 30 in. spd B&B			
2½ to 3 ft. spd B&B			4.50
3 to 3½ ft. spdB&B			5.50

1-4 5-24 25 & up

Juniperus	Each	Each	Each
-	n a Ina	22222	11
horizontalis alpina. Alpine Creepin 18 to 24 in. spd		3.00	1
24 to 30 in. spd		5.00	
30 to 36 in. spd			
horizontalis Bar Harbor. 1'	0.00		
15 to 18 in. spd	3 00	9 75	
18 to 24 in. spd B&B			
_			,
horizontalis glauca. Blue Creeping 18 to 24 in. spdB&B		_	
24 to 30 in. spdB&B			
24 to 30 m. spaB&B 24/2 to 3 ft. spdB&B		4.50	0,40
_			al
horizontalis plumosa. Anderra Cra 18 to 24 in	1 0		2.25
24 to 30 in			
2½ to 3 ftB&B	-		
3 to 3½ ft			
3½ to 4 ftB&B			
4 to 4½ ft B&B		1.00	0.00
recurva. <i>Himalayan Juniper. 30'</i> 2 ft			
3 ft			
	0.00		
rigida. Needle Juniper. 30' 3 ftB&B	6.00	5.00	
4 ft		6.00	
5 ft		0.00	
	10.00		
sabina. Savin Juniper. 6'	2.00	2.50	2.25
18 to 24 in. spd B&B 2 to 2½ ft. spd B&B			
2 to 2½ ft. spd. B&B 2½ to 3 ft. spd. B&B			
3 to 3½ ft. spd B&B		5.00	0.10
sabina tamariscifolia. Tamarix Sa 18 to 24 in. spdB&B			3.00
24 to 30 in. spdB&B			
2½ to 3 ft. spd B&B			
3 to 3½ ft. spd B&B			7.50
3½ to 4 ft. spdB&B			1.00
sabina Von Ehron. 10'	10.00	12.00	
24 to 30 in. spd	4.50	4.00	
30 to 36 in. spd			
36 to 42 in. spdB&B			
42 to 48 in. spd B&B			
·			

### Juniperus

scopulorum. Rocky Mountain Juniper. 3 3 ft	<b>0'</b>	
sphaerica. Fortunes Juniper. 10'		
3 ftB&B 6.00	5.00	
4 ft B&B 7.50	6.00	
5 ft B&B 10.00		
<b>5 2</b>		
squamata. Singleseed Juniper. 3'		
2 to 2½ ft. spd,B&B 6.00	5.00	
2 to 272 it. spa	0.00	
squamata meyeri. Meyer Singleseed Jun	iper.	4'
18 to 24 inB&B 3.75	3.25	2.75
24 to 30 in	4.00	3.75
2½ to 3 ftB&B 6.50		
3 to 3½ ftB&B 10.00		
0 0,2 2		
virginiana. Eastern Redcedar. 75'		
2 ftB&B 4.00	3.50	3.00
3 ftB&B 5.50	4.50	3.75
4 ftB&B 6.50	5.50	5.00
5 ftB&B 8.50	7.50	7.00
6 ftB&B 12.50	10.00	
7 ftB&B 15.00		
8 ft		
9 ft		
10 ft		
For larger sizes to 20 ft., add \$5.00 g	er foot	
Tot larger brack to 20 Iti, and police p	701 1000	·•
virginiana canaerti. Canaert Redcedar.	50'	
3 ft	5.50	5.00
4 ftB&B 10.00	8.00	7.00
5 ftB&B 15.00	12,50	10.00
6 ft	15.00	
7 ft	18.00	
8 ft		
9 ft		
10 ft,		
For larger sizes to 18 ft., add \$5.00 g	per foot	t.
φ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

## Juniperus

virginiana elegantissima. $Goldtip\ Redc$	edar. 2	25'
2 ftB&B 5.00		
3 ft B&B 6.50		
4 ft B&B 8.50		
5 ft	1.00	
6 ft B&B 12.50		
0 10		
virginiana glauca. Silver Redcedar. 2	5 <b>'</b>	
3 ftB&B 6.50	5.50	5.00
4 ftB&B 10.00	8.00	7.00
5 ftB&B 15.00	12.50	10.00
6 ftB&B 18,00	15.00	
7 ftB&B 22.50		
8 ftB&B 27.50		
For larger sizes to 18 ft., add \$5.00	per foot	t.
virginiana globosa. Globe Redcedar.	.'	
18 to 24 in	5.00	4.50
24 to 30 in	6.00	5.50
3 to 3½ ftB&B 10.00	7.50	7.00
virginiana keteleeri. Keteleer Redcedar	. 15'	
3 ftB&B 6.50	5.50	5.00
4 ft	8.50	7.50
5 ftB&B 15.00	12.50	10.00
6 ftB&B 18.00	15.00	
7 ftB&B 22.50	18.00	
virginiana kosteri. Koster Redcedar. A	.*	
2 to 2½ ft. spdB&B 4.50		3 75
2½ to 3 ft. spd. B&B 6.50		
3 to 3½ ft. spdB&B 10.00		0.00
3½ to 4 ft. spdB&B 12.50	1.00	
4 to 4½ ft. spdB&B 15.00		
4 to 4½ it. spdB&B 13.00 4½ to 5 ft. spdB&B 20.00		
5 to 6 ft. spdB&B 25.00		
virginiana pendula. Weeping Redcedar	. 15'	
4 ftB&B 12.50		
5 ftB&B 15.00		

virginiana plumosa.  $Plume\ R arepsilon d$ 

virginiana schotti. Schott Redced

3 ft. .....B&B 4 ft. .....B&B

3 ft. .....B&B 4 ft. .....B&B

7 ft. . . . . . . . . . . . B&B For larger sizes to 18 ft., add

2½ ft. .....B&B

virginiana tripartita. Fountain H

virginiana venusta. Green Pyram

3 ft. .....B&B 4 ft. .....B&B

For larger sizes to 12 ft., add

18 to 24 in.....B&B

6 to 8 ft....... 8 to 10 ft.....

Kalmia latifolia. Mountain Laurel.

Kalopanax pictus. Castor Aralia. 25

pictus maximowiczi. 25'

.....B&B

.....B&B

ft. .....B&B 

.....B&B

.....B&B 

3 ft.....B&B

4 ft.....B&B

10.00

7.50

SON		
1-4 Each	5-24 Each	25 & up Each
Cedar.	15'	
7.50	10	
10.00		
lar. 25	-,	
		5.00
6.50 10.00	8.50	7.50
15.00	12.50	10.00
18.00		
20.00		
\$5.00		t.
	~.1	
Redcedo	= 00	
6.50	5.00	
8.50		
10.00	1.50	
12.50		
12.00		
nid Red		25'
4.50	4.00	
6.50	5.50	
10.00		
	12.50	
18.00		
20.00		
25.00		
\$5.00 ]	per foo	t.
6'		
4.00	3.50	3.25
6.00	5.50	
7.50	6.50	6.00
,		
7.50	6.00	

#### Juniperus

5 ft.

6 ft.

3

 $3\frac{1}{2}$ 

2 ft.

5 ft.

6 ft.

7 ft.

to

3 to

ft.

	1-4 Each	5-24 Each	25 & up Each
Kerria japonica. Japanese Kerria. 4'			
	.65		.50
2 to 3 ft		.70	.65
japonica pleniflora. $Double\ Japanes$	e Ke	rria.	4'
	1.00	.75	
2 to 3 ft,	1.25	1.00	
Koelreuteria paniculata. Panicled Gold	enrair	ı Tree	e. 25'
	2.50		
5 to 6 ft	3.50		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
10 to 12 ft	0.00		
Kolkwitzia amabilis. Beauty Bush. 8'			
2 to 3 ft	1.00	.75	4
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
6 to 8 ft	3.00	2.50	
Laburnum alpinum. Scotch Laburnum.	<i>30</i> ′		
4 to 5 ftB&B	6.00		
5 to 6 ftB&B	7.50		
6 to 8 ft. heavyB&B 26	0.00		
8 to 10 ft. heavyB&B 2			
anagyroides. (vulgare). Goldenchain		urnun	ı. 20'
4 to 5 ftB&B	6.00		
5 to 6 ftB&B	7.50		
6 to 8 ft. heavyB&B 2	0.00		
8 to 10 ft. heavyB&B 2			
watereri. Waterer Laburnum. 20'			
8 to 10 ftB&B 2	5.00		
10 to 12 ftB&B 3	5.00		
		7	21
Lagerstroemia indica rubra. Red Crap	_		2'
18 to 24 in from pots	2.00	1.75	
Larix decidua. (europea). European La			
3 to 4 ftB&B		5.00	
4 to 5 ftB&B		6.00	
5 to 6 ftB&B 1			
6 to 8 ftB&B 1	5.00	12.50	
8 to 10 ftB&B 2	20.00	15.00	

	1-4 Each	5-24 Each	25 & up Each
Larix			
laricina. Eastern Larch. 50'			
3 to 4 ftB&B	7.50		
4 to 5 ft			
10 to 12 ftB&B			
leptolepis. Japanese Larch. 50'			
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.00	
5 to 6 ftB&B	10.00	8.50	
6 to 8 ftB&B	15.00	12.50	10.00
8 to 10 ftB&B	20.00	15.00	12.50
10 to 12 ftB&B	35.00	25.00	
12 to 14 ftB&B	45.00		
Lespedeza bicolor. Shrub Lespedeza.			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
japonica. Japanese Lespedeza. 5'			
2 year	1.00	.75	.60
thunbergi (penduliflorum). Thunbe	erg $Le$	espedeze	a. 4'
2 year	.65	.55	.45
3 year	.75	.65	.55
Leucothoe catesbaei. Drooping Leuco	thoe.	4'	
15 to 18 inB&B	3.00	2.75	
18 to 24 inB&B	4.50	3.50	
24 to 30 inB&B	6.00		
Libocedrus decurrens. California Incer	nseced	ar. 10	0 <b>'</b>
24 to 30 inB&B	5.00	4.00	
3 to 4 ftB&B		5.00	
4 to 5 ftB&B	7.50		
Ligustrum acuminatum. Sharpleaf Pri			
2 to 3 ft	.50	.35	
3 to 4 ft	.60	.45	.40
acuminatum macrocarpum. $Bigber$	ry Pr	ivet. 1	0'
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40

Ligustrum	1-4 Each	5-24 Each	25 & up Each
Ligusifulli			
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40
obtusifolium (ibota). Border Prive	t. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
o. nanum. Pygmy Border Privet.	6'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
o. regelianum. Regel Border Prive	t. 6'		
18 to 24 in. spd	.55	.45	.40
24 to 30 in. spd	.65	.55	.50
2½ to 3 ft. spd	1.00	.70	.65
3 to 4 ft. spd	2.00	1.50	
4 to 5 ft. spd	3.00	2.50	
ovalifolium. California Privet. 10	) <b>′</b>		
18 to 24 in	.25	.15	.10
24 to 30 in	.30	.20	.15
ovalifolium variegatum.			
Golden California Privet.	10'		
18 to 24 in	.60	.50	.45
24 to 30 in	.65	.55	.50
3 to 4 ft	1.00	.75	.65
vulgare. European Privet. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
vulgare foliosum. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
vulgare leucocarpum. Whiteberry	Privet	. 12'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	
vulgare nanum. (Lodense). $Europ$	ean P	rivet.	3'
12 to 15 in	.40	.35	.30
15 to 18 in	.50	.45	.40
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
Tindens bensein Common Spiechuck	10'		
Lindera benzoin. Common Spicebush.	12'	50	45
2 to 3 ft	.60 .75	.50	.45 .55
3 to 4 ft			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumps B&B	19.00		
*Liquidambar formosana. Formosa Sw	eetgui	n. 60	•
8 to 10 ft	10.00		
*styraciflua. American Sweetgum.	60'		
6 to 8 ft		2.75	2.50
	4.00	3.50	3.25
1¼ to 1½ in	5.00	4.25	3.75
	6.00	5.00	4.25
	7.50	6.00	5.00
	10.00	8.50	7.50
	18.00	15.00	12.50
	25.00	20.00	
4 to 5 in		30.00	
	50.00		
*styraciflua aurea. Golden Sweetge	um. 6	30 <b>'</b>	
8 to 10 ft	10.00		
1½ to 1¾ in	12.50		
1¾ to 2 in	15.00		
2 to 2½ in	20.00		

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

*Liriodendron tulipifera. Tuliptree. 80'	25 & up Each
6 to 8 ft	2.25
8 to 10 ft 3.00 2.75	2.50
1½ to 1½ in 4.00 3.50	3.25
1½ to 1¾ in 5.00 4.00	3.75
1¾ to 2 in 6.00 5.00	4.50
2 to 2½ in	6.50
2½ to 3 in	0.00
3 to 3½ in	
3½ to 4 in	
*tulipifera fastigiatum. Pyramid Tuliptree. 70'	
6 to 8 ft	
8 to 10 ft 10.00 8.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	
2 to $2\frac{1}{2}$ in	
2½ to 3 in 20.00	
3 to 3½ in 30.00	
Lonicera alseuosmoides.	
2 year	.50
amoena arnoldiana. Arnold Honeysuckle. 6'	
2 to 3 ft	
3 to 4 ft	
bella albida. White Belle Honeysuckle. 10'	
2 to 3 ft	.45
3 to 4 ft	.55
4 to 5 ft	<b>.</b> 75
5 to 6 ft 1.25 1.10	1.00
6 to 8 ft	1.25
bella atrorosea. Pink Belle Honeysuckle. 10'	
2 to 3 ft	.45
3 to 4 ft	.55
4 to 5 ft	.75
5 to 6 ft	1.00
billardi. 8'	
3 to 4 ft	.55
4 to 5 ft 1.00 .85	.75
5 to 6 ft	1.00
browni plantierensis. Coral Browns Honeysuckl	e. 4'
2 year	.50
3 year 1.00 .75	
caprifolium. Sweet Honeysuckle. 10'	
2 year	.50

	1-4 Each	5-24 Each	25 & up Each
Lonicera	Lacri	Lucii	EGET
	4.04		
chrysantha. Coralline Honeysuckle		<b>50</b>	4.5
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	,55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
conjugialis. Purpleflower Honeysu		8 <b>'</b>	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
fragrantissima. Winter Honeysuckl	e. 8'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
fuchsioides. Fuchsia Honeysuckle.	4'		
2 year	.75	.65	.60
gracilipes. Spangle Honeysuckle.	<i>6</i> ′		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
heckrotti. Everblooming Honeysus	ekle.	<i>15'</i>	
2 year	.75	.60	.50
henryi. Henry Honeysuckle. 15'			
2 year	.75	.65	.60
hirsuta. Hairy Honeysuckle. 15'			
2 year	.75	.60	
3 year	1.00	.75	
japonica. Japanese Honeysuckle.	<i>15</i> ′		
2 year	.40	.30	.22
3 year	.50	.35	.25
japonica halleana. Hall Japanese	Honey	suckle	. 20'
2 year	.40	.30	.22
3 year	.50	.35	.25
japonica aureo-reticulata.			
Yellownet Japanese H	loneys	uck'e.	15'
2 year		.50	.40
koehneana. Keehne Honeysuckle.	12'		
2 to 3 ft	.75		
3 to 4 ft	1.00		

Lonicera.	1-4 Each	5-24 Each	25 & up Each
korolkowi floribunda.			
Broad Blueleaf Honeys	uckle.	10 <b>'</b>	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
korolkowi zabeli. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
ledebouri. Ledebour Honeysuckle.	10'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
maacki. Amur Honeysuckle. 10'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25		
maacki podocarpa. 10'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
morrowi. Morrow Honeysuckle. 8	3'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
morrowi xanthocarpa.			
Yellowfruit Morrow Honeys	uckle.	8 <b>'</b>	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
muendeniensis. Muenden Honeysu	ckle.	8'	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nitida. Box Honeysuckle. 4'			
6 to 12 in	.75	.65	.60
orientalis longifolia. (kesselringi).	10'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
periclymenum belgica. $Dutch\ Wood$	odbine.	15 <b>'</b>	
2 year	.75	.65	.60
3 year	1.00	.80	.75
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
			•
prolifera. Grape Honeysuckle. 5'	1.00	.75	
quinquelocularis. Mistletoe Honey			
2 to 3 ft		b. 1 <i>3</i>	
3 to 4 ft	1.25		
ruprechtiana. Manchurian Honeysu	ickle.	10'	
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
saccata. 5'			
	.75	.60	
3 to 4 ft	1.00	.75	
sempervirens. Trumpet Honeysuck			4.0
2 year	.55	.45	.40
3 year	.75	.55	.50
spinosa alberti. Albert Thorn Hon	~		.40
12 to 15 in	.55	.45	.50
18 to 24 in	.85	.70	.65
	8'	.10	.00
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
syringantha. Lilac Honeysuckle. 4			
15 to 18 in., 4 in. pots	1.50	1.25	
2 to 3 ft., field grown	1.75	1.50	
syringantha wolfi. Wolf Lilac Hom	eysuc	kle. 6	,
15 to 18 in., 4 in. pots	1.50	1.25	
2 to 3 ft., field grown	1.75	1.50	
* tatarica. Tatarian Honeysuckle.			
2 to 3 ft	.60		.45
	.75	.60	.55
4 to 5 ft		.85	.75
5 to 6 ft			1.00
6 to 8 ft.		1.35	01
tatarica alba. White Tatarian Hon	_		
2 to 3 ft		.50	.45
3 to 4 ft			.55
4 to 5 ft	1.00	.85	.75

5 to 6 ft.....

1.25

1.10

1.35

1.00

1.25

#### Lonicera

tatarica lutea. Yellow Tatarian	Honeys	uckle.	10'
2 to 3 ft	.75	.60	
3 to 4 ft	1.00		
tatarica rosea. Rosy Tatarian H	oneysu	ckle. 1	0'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
tatarica sibirica. Red Tatarian H	oneysu	ckle. 1	0'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
tatarica virginalis. Maiden Honey	suckle.	10'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
tellmanniana. Tellmann Honeysu	ckle. 1	0'	
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle.	4'		
2 year			
xylosteum. European Fly Honey		8 <b>'</b>	
2 to 3 ft		.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
Lycium chinense. Chinese Wolfberry.	<b>5'</b>		
2 to 3 ft		.35	.30
3 to 4 ft			
halimifolium. Matrimony Vine.		110	• 10
2 to 3 ft		.35	.30
3 to 4 ft			
Lyonia ligustrina. He-Huckleberry.		0.00	
24 to 30 in		3.00	
mariana. Staggerbush Lyonia.		4.00	
30 to 36 inB&B		4.00	
36 to 42 inB&B	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Maackia amurensis. Amur Maackia.	40'		
2 to 3 ft	2.00		
3 to 4 ft	3.00		
4 to 5 ft	4.00		
5 to 6 ft	5.50		
	-		
Maclura pomifera. Osage-orange. 30'			
3 to 4 ft	1.25	1.00	
Magnolia acuminata. Cucumber Tree.	70'		
4 to 5 ftB&B	6.00		
5 to 6 ftB&B	7.50		
6 to 8 ftB&B	12.50		
8 to 10 ftB&B			
10 to 12 ftB&B	20.00	15.00	
denudata. Yulan Magnolia. 50'			
4 to 5 ftB&B	15.00		
8 to 10 ft			
fraseri. Fraser Magnolia. 50'			
6 to 8 ft.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\	25.00		
8 to 10 ftB&B	30.00		
glauca (see virginiana).			
hypoleuca. (see obovata).			
kobus. Kobus Magnolia. 30'			•
4 to 5 ftB&B	8.00	7.00	6.50
5 to 6 ftB&B	10.00	9.00	8.50
6 to 8 ftB&B	15.00	13.50	12.50
8 to 10 ftB&B	20.00	17.50	15.00
8 to 10 ft. spec	25.00		
Larger sizes quoted on r	equest.		
macrophylla. Bigleaf Magnolia.	50 <b>'</b>		
8 to 10 ftB&B	25.00		
10 to 12 ftB&B	30.00		
obovata. Whiteleaf Japanese Mag		50 <b>'</b>	
5 to 6 ftB&B			
6 to 8 ftB&B		15.00	
8 to 10 ftB&B			
10 to 12 ft,B&B	30.00	25.00	

# Magnolia

soular	igea	ına.	Saucer Magnolia. 20'		
3	to	4	ftB&B 7.50		
4	to	5	ftB&B 10.00		
5	to	6	ftB&B 15.00		
6	to	8	ftB&B 20.00		
s. leni	nei	1.0	nne Saucer Magnolia. 20'		
			ftB&B 10.00		
			ftB&B 15.00		
			ft		
ŏ	ιο	10	ftB&B 25.00		
s. nigi					
6	to	8	ftB&B 25.00		
stellat	a. S	Star	Magnolia. 8'		
2	to	3	ftB&B 12.50		
3	to	4	ftB&B 15.00		,
4	to	5	ftB&B 20.00		
stellat	a r	osea	. Pinkstar Magnolia. 15'		
2	to	3	ftB&B 12.50		
3	to	4	ftB&B 15.00		
4	to	5	ftB&B 20.00		
5	to	6	ft B&B 25.00		
			ftB&B 30.00		
tripeta	ala.	772	nbrella Magnolia. '30'		
5	to	6	ftB&B 10.00	7.50	
6	to	8	ftB&B 12.50	10.00	
8	to	10	ftB&B 20.00	15.00	
	to		ft	20.00	
. 10	to	12	10	20.00	
wingin	inn	. (0	lauca). Sweetbay Magnolia	. 25'	
_			ftB&B 4.50	4.00	3.50
	to		ftB&B 4.50	5.00	4.50
	to				
4	to	5	ftB&B 8.50	7.50	6.50
5	to	6	ftB&B 12.50	10.00	9.00
6	to		ftB&B 15.00	13.50	12.50
8	to	10	ftB&B 20.00	17.50	15.00
10	to	12	ftB&B 30.00	25.00	

Mahonia aquifolium. Oregongrape. 4	1-4 Each	5-24 Each	25 & up Each
18 to 24 inB&B	3.00	2.75	2.50
24 to 30 in	4.00	3.50	3.25
30 to 36 in	5.00	4.50	4.00
repens. Creeping Mahonia. 1'	0.00	1.00	1.00
12 to 15 in. spread B&B	3.00	2.50	2.00
15 to 18 in. spread B&B	3.50	3.00	2.50
18 to 24 in. spread B&B	4.00	3.50	2.00
Malus adstringens. 12'	2,00	9.00	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crabapple.	25'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Crabapple. 12	2'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
* 5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
atrosanguinea. Carmine Crabapple	. 20'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4
	10.00	7.50	
8 to 10 ft. spec	20.00		
baccata. Siberian Crabapple. 30'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
	10.00	7.50	
baccata mandshurica. Manchurian			30'
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	

		1-4 Each	5-24 Each	25 & up Each
Malus				
brevipes. 12'				
3 to 4 ft		1.50	1.25	
4 to 5 ft		1.75	1.50	
5 to 6 ft		$2.50^{\circ}$	2.00	
6 to 8 ft		3.50	3.00	
coronaria. Wild Sweet Cra		<i>30</i> ′		
3 to 4 ft		1.50	1.25	1.00
4 to 5 ft		1.75	1.50	1.25
5 to 6 ft,		2.50	1.75	1.50
6 to 8 ft		3.50	3.00	2.50
8 to 10 ft		5.00	4.50	
10 to 12 ft		10.00	7.50	
coronaria Charlotte. 15'				
3 to 4 ft		1.75	1.50	
4 to 5 ft		2.50	2.00	
5 to 6 ft		3.00	2.50	
6 to 8 ft		3.50	3.00	
8 to 10 ft		5.00	4.00	
10 to 12 ft		10.00	7.50	
dolga. 15'				
4 to 5 ft		1.75	1.50	
5 to 6 ft		2.50	1.75	
6 to 8 ft		3.50	3.00	
8 to 10 ft		5.00	4.00	
10 to 12 ft		10.00	7.50	
Elisa Rathke. Weeping F	lg. App	le. 8'		
3 to 4 ft. spread		3.00		
4 to 5 ft. spread		4.00		
5 to 6 ft. spread		5.00		
florentina Florentine Cras	bapple.	20'		
4 to 5 ft		2.25		
5 to 6 ft		3.00		
6 to 8 ft		4.00		
floribunda. Japanese Flowe	ering Ca	rabapp	le. 20	,
3 to 4 ft	_	1.50	1.25	1.00
4 to 5 ft		1.75		1.25
5 to 6 ft		2.50		
6 to 8 ft		3.50	·	2.50
8 to 10 ft		5.00	4.50	2.00
0 00 10 10		0,00	1.00	

Malus				1-4 Each	5-24 Each	25 & up Each
fusca.	0	reg	on Crabapple. 20'	Edeil	Lucii	Lucii
4			ft	1.75	1.50	
5	to	6	ft	2.50	2.00	
6	to	8	ft	3,50	3.00	
8	to	10	ft	5.00	4.00	
_			Dunbar Crabapp'e. 1			
	to		ft	1.50	1.25	1.00
4	to		ft	2.00	1.75	1.50
5	to		ft	2.50	2.25	2.00
6	to		ft		3.00	2.50
ŭ	to		ft	5.00	4.50	2.00
hallia			ill's Crabapple. 15'	0.00	1.00	
	to		ft	6.00	•	
6	to		ft			
8				10.00		
_			kmani. Hall's Parkma		annle	15'
	to		ft	2.00	1.50	
4	to		ft	2.50	2.00	1.75
5	to	6	ft	3.50	3.00	2.50
6	to		ft.	4.50	4.00	3.50
8	to		ft	6.00	5.00	0.00
10	-			10.00	7.50	
hopa.			Flowering Crabapple.	12'	1.00	
4	to		ft	1.75	1.50	
5	to		ft.	2.50	2.00	
6	to		ft	3.50	3.00	
8			ft	6.00	5.00	
			theifera). 20'	0.00	3.00	
_	to		ft	2.00	1.50	
	to		ft	2.75	2.25	
	to		ft	4.00	3.50	
_			ft.	5.00	5.50	
			ifera rosea). 20'	3.00		
	to		ft	2.25	2.00	1.75
	to		ft	2.75	2.50	2.25
			ft	4.00	3.50	3.00
			ft	6.00		
					5.00	4.50
				10.00		
	to		rie Crabapple. 25'	2.00	1.50	1.05
	to		ft	2.00	1.50	1.25
5	to		ft	2.25	1.75	1.50
				3,00	2.50	2.00
6	to		ft	4.00	3.50	
. 8	to	10	ft	6.00	5.00	

		•				1-4 Each	5-24 Each	25 & up Each
M	alus.					Luch	Euch	Eden
	ioensi	s p	lena	<b>1.</b>	Bechtel Crabapple	. 15'		
		to				2.00	1.50	1.25
	4	to	5	ft		2.25	1.75	1.50
	5	to	6	ft		3.00	2.50	2.00
	6	to	8	ft.	• • • • • • • • • • • • • • • • • • • •	4.00	3.50	3.00
	8	to	10	ft		6.00	5.00	4.50
	10	to	12	ft.		10.00	7.50	
	micro	mal	lus.	M	idget Crabapple.	10'		
		to	5			2.00	1.50	
	5	to	6	ft		2.50	2.00	
	6	to	8	ft		3.50	3.00	
	8	to	10	ft.		5.00	4.00	
	niedzy	wet	zky	ana.	Redvein Crabap	ple. 2	20"	•
		to				1.50	1.25	1.00
	4	to	5	ft		1.75	1.50	1.25
	5	to	6	ft		2.50	2.00	1.75
	6	to	8	ft.		3.50	3.00	2.50
	8	to	10	ft		5.00	4.50	4.00
	Oekor	ıem	ura	t E	chtermeyer. 15'			
	3	to	4	ft.		2.00		
	4	to	5	ft.		3.00		
	5	to	6	ft.		4.00		
	6	to	8	ft.		5.00		
	purpu	rea	• ]	Purp	ole Crabapple. 15	,		
	3	to				1.50	1.25	
	4	to				2.00	1.75	
	5	to	_			2.50	2.25	
	6	to				3.50	3.00	
	8	to	10	ft.		5.00	4.00	
	purpu				amensis.			
					Purple Crabappl			
		to				2.00	1.75	1.50
		to				3.00	2.50	2.00
	_	to		_		4.00	3.50	3.00
	8	to				5.00	4.50	4.00
					Eley Purple Cre			1.00
		to				1.50	1.25	1.00
		to				2.00	1.75	1.50
	5	to				2.50	2.25	2.00
	6	to				3.50	3.00	2.75
	8	to	10	It.		5.00	4.50	4.00

Malus							1-4 Each	5-24 Each	25 & up Each
purpurea	lei	moin	iei.	Lem	oine	Pur	ole Cro	abapple	e. 15'
3 to		ft.					2.00		
prunifoli	a ri	nki.	$C_{i}$	hines	e Pe	arlea	f Crabe	apple.	15'
4 to	5	ft					1.75	1.50	1.25
5 to	6	ft.					2.50	2.00	1.75
6 to	8	ft.					3.50	3.00	2.50
8 to	10	ft.					5.00	4.00	3.50
10 to							10.00	7.50	
robusta.		_		rabap	_				
3 to							1.75		
4 to	_						2.00		
5 to							3.00	2.50	
6 to							4.00	3.50	
							5.00	4.50	
robusta e							-	•	
3 to							1.75	1.50	1.25
4 to							2.00	1.75	1.50
5 to							3.00	2.50	2.00
6 to	_						4.00	3.50	3.00
							5.00	4.50	
robusta p					d	7	7 4	,	
		•					le. 15'		
4 to							2.00	1.75	
5 to 6 to	8						3.00	2.50	
0 00							4.00 5.00	3.50 4.50	
8 to sargenti.								4.50	
3 to					* *		2.00	1.75	1.50
4 to	5						2.50	2.00	1.75
5 to	6						3.00	2.75	2.50
6 to	8						4.00	3.50	2.00
scheideck	_					Craba		20'	
3 to							1.75	1.50	1.25
4 to	5						2.00	1.75	1.50
5 to	6						3.00	2.50	1.00
6 to	_						4.00	3.50	
sieboldi.						e. 18		0.00	
3 to							1.50	1.25	1.00
4 to	5						1.75	1.50	1.25
5 to	6						2.00	1.75	1.60
6 to	8	_					3.00	2.75	2.50
8 to	10						5.00	4,50	4.00
10 to	12						10.00	7.50	

Мa	lus				1-4 Each	5-24 . 2 Each	25 & up Each
1.10		bili	s.	Chinese Crabapple.	<i>15</i> ′		
		to		ft	1.75	1.25	1.00
	4	to		ft	2.00	1.50	1.25
	5	to		ft	2.50	2.00	1.50
	6	to	8	ft	3.50	3.00	2.75
	8	to	10	ft	5.00	4.50	
	specta	bili	is a	lbiplena.			
	_	D	oub	le White Chinese Cro	abappl	e. 15'	
	3	to	4	ft	1.75	1.50	
	4	to	5	ft	2.25	2.00	
	5	to	6	ft	3.00	2.50	
	6	to	8	ft	4.00	3.50	
	8	to	10	ft	5.00	4.50	
	sublob	oata	a.	Yellow Autumn Crabe	ipple.	<i>15</i> ′	
	4	to		ft	2.00	1.75	
	5	to	6	ft	2.50	2.25	
	6	to	8	ft	3.50	3.00	
	8	to	10	ft	5.00	4.50	
	theife	ra.	(se	e hupehensis)			
	toring	oid	es.	Cutleaf Crabapple.	15'		
		to		ft	1.75	1.50	
	4	to	5	ft	2.00	1.75	
	5	to	6	ft	2.50	2.25	
	6	to	8	ft	3.50		
	8	to	10	ft	5.00		
	tschor	osk	ci.	20'			
	3	to	4	ft	1.75		
	4	to	5	ft	2.00		
	5	to	6	ft	3.00		
	yunna	ner	ısis	veitchi. Veitch Yunne			25'
	3	to		ft	1.75	1.50	
	4	to		ft	2.00	1.75	
	5	to		ft	2.50		
	6			ft	3.50		
	8	to	10	ft	5.00	4.50	
	zumi.	Z	<i>zum</i>	i Crabapple. 15'			
	4	to	5	ft	1.75	1.50	1.25
	5	to	6	ft	2.50	2.00	1.50
	6	to		ft	3.50	3.00	2.50
	8			ft	6.00	5.00	
	10	to	12	ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus	Edcri	Edcri	Edch
zumi calocarpa. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulber	rry. I	! O'	
3 yr. heads, 5 to 7 ft. stems	_	4.00	
alba tatarica. Russian Mulberry.	60 <b>'</b>		
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
1½ to 1¾ in	3.00	2.50	2.00
1¾ to 2 in	4.00	3.50	3.00
2 to 2½ in	6.00	5.00	
_ 00 _/	••••		
Myrica carolinensis. (see pennsylvanic	:a)		
cerifera. Southern Waxmyrtle.	5'		
18 to 24 in		.80	.75
2 to 3 ft		1.10	1.00
3 to 4 ft. heavyB&B		6.00	2,00
4 to 5 ft. heavy B&B		7.50	
gale. Sweetgale. 4'	10.00	1.00	
18 to 24 in	3.00	2.50	
2 to 3 ft			3.00
pennsylvanica. Northern Bayber		5.50	3.00
18 to 24 in		.80	.75
24 to 30 in			1.00
Neillia longiracemosa. 10'	1,20	1.10	1.00
	1.00	.85	.75
	1.50		
4 to 5 ft	1.75		1.25
sinensis. Chinese Neillia. 6'	20	1.00	1.20
2 to 3 ft	1.00	.85	.75
3 to 4 ft			
4 to 5 ft	1.75	1.50	
			1.25
Nemopanthus mucronata. Mountain		10'	
2 to 3 ft	3.00		
Neviusia alabamensis. Snow-wreath.	6'		
2 to 3 ft			
3 to 4 ft	2.50		

	1-4 Each	5-24 Fach	25 & up
Nyssa aquatica. Water Tupelo. 40'	Each	Each	Each
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
sylvatica. Black Tupelo. 40'			
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	6.50	5.50	5.00
5 to 6 ftB&B		7.50	6.50
	12.50	10.00	8.50
	15.00	12.50	
10 to 12 ftB&B			
Ostrya virginiana. American Hophor			0.50
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.50	3.50	3.00
	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*Oxydendrum arboreum. Sourwood. 2 to 3 ft		1.50	
2 to 3 ft	2.00 $2.50$	1.50 $2.00$	
	$\frac{2.50}{3.50}$	3.00	
	5.00 7.50	4.00	E 00
0 00 0 20000000000000000000000000000000	10.00	6.00 8.50	5.00 7.50
8 to 10 ft	15.00	12.50	7.50
Pachistima canbyi. Canby Pachistim		12.50	
3 inch pots		.85	.75
10 to 12 in. spd., field grown.			1.00
Paeonia suffruticosa. Tree Peony. 6'		1.10	1.00
8 to 10 in., 3 year			
Parrotia persica. Persian Parrotia.			
18 to 24 in			
2 to 3 ft			
Parthenocissus henryi. Silvervein Cro		15'	
4 inch pots			
quinquefolia. Virginia Creeper.			
2 year		.30	.25
3 year		.35	.30
4 year		.50	.45
q. engelmanni. Engelmann Virgi			35'
2 year		.30	
3 year	45	.35	.30
4 year	.60	.50	.45
q. saintpauli. St. Paul Virginia	Creex	per. 3	<b>5'</b>
2 year	.40	.30	.25
3 year	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Parthenocissus			
tricuspidata veitchi. Veitch Japan			
2 year	.50	.45	.40
3 year	.60	-	.50
2 year from pots	.75	.60	
tricuspidata lowi. Lows Japanese	Creep	er. 8'	
2 year from pots	.75	.65	.60
3 year from pots, heavy	1.00	.90	.75
Paulownia tomentosa. Royal Paulown	ia. 3	0'	
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft	10.00		
Periploca graeca. Grecian Silkvine.	<i>30</i> ′		
2 year		.60	.50
3 year		.75	.60
Perovskia atriplicifolia. 4'			
2 to 3 ft	2.00		
Phellodendon amurense. Amur Cork		<i>50</i> ′	
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.75	2.25	2.00
1½ to 1½ in	3.75	3.25	3.00
1½ to 1¾ in,	5.00	4.25	4.00
13/4 to 2 in	6.50	5.50	5.00
	10.00	7.50	
lavallei. Lavalle Corktree. 30'			
8 to 10 ft,	4.00		
1½ to 1¾ in	6.00		
Philadelphus coronarius. Sweet Mock	corang	e. 10'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	,75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft		1.35	1.25
coronarius aureus. Golden Mocko	range.	4'	
18 to 24 in	1.00	.85	
24 to 35 in	1.25	1.00	
coronarius nanus. Dwarf Sweet		range.	4'
12 to 15 in		.60	
15 to 18 in		.75	
18 to 24 in		.90	
coronarius plenus. Double Sweet			
18 to 24 in			.50
2 to 3 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
cymosus Banniere. 8'	0.5		F.0
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
c. Norma. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
c. Voie Lactee. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25		
falconeri. Falconers Mockorange.	8'		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
gordonianus. Gordon Mockorange.	12'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
grandiflorus. Big Scentless Mocke	range	. 8'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
incanus. Gray Mockorange. 10'	•		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
inodorus. Scentless Mockorange.	10'		
3 to 4 ft	1.25		
lemoinei. Avalanche. 5'			
2 to 3 ft	.65	.55	
3 to 4 ft	.75	,65	
lemoinei Dame Blanche. 6'			
2 to 3 ft	.65	.55	.50
lemoinei erectus. Erect Lemoine	Mocke	range.	. 5'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	20011	2407	
lemoinei Pyramidale. 6'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
magdalenae. Magdalena Mockoran	ge. 6	•	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
nepalensis. Nepal Mockorange. 1	0'		
3 to 4 ft,	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nivalis. Snowbank Mockorange. 1	0'		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
polyanthus Favorite. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	
p. Gerbe de Neige. 6'			
2 to 3 ft	.65	.55	•
3 to 4 ft	.75	.65	.60
p. Pavillon Blanc. 8'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	
6 to 8 ft.	1.50	1.35	1.25
purpureo-maculatus Ophelia. 6'	C.E.		F.0
2 to 3 ft			
4 to 5 ft	.75		
p. Sybille. 5'	1.00	.85	.75
18 to 24 in	.75	60	
2 to 3 ft		.75	•
sericanthus. Silk Mockorange. 12		.10	
3 to 4 ft		1.25	
U 10 1 10	1,00	1,40	

Philadelphus	1-4 Each	5-24 Each	25 & up Each				
_							
splendens. Splendens Mockorange.		1.05					
2 to 3 ft	1.50	1.25					
virginalis Albatre. 6'							
2 to 3 ft	.65	.55	.50				
3 to 4 ft	.75	.65	.60				
4 to 5 ft	1.00	.80					
v. Argentine. 5'							
2 to 3 ft	.75	.60					
3 to 4 ft	1.00	.75					
v. Bouquet Blanc. 5'							
	.75	.60					
3 to 4 ft	1.00	.75					
v. Glacier. 6'							
2 to 3 ft	.65	.55	.50				
3 to 4 ft	.75	.65	.60				
4 to 5 ft	1.00	.80					
v. virginal. 8'							
2 to 3 ft	.75	.60	.55				
3 to 4 ft	.85	.75	.70				
4 to 5 ft	1.00	.90	.85				
5 to 6 ft	1.25	1.10	1.00				
zeyheri. Zeyher Mockorange. 10'							
	.75						
Photinia villosa. Oriental Photinia. 1							
3 to 4 ft	1.00	.75	.65				
4 to 5 ft	1.50	1.25	1.00				
5 to 6 ft	1.75	1.50	1.25				
6 to 8 ft	2.75	2.25	1.75				
8 to 10 ft	3.50	3.00	2.50				
villosa laevis. Smooth Oriental Ph	aotinia	. 15'					
4 to 5 ft		1.50					
5 to 6 ft		1.75					
6 to 8 ft							
Physocarpus intermedius parvifolius.  Dwarf Illinois Ninebark. 4'							
•	.75	.60					
3 to 4 ft		.75					
		.10					
monogynus. Mountain Ninebark.		9.00					
2 to 3 ft	5.50	3.00					

	1-4 Each	5-24 Each	25 & up Each
Physocarpus			
opulifolius. Common Ninebark.	10'		
2 to 3 ft		.50	
3 to 4 ft		.60	
4 to 5 ft		.85	.75
5 to 6 ft		1.10	1.00
6 to 8 ft	1.50	1.35	1.25
opulifolius luteus. Goldleaf Nine	ebark.	<i>10</i> <b>′</b>	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
opulifolius nanus. Dwarf Commo	n Nine	bark.	5'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
Picea abies (excelsa). Norway Spruc	e. 75'		
2 ftB&B	3.50	2.75	2.50
3 ftB&B	4.50	4.00	3.75
4 ftB&B	6.50	5.50	5.00
5 ftB&B	10.00	8.50	7.50
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
9 ftB&B	22.50	20.00	
For larger sizes to 25 ft., add	\$5.00	per fo	ot.
abies aurea. Golden Norway Spra	uce. 7	5 <b>'</b>	
3 ftB&B	10.00	8.00	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00		
6 ftB&B	18.00		
7 ftB&B			
For larger sizes to 12 ft., add	\$5.00	per fo	ot.
abies clanbrasiliana. Barry Noru	vay Sp	ruce.	7'
2 ftB&B	8.00		
3 ftB&B	10.00		
abies maxwelli. Maxwell Norwa	y Spri	ice. 6	
18 to 24 in,B&B	-	6.00	
24 to 30 inB&B			
30 to 36 inB&B			
36 to 42 in,B&B			

	1-4 Each	5-24 Each	25 & up Each
Picea ·	Lucii	Lucii	Eden
abies nana. Dwarf Norway Spru	ce. 4	,	
18 to 24 inB&B	7.50	6.00	
24 to 30 inB&B	10.00	7.50	
30 to 36 inB&B	12.50	10.00	
36 to 42 inB&B	15.00		
abies parviformis.			
Dwarf Pyramid Norway Sy	oruce.	4'	
2 ftB&B	10.00		
3 ftB&B	12.50		
abies pendula. Weeping Norway	Spruce	e. 20'	
3 ftB&B			
4 ftB&B	12.50		
5 ftB&B	15.00		
6 ftB&B	20.00		
For larger sizes to 12 ft., add	\$5.00	per fo	ot.
abies procumbens. Prostrate Nora	man S	nruce	31
2 ft. spdB&B	_	prace.	U
2½ ft. spdB&B			
		201	
abies pygmea. Pygmy Norway Spr 18 to 24 inB&B		20	
24 to 30 inB&B			
		0.1	
abies remonti. Remont Norway S	•		
18 to 24 in			
24 to 30 in			
30 to 36 in			
36 to 42 in			
42 to 48 inB&B	20.00	15.00	
alba. (see glauca)			
asperata. Dragon Spruce. 60'			
2 ftB&B		6.00	
3 ftB&B	10.00		
bicolor. (alcockiana). Alcock Spri	ice. 7	<i>'5'</i>	
3 ftB&B			
4 ftB&B			
engelmanni. Engelmann Spruce.			
3 ftB&B			
4 ft			
5 ftB&B			
6 ftB&B			
0 1t	10,00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

				1-4	5-24	25 & up
Picea		14		Each	Each	Each
		balla Daniel E		ana Cana		-1
		hylla. Dwarf E			uce.	
3	IT.		B&B	15.00		
glauca	a. (a	lba). White Spi	ruce. 5	0 <b>'</b>		
2	ft.		B&B	4.00	3.50	
3	ft.		B&B	5.50	5.00	
4	ft.		B&B	7.50	6.00	
5	ft.		B&B	10.00		
6	ft.		B&B	12.50		
7	ft.		B&B	15.00		
8	ft.		B&B	18.00		
g. aur	ea.	Golden White	Spruce.	<i>30'</i>		
2	ft.		B&B	7.50		
3	ft.					
a, con	ica.	Dwarf Alberta	Spruce	. 6'		
			_		8.50	7.50
a der	acat:	a. (canadensis).	Black F	Jille Sa	nwaraa	60'
_						00
	ft.					
	ft.		•			
	ft.					
6	ft.				1.00	
_	ft.					
8	ft.					
		loumeti. Doumet		-	e. 25'	
5	ft.		B&B	12.50		
omori	ka.	Serbian Spruce	. 50'			
3	ft.		B&B	10.00	7.50	
4	ft.		B&B	12.50	10.00	
5	ft.		B&B	15.00	12.50	

Picea.           orientalis.         Oriental Spruce.         75'           2 ft.         B&B 6.50         5.00           3 ft.         B&B 8.50         7.50           4 ft.         B&B 12.50         10.00           5 ft.         B&B 15.00         12.50           polita.         Tigertail Spruce.         75'           2 ft.         B&B 6.50         5.50           3 ft.         B&B 8.50         7.50           4 ft.         B&B 8.50         7.50           4 ft.         B&B 8.50         7.50           4 ft.         B&B 4.00         3.50           3 ft.         B&B 5.50         5.00           4 ft.         B&B 5.50         5.00           4 ft.         B&B 10.00         6.50           5 ft.         B&B 10.00         6.50           5 ft.         B&B 18.00         7.50           8 ft.         B&B 18.00         7.50           3 ft.         B&B 18.00         7.50           3 ft.         B&B 18.00         7.50           3 ft.         B&B 25.00         7.50           4 ft.         B&B 35.00         9.50           7 ft.         B&B 35.0			1-4 Each	5-24 Each	25 & up Each
2 ft. B&B 6.50 5.00 3 ft. B&B 8.50 7.50 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 12.50  polita. Tigertail Spruce. 75' 2 ft. B&B 6.50 5.50 3 ft. B&B 8.50 7.50 4 ft. B&B 12.50 10.00 For larger sizes to 10 ft., add \$5.00 per foot.  pungens. Colorado Spruce. 60' 2 ft. B&B 4.00 3.50 3 ft. B&B 5.50 5.00 4 ft. B&B 12.50 5 ft. B&B 10.00 6 ft. B&B 12.50 7 ft. B&B 12.50 7 ft. B&B 18.00  pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 7 ft. B&B 10.00 9 ft. B&B 10.00 5 ft. B&B 10.00 5 ft. B&B 10.00 7 ft. B&B 10.00 5 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 7 ft. B&B 10.00 7 ft. B&B 10.00 9 ft. B&B 10.00 9 ft. B&B 10.00 12 ft. B&B 10.00 13 ft. B&B 10.00 14 ft. B&B 10.00 15 ft. B&B 10.00 17 ft. B&B 10.00 18 ft. B&B 10.00 19 ft. B&B 10.00 10 ft. B&B 10.00 10 ft. B&B 10.00 11 ft. B&B 10.00 11 ft. B&B 10.00 12 ft. B&B 10.00 13 ft. B&B 10.00 14 ft. B&B 10.00 15 ft. B&BB 10.00 15 ft. B&B 10.00 15 ft. B&B 10.00 15 ft. B&B 10.00 15 ft. B&B 10.	Picea.		Eden	Lucii	Eden
3 ft. B&B 8.50 7.50 4 ft. B&B 12.50 10.00 5 ft. B&B 15.00 12.50  polita. Tigertail Spruce. 75' 2 ft. B&B 6.50 5.50 3 ft. B&B 12.50 10.00 For larger sizes to 10 ft., add \$5.00 per foot.  pungens. Colorado Spruce. 60' 2 ft. B&B 4.00 3.50 3 ft. B&B 5.50 5.00 4 ft. B&B 7.50 6.50 5 ft. B&B 10.00 6 ft. B&B 12.50 7 ft. B&B 15.00 8 ft. B&B 15.00 8 ft. B&B 15.00 8 ft. B&B 15.00 9 pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 10.00 5 ft. B&B 10.00 6 ft. B&B 10.00 5 ft. B&B 10.00 6 ft. B&B 10.00 5 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 7 ft. B&B 10.00 9 ft. B&B 10.00 9 ft. B&B 10.00 10 pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 15.00 12.50 3 ft. B&B 15.00 12.50 3 ft. B&B 15.00 15.00 3½ ft. B&B 15.00 15.00 5½ ft. B&B 35.00 20.00 4½ ft. B&B 35.00 20.00 4½ ft. B&B 35.00 30.00 5½ ft. B&B 35.00 45.00 6 ft. B&B 45.00 40.00 7 ft. B&B 45.00 45.00 8 ft. B&B 55.00 50.00	orientalis. Oriental Spruce. 7	'5'			
## ft. B&B 12.50 10.00   5 ft. B&B 15.00 12.50    Polita. Tigertail Spruce. 75'	2 ft	&B	6.50	5.00	
polita. Tigertail Spruce. 75'  2 ft.	3 ftBo	&B	8.50	7.50	
polita.       Tigertail Spruce.       75'         2 ft.       B&B 6.50       5.50         3 ft.       B&B 8.50       7.50         4 ft.       B&B 12.50       10.00         For larger sizes to 10 ft., add \$5.00 per foot.         pungens.       Colorado Spruce.       60'         2 ft.       B&B 4.00       3.50         3 ft.       B&B 5.50       5.00         4 ft.       B&B 10.00       6.50         5 ft.       B&B 10.00       6.50         5 ft.       B&B 12.50       7.50         3 ft.       B&B 18.00       7.50         3 ft.       B&B 18.00       7.50         3 ft.       B&B 15.00       7.50         3 ft.       B&B 18.00       7.50         4 ft.       B&B 18.00       7.50         5 ft.       B&B 18.00       7.50         4 ft.       B&B 35.00       9         7 ft.       B&B 35.00       9         9 ft.       B&B 18.00       15.00         2 ft.       B&B 12.50       10.00         2 ft.       B&B 18.00       15.00         3 ft.       B&B 18.00       15.00         3 ft.       B&B 2	4 ftBa	&B	12.50	10.00	
2 ft. B&B 6.50 5.50 3 ft. B&B 8.50 7.50 4 ft. B&B 12.50 10.00 For larger sizes to 10 ft., add \$5.00 per foot.  pungens. Colorado Spruce. 60' 2 ft. B&B 5.50 5.00 4 ft. B&B 7.50 6.50 5 ft. B&B 10.00 6 ft. B&B 12.50 7 ft. B&B 15.00 8 ft. B&B 18.00  pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 8 ft. B&B 10.00 7 ft. B&B 10.00 8 ft. B&B 10.00 8 ft. B&B 10.00 8 ft. B&B 10.00 8 ft. B&B 10.00 9 ft. B&B 10.00 9 ft. B&B 10.00 10 ft. B&B 10.00 10 ft. B&B 10.00 11 ft. B&B 10.00 12 ft. B&B 10.00 12 ft. B&B 10.00 13 ft. B&B 10.00 14 ft. B&B 10.00 15 ft. B&B 10.00 16 ft. B&B 10.00 17 ft. B&B 10.00 17 ft. B&B 10.00 17 ft. B&B 20.00 17 ft. B&B 20.00 17 ft. B&B 30.00 17 ft. B&B 40.00 17 ft. B&B 40.00 18 ft. B&B 50.00	5 ft	&B	15.00	12.50	
3 ft.	polita. Tigertail Spruce. 75'				
## A ft. B&B 12.50 10.00    For larger sizes to 10 ft., add \$5.00 per foot.	2 ftBo	%В	6.50	5.50	
For larger sizes to 10 ft., add \$5.00 per foot.           pungens. Colorado Spruce. 60'           2 ft.         B&B 4.00         3.50           3 ft.         B&B 5.50         5.00           4 ft.         B&B 7.50         6.50           5 ft.         B&B 10.00         6.50           6 ft.         B&B 12.50         6.50           7 ft.         B&B 15.00         8.50           8 ft.         B&B 15.00         7.50           3 ft.         B&B 18.00         7.50           3 ft.         B&B 15.00         7.50           3 ft.         B&B 18.00         7.50           4 ft.         B&B 18.00         8.50           5 ft.         B&B 35.00         8.50           7 ft.         B&B 35.00         8.50           9 ft.         B&B 35.00         9.50           9 ft.         B&B 18.00         10.00           2½ ft.         B&B 18.00         15.00           3½ ft.         B&B 18.00         15.00           3½ ft.         B&B 18.00         15.00           3½ ft.         B&B 25.00         20.00           4 ft.         B&B 25.00         20.00           4 ft. <td< th=""><th>3 ftBo</th><th>&amp;B</th><th>8.50</th><th>7.50</th><th></th></td<>	3 ftBo	&B	8.50	7.50	
pungens.         Colorado Spruce.         60'           2 ft.         B&B 4.00 3.50           3 ft.         B&B 5.50 5.00           4 ft.         B&B 7.50 6.50           5 ft.         B&B 10.00           6 ft.         B&B 12.50           7 ft.         B&B 15.00           8 ft.         B&B 18.00           pungens glauca.         Blue Colorado Spruce.         60'           2 ft.         B&B 10.00 7.50           3 ft.         B&B 15.00           4 ft.         B&B 18.00           6 ft.         B&B 25.00           7 ft.         B&B 30.00           8 ft.         B&B 35.00           9 ft.         B&B 40.00           pungens kosteriana.         Koster Blue Spruce.         50'           2 ft.         B&B 12.50 10.00           2½ ft.         B&B 18.00 15.00           3½ ft.         B&B 18.00 15.00           3½ ft.         B&B 25.00 20.00           4½ ft.         B&B 35.00 30.00           5½ ft.         B&B 35.00 30.00           5½ ft.         B&B 35.00 30.00           5½ ft.         B&B 45.00 40.00           7 ft.         B&B 55.00 50.00	4 ftB	&B	12.50	10.00	
2 ft. B&B 4.00 3.50 3 ft. B&B 5.50 5.00 4 ft. B&B 7.50 6.50 5 ft. B&B 10.00 6 ft. B&B 12.50 7 ft. B&B 15.00 8 ft. B&B 18.00  pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 12.50 10.00 4 ft. B&B 15.00 5 ft. B&B 15.00 6 ft. B&B 15.00 7 ft. B&B 15.00 9 ft. B&B 15.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 15.00 12.50 3 ft. B&B 15.00 12.50 3 ft. B&B 15.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 50.00 45.00	For larger sizes to 10 ft.,	add	\$5.00	per fo	ot.
3 ft. B&B 5.50 5.00 4 ft. B&B 7.50 6.50 5 ft. B&B 10.00 6 ft. B&B 12.50 7 ft. B&B 15.00 8 ft. B&B 18.00  pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 12.50 10.00 4 ft. B&B 15.00 5 ft. B&B 15.00 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 30.00 9 ft. B&B 30.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 15.00 12.50 3 ft. B&B 15.00 15.00 3½ ft. B&B 25.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00	pungens. Colorado Spruce.	60 <b>'</b>			
4 ft. B&B 7.50 6.50  5 ft. B&B 10,00  6 ft. B&B 12.50  7 ft. B&B 15.00  8 ft. B&B 13.00  pungens glauca. Blue Colorado Spruce. 60'  2 ft. B&B 12.50 10.00  4 ft. B&B 15.00  5 ft. B&B 18.00  6 ft. B&B 25.00  7 ft. B&B 30.00  8 ft. B&B 30.00  9 ft. B&B 30.00  9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50'  2 ft. B&B 15.00 12.50  3 ft. B&B 15.00 12.50  4 ft. B&B 25.00 17.50  4 ft. B&B 30.00 25.00  5 ft. B&B 30.00 25.00  5 ft. B&B 30.00 25.00  6 ft. B&B 35.00 30.00  5½ ft. B&B 40.00 35.00  6 ft. B&B 40.00 35.00  6 ft. B&B 45.00 40.00  7 ft. B&B 50.00 45.00  8 ft. B&B 50.00 45.00  8 ft. B&B 50.00 45.00  8 ft. B&B 55.00 50.00	2 ftBo	&B	4.00	3.50	us — s
5 ft. B&B 10,00 6 ft. B&B 12.50 7 ft. B&B 15.00 8 ft. B&B 15.00  8 ft. B&B 18.00   pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 10.00 4 ft. B&B 12.50 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 18.00 12.50 3 ft. B&B 12.50 10.00 21/2 ft. B&B 15.00 12.50 3 ft. B&B 25.00 20.00 41/2 ft. B&B 25.00 5 ft. B&B 30.00 5 ft. B&B 30.00 31/2 ft. B&B 30.00 5 ft. B&B 30.00 5 ft. B&B 30.00 5 ft. B&B 35.00 5 ft. B&B 35.00 5 ft. B&B 35.00 5 ft. B&B 35.00 6 ft. B&B 45.00 7 ft. B&B 45.00 8 ft. B&B 45.00 8 ft. B&B 55.00 5 50.00	3 ftBo	&B	5.50	5.00	
6 ft. B&B 12.50 7 ft. B&B 15.00 8 ft. B&B 15.00  8 ft. B&B 18.00   pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 10.00 4 ft. B&B 12.50 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 3 ft. B&B 15.00 12.50 3 ft. B&B 25.00 5 ft. B&B 35.00 9 ft. B&B 35.00 9 ft. B&B 35.00 0 9 ft. B&B 10.00 0 17.50 0 10.00 0 10	4 ftB	&B	7.50	6.50	
7 ft. B&B 15.00 8 ft. B&B 18.00  pungens glauca. Blue Colorado Spruce. 60' 2 ft. B&B 10.00 7.50 3 ft. B&B 12.50 10.00 4 ft. B&B 15.00 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 15.00 12.50 3 ft. B&B 15.00 12.50 3 ft. B&B 15.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 25.00 20.00 4½ ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00	5 ftBo	&B	10.00		
8 ft.       B&B 18.00         pungens glauca. Blue Colorado Spruce. 60'         2 ft.       B&B 10.00       7.50         3 ft.       B&B 12.50       10.00         4 ft.       B&B 15.00         5 ft.       B&B 18.00         6 ft.       B&B 25.00         7 ft.       B&B 30.00         8 ft.       B&B 35.00         9 ft.       B&B 40.00           pungens kosteriana. Koster Blue Spruce. 50'          2 ft.       B&B 12.50       10.00         2½ ft.       B&B 15.00       12.50         3 ft.       B&B 18.00       15.00         3½ ft.       B&B 20.00       17.50         4 ft.       B&B 25.00       20.00         4½ ft.       B&B 35.00       30.00         5½ ft.       B&B 35.00       30.00         5½ ft.       B&B 40.00       35.00         6 ft.       B&B 45.00       40.00         7 ft.       B&B 55.00       50.00	6 ftB	&B	12.50		
pungens glauca. Blue Colorado Spruce. 60'         2 ft.       B&B 10.00       7.50         3 ft.       B&B 12.50       10.00         4 ft.       B&B 15.00         5 ft.       B&B 25.00         7 ft.       B&B 30.00         8 ft.       B&B 35.00         9 ft.       B&B 40.00           pungens kosteriana. Koster Blue Spruce. 50'           2 ft.       B&B 12.50 10.00         2½ ft.       B&B 15.00 12.50         3 ft.       B&B 18.00 15.00         3½ ft.       B&B 20.00 17.50         4 ft.       B&B 25.00 20.00         4½ ft.       B&B 30.00 25.00         5 ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6 ft.       B&B 45.00 40.00         7 ft.       B&B 50.00 45.00         8 ft.       B&B 55.00 50.00	7 ftB	&Β	15.00		
2 ft. B&B 10.00 7.50 3 ft. B&B 12.50 10.00 4 ft. B&B 15.00 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 20.00 4½ ft. B&B 35.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00	8 ftB	&B	18.00		
2 ft. B&B 10.00 7.50 3 ft. B&B 12.50 10.00 4 ft. B&B 15.00 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 25.00 20.00 4½ ft. B&B 35.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00	pungens glauca. Blue Colorad.	o S	oruce.	60'	
3 ft.					
4 ft. B&B 15.00 5 ft. B&B 18.00 6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
5 ft.       B&B 18.00         6 ft.       B&B 25.00         7 ft.       B&B 30.00         8 ft.       B&B 35.00         9 ft.       B&B 40.00         pungens kosteriana. Koster Blue Spruce. 50'         2 ft.       B&B 12.50 10.00         2½ ft.       B&B 15.00 12.50         3 ft.       B&B 18.00 15.00         3½ ft.       B&B 20.00 17.50         4 ft.       B&B 25.00 20.00         4½ ft.       B&B 30.00 25.00         5 ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6 ft.       B&B 45.00 40.00         7 ft.       B&B 50.00 45.00         8 ft.       B&B 55.00 50.00				20.00	
6 ft. B&B 25.00 7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
7 ft. B&B 30.00 8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
8 ft. B&B 35.00 9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
9 ft. B&B 40.00  pungens kosteriana. Koster Blue Spruce. 50' 2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 35.00 30.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
2 ft. B&B 12.50 10.00 2½ ft. B&B 15.00 12.50 3 ft. B&B 18.00 15.00 3½ ft. B&B 20.00 17.50 4 ft. B&B 25.00 20.00 4½ ft. B&B 30.00 25.00 5 ft. B&B 35.00 30.00 5½ ft. B&B 40.00 35.00 6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00	nungens kosteriana Kostor	$RI_{M}$	e Snru	100 50	,
2½ ft.       B&B 15.00 12.50         3 ft.       B&B 18.00 15.00         3½ ft.       B&B 20.00 17.50         4 ft.       B&B 25.00 20.00         4½ ft.       B&B 30.00 25.00         5 ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6 ft.       B&B 45.00 40.00         7 ft.       B&B 50.00 45.00         8 ft.       B&B 55.00 50.00			•		
3       ft.       B&B 18.00       15.00         3½       ft.       B&B 20.00       17.50         4       ft.       B&B 25.00       20.00         4½       ft.       B&B 30.00       25.00         5       ft.       B&B 35.00       30.00         5½       ft.       B&B 40.00       35.00         6       ft.       B&B 45.00       40.00         7       ft.       B&B 50.00       45.00         8       ft.       B&B 55.00       50.00					
3½ ft.       B&B 20.00 17.50         4 ft.       B&B 25.00 20.00         4½ ft.       B&B 30.00 25.00         5 ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6 ft.       B&B 45.00 40.00         7 ft.       B&B 50.00 45.00         8 ft.       B&B 55.00 50.00					
4       ft.       B&B 25.00 20.00         4½ ft.       B&B 30.00 25.00         5       ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6       ft.       B&B 45.00 40.00         7       ft.       B&B 50.00 45.00         8       ft.       B&B 55.00 50.00					
4½ ft.       B&B 30.00 25.00         5 ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6 ft.       B&B 45.00 40.00         7 ft.       B&B 50.00 45.00         8 ft.       B&B 55.00 50.00					-
5       ft.       B&B 35.00 30.00         5½ ft.       B&B 40.00 35.00         6       ft.       B&B 45.00 40.00         7       ft.       B&B 50.00 45.00         8       ft.       B&B 55.00 50.00					
5½ ft.       B&B 40.00 35.00         6 ft.       B&B 45.00 40.00         7 ft.       B&B 50.00 45.00         8 ft.       B&B 55.00 50.00					
6 ft. B&B 45.00 40.00 7 ft. B&B 50.00 45.00 8 ft. B&B 55.00 50.00					
7 ft					
8 ft					
					ot.

### Picea.

pungens	moerheimi.	Moerheim B	lue Sp	ruce. 40	,
2½ f	it.	B&B	15.00		
		B&B			
		B&B			
		B&B			
sitchensis	• Sitka Spr	uce. 40'			
3 ft		B&B	7.50		
		B&B			
5 ft.		B&B			
Pieris floribur	nda. Mount	ain Pieris.	4'		
18 to	24 in	B&B	6.00	5.50	
		B&B		0.00	
japonica.	Japanese P	ieris. 10'			
15 to	18 in	B&B	4.00		
		B&B			
Pinus banksia	ana. Jack P	ine. 60'			
2 ft.		B&B	5.00	4.25	3.75
3 ft.		B&B	6.50	5.50	5.00
4 ft.		B&B	10.00	8.50	7.50
5 ft.		B&B	12.50	10.00	
6 ft.		B&B	15.00	12.50	
7 ft.		B&B			
8 ft.		B&B			
		B&B			
		B&B			
For 1	arger sizes t	o 18 ft., add	\$5.00 p	per foot.	
bungeana	. Lacebark	Pine. 60'			
		B&B			
6 ft.		B&B	15.00		
cembra.	Swiss Ston	e Pine. 70'			
2 ft.		B&B	12.50		
3 ft.		B&B	15.00		
4 ft.		B&B	20.00		
LARGE	SPECIMEN SH	RUBS QUOTED	ON R	EQUEST	

n					1-4 Each	5-24 Each	25 & up Each
Pinus	7		T	D.			
densiflor	-					4.05	0.75
2 ft				B&B			
3 ft. 4 ft.				B&B		5.50 8.50	5.00 $7.50$
							7.50
7 ft				B&B			
8 ft.				B&B			
	larger si						t
				·	φο.σσ Ι	JC1 100	•
flexilis.					10.00	7.50	
3 ft.				B&B		7.50	
	• • • • • •						
6 ft				B&B			
7 ft				B&B			ı
For	larger si	zes	to 16 1	t., add	\$5.00 ]	per 100	t.
koraiens	is. Koro	ean	Pine.	<i>35</i> ′			
					10.00		
mugo. (r	nontana	).	Swiss	Mounta	in Pin	e. 10'	
18	in			B&B	3.00	2.75	
2	ft			B&B	3.50	3.25	
$2\frac{1}{2}$	ft			B&B	4.50	4.25	
3	ft			B&B	6.50	5.50	
$3\frac{1}{2}$	ft						
4	ft			B&B	15.00		
5	ft			B&B	20.00		
6	ft			B&B	25.00		
7	ft			B&B	35.00		
mugo m	ughus. I	Mug	ho Su	viss Mo	untain	Pine.	4'
15	to 18	in	spd	B&B	3.50	3.00	
18	to 24	in.	spd	B&B	4.00	3.50	
2	to 2½	ft.	spd	B&B	5.00	4.50	
$2\frac{1}{2}$	to 3	ft.	spd	B&B	7.50	6.50	
3	to 3½	ft.	spd	B&B	12.50	10.00	
31/2	to 4	ft.	spd	B&B	17.50		
4	to 5	ft.	spd	B&B	25.00		
5	to 6	ft.	spd	B&B	35.00		
6	to 7			B&B			

<u>.</u>		1-4 Each	5-24 Each	25 & up Each
Pinus				
nigra. Austria			- 00	
	B&B			
	B&B			
	B&B			
	B&B		12.50	
	B&B			
	B&B			
	B&B			
9 ft	B&B	35.00		
For larger s	sizes to 25 ft., add	\$5.00	per foo	t.
peuce. Balkan	Pine. 20'			e
2 ft	B&B	8.50	7.50	
3 ft	B&B	12.50	10.00	
4 ft	B&B	15.00	12.50	
ponderosa. Po	nderosa Pine. 60'	•		
3 ft	B&B	7.50	•	
4 ft	B&B	10.00		
parviflora. $Ja$	panese White Pine	e. 50'		
	B&B			
	B&B			
resinosa. Red				
3 ft	B&B	10.00	7.50	
4 ft	B&B	12.50	10.00	
8 ft	B&B	30,00	25.00	
9 ft,	B&B	35.00	30.00	
For larger	sizes to 12 ft., add	\$5.00	per foo	t.
	ern White Pine. 7		_	
2 ft	B&B	7.50	6.50	
3 ft	B&B	10.00	7.50	
4 ft	B&B	12.50	10.00	
5 ft	B&B	15.00	12.50	
For larger	sizes to 20 ft., add	\$5.00	per foo	t.
sylvestris. Sco	tch Pine. 50'			
2 ft	B&B	5.00	4.50	4.00
3 ft	B&B	6.50	5.50	5.00
4 ft	B&B	10.00	8.50	7.50
5 ft	B&B	15.00	12.50	10.00
6 ft	B&B	18.00	15.00	
7 ft	B&B	20.00	18.00	
8 ft	B&B	25.00	20.00	
9 ft	B&B	30.00	25.00	
10 ft	B&B	35.00	30.00	

	1-4 Each	5-24 Each	25 & up Each					
Pinus		200						
sylvestris watereri. Waterer Scotc	h Pine	. 10'						
5 ftB&B	12.50							
6 ftB&B	15.00							
thunbergi. Japanese Black Pine.								
2 ftB&B	10.00	7.50						
	12.50	10.00						
	15.00	12.50						
5 ftB&B		15.00						
6 ftB&B	25.00	20.00						
Platanus occidentalis. American Plan	netree.	75'						
6 to 8 ft	2.50	2.00	1.75					
8 to 10 ft	3.00	2.50	2.25					
1½ to 1½ in,	4.00	3.50	3.25					
1½ to 1¾ in	6.00	5.00	4.50					
13/4 to 2 in	7.50	6.50	6.00					
2 to 2½ in	10.00	8.50	7.50					
orientalis. Oriental Planetree. 8								
6 to 8 ft	2.50	2.25	2.00					
8 to 10 ft	3.50	2.75	2.50					
1½ to 1½ in	4.50	3.75	3.50					
1½ to 1¾ in	5.50	5.00	4.75					
13/4 to 2 in	7.50	6.50	6.00					
	12.50	10.00	8.00					
2½ to 3 in	15.00	12.50						
Polygonum auberti. Silvervine Fleece			4.5					
2 year	.60	.50	.45					
Populus alba. White Poplar. 60'								
e de la companya de	5.00	4.00						
13/4 to 2 in	6.00	5.00						
2 to 2½ in	7.50	6.50						
alba bolleana. Bolleana Poplar. 50'								
6 to 8 ft	1.50	1.25						
8 to 10 ft		1.50						
1¼ to 1½ in								
1½ to 1¾ in			2.50					
13/4 to 2 in		4.50						
2 to 2½ in	7.50	6.00						

					1-4 Each	5-24 Each	25 & up
Pop	ulus				Euch	EUCH	Euch
	alba niv	ea.	Silv	ver Poplar. 90'			
	8	to	10	ft	2.75	2.50	
	10	to	12	ft	3.50	3.00	
	2	to	21/2	in	7.50	6.50	
	beroline	nsi	s. Be	erlin Poplar. 40'			
	8	tó	10	ft	2.50	2.25	2.00
	11/4	to	11/2	in	3.00	2.75	2.50
	1½	to	13/4	in	3.50	3.25	3.00
	13/4	to	2	in	5.00	4.00	3.50
	candicar	ıs.	Bali	m of Gilead. 90'			
	8	to	10	ft	2.50	2.25	
	11/4	to	11/2	in	3.00	2.50	
	maximo	wic	zi. J	apanese Poplar.	40'		
	8	to	10	ft	3.00	2.50	
	10	to	12	ft	3.50	3.00	
	11/2	to	13/4	in	5.00	4.00	
	2	to	$2\frac{1}{2}$	in	7.50	6.00	
	nigra be	tul	ifolia.	. Birchleaf Black	Popla	r. 60'	
	11/2	to	2	in	5.00	4.00	3.50
	2	to	21/2	in	7.50	6.00	5.00
	21/2	to	3	in	10.00	7.50	
	nigra ita	lica	a. Lo	ombardy Poplar.	<i>60</i> ′		
	6	to	8	ft	1.00	.75	.60
	8	to	10	ft	1.25	1.00	.75
	10	to	12	ft	1.50	1.25	1.00
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	2.00	1.75	1.50
	13/4	to	2	in	3.50	3.00	2.75
	2	to	$2\frac{1}{2}$	in	6.00	4.50	3.75
	21/2	to	3	in	10.00	7.50	6.00
	3	to	$3\frac{1}{2}$	in	12.50	10.00	
	simoni.	Si	mon I	Poplar. 35'			
	6	to	8	ft	1.50	1.25	1.00
	8	to	10	ft	1.75	1.50	1.25
	11/4	to	11/2	in	2.50	2.00	1.75
	$1\frac{1}{2}$	to	13/4	in	3.50	2.75	2.25
	13/4	to	2	in	5.00	4.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Populus.

25 & up Each

1-4 Each 5-24 Each

suaveolens. Mongolian Poplar. 40'		
1½ to 1¾ in 4.50	4.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in 6.00	5.00	
2½ to 3 in 10.00	7.50	
tremuloides. Quaking Aspen. 50'		
8 to 10 ft 3.00		
10 to 12 ft 4.00		
13/4 to 2 in 5.00		
2 to 2½ in 7.50		
trichocarpa. California Poplar. 40'		
10 to 12 ft 3.00	2.50	
1½ to 1¾ in 3.50	3.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in 5.00	4.00	
2 to 2½ in 6.00	5.00	
2½ to 3 in 10.00	7.50	
Potentilla fruticosa. Bush Cinquefoil. 4'		
18 to 24 in	.50	.45
2 to 3 ft	.60	.50
Prinsepia sinensis. Cherry Prinsepia. 6'	1.50	
9 to 12 in., from pots 2.00	1.50	
Prunus americana. American Plum. 20'	0.5	
4 to 5 ft 1.00	.85	75
5 to 6 ft	1.10	1.00
6 to 8 ft	1.50	1.25
8 to 10 ft 2.00	1.75	1.50
americana Newport.		
Purpleleaf American Plum. 20'	1.00	0.0
3° to 4 ft		.90 1.10
4 to 5 ft	1.25 $1.75$	1.10
6 to 8 ft 2.50	$\frac{1.75}{2.00}$	
	2.00	
*avium plena.  Double White Flowering Cherry.	<i>30</i> ′	
6 to 8 ft 4.00	3.50	
8 to 10 ft	5.00	
Large specimens quoted on request.	0.00	
besseyi. Bessey Cherry. 8'		
2 to 3 ft	.60	.50
3 to 4 ft	.75	.60
4 to 5 ft	1.00	.75

TIENT TOTAL CONTRACT OF THE	1-4	5-24	25 & up
_	Each	Each	Each
Prunus cerasifera pissardi. Purpleleaf Pli	1000 1	<b>0'</b>	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
cistena. Purpleleaf Sand Cherry.	20'	_,,	
3 to 4 ft	1.00	.90	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
davidiana. David Peach. 25'			
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	3.50		
8 to 10 ft	4.50		
davidiana alba. White David Pea	ch. 2	5 <b>'</b>	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
dunbari. Dunbar Plum. 6'			
3 to 4 ft		1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
glandulosa. Almond Cherry. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
glandulosa albiplena.			
Doublewhite Almond Cherry		. 75	
2 to 3 ft	1.00	<b>75</b>	
3 to 4 ft	1.25	1.00	
2 to 3 ft. own roots		1 Ch	01
glandulosa sinensis. Doublepink A 2 to 3 ft	1.00	a Cher .75	ry. 6
3 to 4 ft	1.25	1.00	
2 to 3 ft. own roots	2.00	1.00	
3 to 4 ft. own roots	2.50		
hortulana. Hortulan Plum. 30'	2.00		
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
	0,00	<u></u>	

	1-4 Each	5-24 Each	25 & up Each
Prunus			
incisa. Fuji Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
	12'		
2 to 3 ft	1.50	1,25	1.00
3 to 4 ft	1.75	1.50	1.25
laurocerasus schipkaensis.			
Schipka Laurel Cherry. 10'			
12 to 15 in., 4 in. pots	2.00	1.50	
maacki. Amur Chokecherry. 30'			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.35	1.25
maritima. Beach Plum. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
moseri fl. pl. 12'	2.00	4 50	
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
mume. Japanese Apricot. 15' 5 to 6 ft	3.00		
6 to 8 ft			
mume fl pl. Dbl. Flg. Japanese A		t. 15'	
5 to 6 ft			
munsoniana. Wildgoose Plum. 25			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
padus. European Bird Cherry. 3	20'		
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
pennsylvanica. Pin Cherry. 25'	1.05	1.00	0.0
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75 $2.50$	$\frac{1.50}{2.00}$	1.25 $1.75$
10 to 12 ft	3.50	3.00	2.75
10 10 12 11,	5.50	5,00	4.10

	1-4 Each	5-24 Each	25 & up
Prunus	Lucii	Lucii	Edeil
persica. Double Flowering Peac	h. 10'		
3 to 4 ft	1.50	1.00	
4 to 5 ft	2.00	1.25	
5 to 6 ft	2.50		
6 to 8 ft	3.00		
Alboplena — Double W.	hite.		
<b>Clara Meyer</b> — Double I	Pink.		
Rosea Plena — Double P	Pink		
<b>Rubroplena.</b> — Double F	Red.		
persica pendula. Weeping Flowers	ing Pe	ach. 10	) <b>'</b>
3 ft. standards	7.50		
pumila. Sand Cherry. 5'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
*sargenti. Sargent Cherry. 50'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
serotina. Wild Black Cherry. 60	,		
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
10 to 12 ft	3.50	3.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*serrulata Amayadori. 30'			
5 to 6 ft	3.00		
6 to 8 ft	4.00		
*serrulata Higantakura. Dbl. Whit	e Fla.	Cherry	. 30'
5 to 6 ft	-	_	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
Large specimens quoted on a	reques	t.	
*serrulata Hisakura. Dbl. Pink F	la. Ch	erru.	<i>30</i> ′
4 to 5 ft	_	_	
5 to 6 ft			
6 to 8 ft			
8 to 10 ft			
Large specimens quoted on			

Prunus
--------

nus	221		
*serrulata James H. Veitch, syn.			•
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00		
6 to 8 ft	4.00	3.50	3.25
8 to 10 ft	6.00	5.00	
*s. James H. Veitch pendula.			
Dbl. Pink Weeping Cherry.			
2 yr, hds., 3 to 5 ft. stem			
*serrulata Jonioi. Jonioi Oriental	•		
5 to 6 ft	3.00	2.50	
6 to 8 ft		3.50	
*serrulata lannesiana. Hitoye Che	_		
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.00		3.00
8 to 10 ft	6.00		4.00
*serrulata sirotae. Shirotae Orien		_	25'
5 to 6 ft	3.00		
6 to 8 ft		3.50	
	6.00	5.00	
siberica. Siberian Apricot. 12'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50		
8 to 10 ft	-		
*sieboldi, syn. Naden. Siebold Che	-	-	
5 to 6 ft		2.75	2.50
6 to 8 ft	4.00		3.25
8 to 10 ft			
Large specimens quoted on re	equest.		
spinosa. Blackthorn. 12'			
3 to 4 ft			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	-	-
6 to 8 ft	2.00		1.50
8 to 10 ft	2.50	2.25	2.00
spinosa purpurea. Purpleleaf Blac		. 12'	
3 to 4 ft	1.50		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00		3.00
8 to 10 ft	6.00		4.00
Large specimens quoted on re	equest.		

# Prunus

* 11' 1' 1'		o.t	
*subhirtella ascendens. Shiro-higo		9	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	5.00		
*subhirtella autumnalis. Autumn	Higan	Cherry.	30'
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft	10.00		
Large specimens quoted on re	equest.		
*subhirtella pendula. Weeping Hig	gan. Ch	ierru.	15'
2 yr. hds., 4 to 6 ft. stem			
tenella. Russian Almond. 6'			
2 to 3 ft	2,00	1.50	
	2.50		
3 to 4 ft			
4 to 5 ft	3.00	2.50	
tomentosa. Manchu Cherry. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
triloba. Flowering Plum. 10'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.25	3.00
6 to 8 ft	4.50	4.00	
triloba plena. Double Flowering H		10'	
3 to 4 ft			1.00
4 to 5 ft			1.25
5 to 6 ft	3.00		1.20
	<b>5.</b> 00	2.00	
virginiana. Chokecherry. 30'	1.00	2.5	00
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25		.90
6 to 8 ft	1.75		
8 to 10 ft	2.00	1.75	1.50
v. demissa. Western Chokecherry.	30' °		
4 to 5 ft	1.25		
5 to 6 ft	$1.\overline{5}0$		
*yedoensis. Yoshino Cherry. 35'			
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00

Prunus				1-4 Each	5-24 Each	25 & up Each
*yedo	ensi	s 7	Taizan-fukun. 30'			
4	to	5	ft	2.50	2.25	2.00
5	to	6	ft	3.00	2.75	2.50
6	to	8	ft	4.00	3.50	3.25
8	to	10	ft	6.00	5.00	

Large specimens quoted on request.

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

**Amanogawa** — semi-double pale pink **Gioiko** — semi-double pale yellow

Hata-zakura — semi-double white

Horaisan - double pink

Hosokawanioi — semi-double flesh

Kuramayami — double pink

Kwanzan—syn. Sekiyama — double deep pink

Miyako — double pink

Shirofugen — double light pink

Shogetsu — double soft pink

Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsu	ga taxifolia. (douglasi). Douglas Fir.	70'
2	ft	.00
3	ft	.50
4	ftB&B 10.00	
5	ft	
6	ftB&B 15.00	
7	ft B&B 18.00	
8	ftB&B 25.00	
9	ftB&B 30.00	
10	ftB&B 35.00	

For larger sizes to 25 ft., add \$5.00 per foot.

	1-4 Each	5-24 · 2 Each	5 & up Each
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft			
5 to 6 ft			
6 to 8 ft	2.00	1.50	1.25
Pterocarya stenoptera. Chinese Wingn	ut. 46	o'	
10 to 12 ft			
Pterostyrax corymbosa. Little Epaulett	te- $tree$	. 20'	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
Pueraria thunbergiana. Thunberg Kuda			
2 year		.30	
Pyracantha coccinea. Scarlet Firethorn			
15 to 18 in., 4 inch pots			
coccinea lalandi. Laland Firethor			
2 to 3 ftB&B			4.50
3 to 4 ft. specimens B&B		12.50	
4 to 5 ft, specimens B&B			
5 to 6 ft. specimens B&B	25.00		
crenato-serrata. 10'			
12 to 18 in., 4 in. pots	1.75		
Pyrus betulaefolia. Birch Leaf Pear.			
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
salicifolia. Willowleaf Pear. 30'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
serrulata. 20'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
Quercus alba. White Oak. 75'			
6 to 8 ft	5.00	4.00	3.25
1½ to 1½ in	6.50	5.50	5.00
	8.50	7.00	6.50
•	10.00	8.00	
	12.50	10.00	
2½ to 3 in	18.00		
	25.00		
3½ to 4 in	30.00		

5-24 25 & up Each Each

1-4 Each

#### Quercus

ercus			
bicolor. Swamp White Oak. 60'			
6 to 8 ft		4.00	3,25
1¼ to 1½ in		5.50	5.00
1½ to 1¾ in		7.00	6.50
134 to 2 in		8.00	0.00
2 to 2½ in		10,00	
2½ to 3 in		10.00	
3 to 3½ in			
3½ to 4 in			
borealis. (rubra). Northern Red		5 <b>'</b>	
6 to 8 ft		3.00	2.50
1½ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	8.50	7.00	6.25
13/4 to 2 in	. 10.00	8.50	7.50
2 to 2½ in	. 15.00	12.50	
2½ to 3 in	. 18.00	15.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in	30,00	25.00	
4 to 4½ in	40.00		
coccinea. Scarlet Oak. 75'			
6 to 8 ft	4.00	3.50	3.00
1¼ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	8.50	7.00	6.25
13/4 to 2 in	. 10.00	8.50	7.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	. 18.00	15.00	12.50
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
4 to 4½ in	40.00		
imbricaria. Shingle Oak. 60'			
8 to 10 ft	10.00	8.00	
1½ to 1¾ in	. 12.50	10.00	
lyrata. Overcup Oak. 75'			
1½ to 1¾ in			
13/4 to 2 in			
3 to 3½ in	25.00		
macrocarpa. Bur Oak. 75'	10.00		
2½ to 3 in			
3 to 3½ in			
3½ to 4 in			
4 to 4½ in	40.00		

	1-4 Each	5-24 Each	25 & up Each
Quercus			
palustris. Pin Oak. 75'			
6 to 8 ft	3.00	2.50	2.25
11/4 to 11/2 in	4.50	4.00	3.75
1½ to 1¾ in	6.50	5.50	5.00
1 <sup>3</sup> / <sub>4</sub> to 2 in	8.00	7.00	6.25
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 5 in	40.00		
5 to 6 in	50.00		
phellos. Willow Oak. 40'			
6 to 8 ft	6.50	5.50	5.00
1¼ to 1½ in	7.50	7.00	6,50
1½ to 1¾ in	10.00	8.50	7.50
13/4 to 2 in	12.50	10.00	
2 to 2½ in	15.00	12.50	
2½ to 3 in	25.00	20.00	
3 to 3½ in	30.00	25.00	
prinus. Chestnut Oak. 50'			
6 to 8 ft	5.00	4.50	4.00
1½ to 1½ in	6.50	5.50	5.00
1½ to 1¾ in	8.50	7.00	6.50
13/4 to 2 in	10.00	8.00	
2 to 2½ in	12.50	10.00	
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
rebur. English Oak. 80'			
1½ to 1¾ in	10.00	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	18.00	15.00	
· 3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
4 to 4½ in	40.00		
robur fastigiata. Pyramidal Engli	ish Oa	k. 60'	
1¼ to 1½ inB&B			
1½ to 1¾ inB&B	25.00		
2½ to 3 inB&B			
3 to 3½ inB&B			
3½ to 4 inB&B	75.00		
rubra (see borealis).			

t.		1-4 Each	5-24 Each	25 & up Each
Quercus				
stellata. $Post$	Oale 75'			
	/2 in	6.50	5.50	
	4 in		6.50	
13/4 to 2		10.00	8.00	
texana. $Texa$				
		8.50	7.00	6.50
13/4 to 2		10.00	8.00	7.50
2 to 2		15.00	12.50	10.00
2½ to 3		18.00	15.00	
		25.00	20.00	
3½ to 4			25.00	
		40.00		
velutina. $Bla$	ck Oak, 70'			
11/4 to 1	/2 in	6.00	5.50	5.00
1½ to 1	3/4 in	10.00	7.50	7.00
13/4 to 2	in	12.50	10.00	9.00
		15.00	12.50	11.00
	in	20.00	15.00	14.00
3 to 3	½ in	25.00	20.00	
Retinospora (see	Chamaecyparis).			
Rhamnus carolin	ana. Carolina Buckth	norn	25'	
			20	
	uckthorn. 12'			
		.75	.60	.55
		1.00	.80	.75
		1.25		1.00
		1.50	1.35	1.25
		2.00	1.00	2120
	ental Buckthorn. 10'	9.50		
	<b>.</b>	2.50		
		3.50		,
	hurian Buckthorn. 1			4
	· · · · · · · · · · · · · · · · · · ·	.60	- (.50	.45
		.75	.60	.55
		1.00	.80	.75
		1.25		1.00
6 to 8 f		1.50	1.35	1.25

	1-4 Each	5-24 Each	25 & up Each
Rhamnus			
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
frangula asplenifolia. $Feathery\ Rha$			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00		
6 to 8 ft	4.50		
keraiensis. Korean Buckthorn. 12		0.0	7.5
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50 1.75	1.25 $1.50$	1.00 $1.25$
5 to 6 ft	2.00	1.75	1.40
		1,10	
purshiana. Cascara Buckthorn. 13		00	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25 1.50	1.10	1.00
6 to 8 ft	$\frac{1.50}{2.00}$	1.35 1.65	1.25 $1.50$
	2.00	1.00	1.00
spathulaefolia. 6'	9.50	9.00	
3 to 4 ft	2.50	2.00	
utilis. Chinese Buckthorn. 10'			
3 to 4 ft			
4 to 5 ft	2.00	1.50	
wilsoni. 10'			
5 to 6 ft	2.00	1.75	
	TD 7 1	7 7	
Rhododendron carolinianum. Carolina 2 to 3 ftB&B			
			0.23
catawbiense. Catawba Rhododenda 2 to 3 ftB&B			5.00
3 to 4 ft			~
maximum. Rosebay Rhododendron		0,10	0,20
2 to 3 ftB&B		5.00	4.50
3 to 4 ft			
4 to 5 ftB&B		0.00	0.00

	1-4 Each	5-24 Each	25 & up Each
Rhodotypos scandens. (kerrioides). Jeta	bead.	6'	
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.75	.70
4 to 5 ft			.90
Rhus aromatica. (canadensis). Fragran	t Sun	nac. 6'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
chinensis. Chinese Sumac. 20'			
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	3.00		
8 to 10 ft	4.00		
copallina. Flameleaf Sumac. 20'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
cotinus. (see Cotinus coggygria).			
glabra Smooth Sumac. 12'	50	.40	.35
2 to 3 ft		.50	
5 10 4 11	.00	.50	64.
trilobata. Lemonade Sumac. 3'			
2 to 3 ft	1.00		
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.85	.75
typhina lacinata. Cutleaf Staghor	n Sur	nac. 2	25'
2 to 3 ft	.55		.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.00	.90	.80
6 to 8 ft	1.25	1.00	

	1.4	E 24	25 9
	1-4 Each	5-24 Each	25 & up Each
Ribes alpinum. Alpine Currant. 4'			
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	.90	
aureum. Golden Currant. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
fasciculatum. Winterberry Curran	t. 4'		
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.60	,55
3 to 4 ft	1.00	.75	.65
gordonianum. Gordon Currant. 8	3 <b>*</b>		
3 to 4 ft	1.50		
sanguineum. Winter Currant. 8'			
2 to 3 ft	1.00		
3 to 4 ft	1.50		
Robinia Elliotti. Elliott Locust. 10'	0.00		
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilic. 25'			
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
globosa. Globe Locust.			
3 yr. hds., 5 to 6 ft. stems			
3 yr. hds., 6 to 8 ft. stems	10.00		
hispida. Roseacacia Locust.			
2 yr. standard, 3 to 4 ft	3.50		
2 yr. standard, 4 to 5 ft	4.00		
Bush form, 2 to 3 ft	1.50	1.25	
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
8 to 10 ft	4.50		
kelseyi. Kelsey Locust. 12'			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
Margaretta. Margaret Locust. 2	o <b>'</b>		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
necmexicana. New Mexico Locust	. 10'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	

Robinia	Each	Each	Each
pseudoacacia. Black Locust. 60'			
5 to 6 ft	1.25		.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.75	2.50	2.25
10 to 12 ft	3.50	3.00	
pseudöacacia bessoniana. Besson I	Locust	. 40'	
4 to 5 ft	5.00		
pseudoacacia decaisneana. Decaisa	ne Lo	cust. 4	0'
5 to 6 ft	3.50		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.10	1.00
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
acicularis bourgeauiana. Bourgeau		e. 6'	
15 to 18 in	1.00		
alpina. (see pendulina).			
blanda. Meadow Rose. 5'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
canina. Dog Rose. 8'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
carolina (humilis). Carolina Rose.	<b>5'</b>		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
coriifolia froebeli. Froebel Rose.	<i>5</i> ′		
18 to 24 in	.55	.45	
2 to 3 ft	.65	.55	
davurica. Dahurian Rose. 6'			
2 to 3 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up
Rosa			
ecae. Eca Rose. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
eglanteria. Sweetbriar Rose. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.70	.65
4 to 5 ft	1.00	.80	.75
eglanteria hybrids.			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
Flora McIvor Lady Penz	ance		
Green Mantle Lord Penz	ance		
Jeannie Deans Lucy Asht	on		
foetida persiana. Persian Yellow	Rose.		
2 year	1.50		
helenae. Helen Rose. 6'			
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	•
helenae fl. pl. Dbl. Helen Rose.	6 <b>'</b>		
3 to 4 ft	1.50	1.25	
hugonis. Father Hugo Rose. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
humilis. (see carolina).			
luciae fujisanensis. Mt. Fuji Rose.	8 <b>'</b>		
3 to 4 ft	1.00	.85	.75
lucida. (see virginiana).			
marreti. Marret Rose. 6'			
3 to 4 ft	1.50		
maximowicziana jacki. Jack Rose.	6'		
2 to 3 ft			
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.50		
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.30
`3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
multiflora cathayensis. Cathay Ja	panese	Rose	. 6'
3 to 4 ft	_		

	1-4 Each	5-24 Each	25 & up Each
Rosa			
nitida. Shining Rose. 4'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
palustris. Swamp Rose. 8'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
pendulina. (alpina). Drophip Rose.	3'		
2 to 3 ft	1.00	.75	.60
rouletti.			
12 to 15 in., 4 in. pots	1.00		
rubiginosa. (see eglanteria).			
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.00
rugosa. Rugosa Rose. 6'			
18 to 24 in	.60	.45	.40
2 to 3 ft	.75	.55	.50
	6'	.00	,00
18 to 24 in	.75	.65	
2 to 3 ft	1.00	.85	
rugosa hybrids. 5'	1,00	.00	
2 to 3 ft	1.25	1.00	
3 to 4 ft			
Varieties:	1.0.0	1,20	
Blanche de Coubert, C. F. Meye	er. C.	F. wor	th
Agnes Carmen, New Century,			
Mad. Geo. Bruant, Mrs. Anth			•
Belle Poitevine, Sir Thomas I	_		•
Agnes, F. J. Grootendorst.			·
rugosa hyb. — climbing.			
Max Graf	2.00		
rugosa repens. Creeping Rugosa R	ose.	1'	
2 year			
3 year			
sericea. Fourpetal Rose. 4'			
2 to 3 ft	1.00	.75	
3 to 4 ft		1.00	

	1-4	5-24	25 & up
Rosa	Each	Each	Each
setigera. Prairie Rose. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65		.45
4 to 5 ft	.75	.60	.55
spinosissima altaica. Altai Scotch	Posa	. 4"	
18 to 24 in	.65	.55	.50
2 to 3 ft	.75		.60
3 to 4 ft	1.00	.80	.75
		at at	
spinosissima hispida. Bristly Scote			75
2 to 3 ft	1.00 1.25	.80 1.10	.75 1.00
3 10 4 11	1,40	1.10	1.00
spinosissima hybrids. 5'			
2 to 3 ft	1.50		
3 to 4 ft	2.00		
Dbl. Blush, Dbl. White, Dbl. P	ink,	Fulgen	S.
Sgl. Red, Sgl. Pink.			
virginiana (lucida). Virginia Rose.	6'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.50	1.25	
	1.00	1.20	
wichuraiana. Wichurai Rose. 2'			
-		.55	
3 year	.75	.65	.60
wichuraiana hybrids. 2'			
2 year	1.25	.85	.75
Jersey Beauty, Sweetheart, Un		al Favo	or-
ite, Manda's Triumph, South	Orai	nge Pe	er-
fection, Evergreen Gem.			

# ROSES

Hybrid Perpetuals. 2 year No. 1.... 1.25

Frau Karl Druschki J. B. Clark

Geo. Arends Paul Neyron

Gen. Jacqueminot Mme. Albert Barbier

Mrs. John Laing Ulrich Brunner

1-4	5-24	25 & up
Each	Each	Each

### ROSES

Hybrid Tea. 2 year No. 1.  Betty Uprichard Chas. K. Douglas Etoile de France Gruss an Teplitz Jonkheer J. L. Mock Killarney Lady Alice Stanley Lady Hillingdon	Madame Butterf Mrs. Henry Bow Mrs. Henry Mor Pres. Hoover	vles se	
Mad. Abel Chatenay	Willowmere		
Excelsa	Mad. Gregoire S Mary Wallace Paul's Scarlet Cl	Staechel: imber	in
Polyantha hybrids. 2 year	No. 1 1.25		,
Else Poulsen Gloria Mundi Golden Salmon	Ideal Katherine Zeime Lafayette	et	
Rosa			
woodsi. Wood's Rose.	5 <b>'</b>		
2 to 3 ft		.75	
3 to 4 ft	1.00	.85	
xanthina Allard. 10'			
2 to 3 ft	2.00		
Rubus deliciosus. Boulder I	Raspberry. 5'		
2 to 3 ft	•		
3 to 4 ft			
nemarcsus. Caucasian l	Dewberry. 2'		
2 year		.60	.50
3 year		.75	.60
odoratus. Fragrant Th			
2 to 3 ft		.50	.45
3 to 4 ft		.60	.55
phoenicolasius. Wine Ro	•		
U (U x x(),			

1 40 1			
	1-4 Each	5-24 Each	25 & up Each
Salix alba chermesina. Redstem White	Will.	nav 31	o <b>'</b>
	2.00		,
6 to 8 ft		1.50	
8 to 10 ft	2.50	2.00	
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	
a. vitellina. Yellowstem White Wil			
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1½ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in	4.00	3.50	3.25
134 to 2 in	5.00	4.50	4.00
a. vitellina pendula.			
Weepinggold White Willow.	40'		
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1½ to 1¾ in	4.00	3.50	3.25
1¾ to 2 in	5.00	4.50	4.00
		1.00	1.00
amygdaloides. Peachleaf Willow.	30'	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
babylonica crispa. Ringleaf Weepi			<i>30</i> ′
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
babylonica solomoni. (see sepulcr	alis).		
blanda. Wisconsin Weeping Willow	v. 40	,	·
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00	2.50	
1½ to 1½ in	3.75	3.25	
caprea. Goat Willow. 20'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.75	1.50
discolor. Pussy Willow. 20'			
5 to 6 ft	1.00	.85	.75
6 to 8 ft		1,10	1.00
8 to 10 ft			
	1.00	1.00	1.20
doniana. Dons Willow. 9'			
4 to 5 ft	1.50	1.25	
5 to 6 ft			

Salix	1-4 Each	5-24 Each	25 & up Each
eleagnos. (incana). Rosemary Wille		0'	
3 to 4 ft. shrub form	.75	.60	.55
4 to 5 ft. shrub form	1.00	.85	.75
5 to 6 ft. shrub form	1.25	1.10	1.00
6 to 8 ft. shrub form	1.50	1.35	1.25
elegantissima. Thurlow Weeping V	Willow	. 50'	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1½ to 1½ in	3.50	3.25	3.00
1½ to 1¾ in	4.50	4.00	3.75
1¾ to 2 in	5.00	4.75	4.50
2 to 2½ in	7.50	6.50	6.00
fragilis. Brittle Willow. 50'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
fragilis repandens. 10'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
	3.00	2.00	
incana. (see eleagnos).			
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	<b>7.75</b>
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
jessoensis. Yeddo Willow. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
lucida. Shining Willow. 18'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
matsudana. Hankow Willow. 35'			
6 to 8 ft	2.00	1.50	
8 to 10 ft	2.50	2.00	
1½ to 1¾ in	3.00	2.50	
1¾ to 2 in	4.00	3.50	

	1-4	5-24	25 & up
Salix	Each	Each	Each
matsudana tortuosa.			
Contorted Hankow Willow.	20'		
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
mutabilis. 6'			
2 to 3 ft	,75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	•
myricoides rigida. 9'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1,25
5 to 6 ft	2.00	1.75	1.50
nigricans cotinifolia. 12'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
		2.00	2.10
niobe. Niobe Weeping Willow. 36	2.75	2.50	2.25
6 to 8 ft		$\frac{2.50}{2.75}$	2.23
8 to 10 ft	$3.00 \\ 4.00$	3.50	3.25
1½ to 1¾ in	4.50	$\frac{3.50}{4.00}$	5.40
13/4 to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
	1.50	0.00	
patula. 20'	9.00	1 50	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
pentandra. Laurel Willow. 30'	0.50	0.05	2.00
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
1½ to 1½ in	3.50	3.25	3.00
1½ to 1¾ in	4.50	4.00	3.50
13/4 to 2 in	6.00	5.00	
purpurea. Purpleosier Willow. 12			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.60	1.50
purpurea gracilis. Slender Purpleo			15'
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
purpurea nana. Dwarf Purpleosie			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00

Salix         regalis. Royal Willow. 30'         5 to 6 ft.       2.25 2.00         6 to 8 ft.       2.75 2.50         8 to 10 ft.       3.50 3.00         sepulcralis. Solomon Weeping Willow. 50'         8 to 10 ft.       3.00 2.75 2.50         1½ to 1½ in.       3.75 3.25 3.00         1½ to 1¾ in.       4.50 4.00 3.75         1¾ to 2 in.       5.50 5.00 4.50         2 to 2½ in.       7.50 6.00         2½ to 3 in.       12.50 10.00         3 to 3½ in.       15.00 12.50         sieboldiana. Siebold Willow. 30'
5 to 6 ft.       2.25 2.00         6 to 8 ft.       2.75 2.50         8 to 10 ft.       3.50 3.00         sepulcralis. Solomon Weeping Willow.       50'         8 to 10 ft.       3.00 2.75 2.50         1½ to 1½ in.       3.75 3.25 3.00         1½ to 1¾ in.       4.50 4.00 3.75         1¾ to 2 in.       5.50 5.00 4.50         2 to 2½ in.       7.50 6.00         2½ to 3 in.       12.50 10.00         3 to 3½ in.       15.00 12.50         sieboldiana. Siebold Willow.       30'
5 to 6 ft.       2.25 2.00         6 to 8 ft.       2.75 2.50         8 to 10 ft.       3.50 3.00         sepulcralis. Solomon Weeping Willow.       50'         8 to 10 ft.       3.00 2.75 2.50         1½ to 1½ in.       3.75 3.25 3.00         1½ to 1¾ in.       4.50 4.00 3.75         1¾ to 2 in.       5.50 5.00 4.50         2 to 2½ in.       7.50 6.00         2½ to 3 in.       12.50 10.00         3 to 3½ in.       15.00 12.50         sieboldiana. Siebold Willow.       30'
6 to 8 ft. 2.75 2.50 8 to 10 ft. 3.50 3.00  sepulcralis. Solomon Weeping Willow. 50' 8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 3.75 3.25 3.00 1½ to 1¾ in. 4.50 4.00 3.75 1¾ to 2 in. 5.50 5.00 4.50 2 to 2½ in. 7.50 6.00 2½ to 3 in. 12.50 10.00 3 to 3½ in. 15.00 12.50  sieboldiana. Siebold Willow. 30'
8 to 10 ft.       3.50 3.00         sepulcralis. Solomon Weeping Willow.       50'         8 to 10 ft.       3.00 2.75 2.50         1½ to 1½ in.       3.75 3.25 3.00         1½ to 1¾ in.       4.50 4.00 3.75         1¾ to 2 in.       5.50 5.00 4.50         2 to 2½ in.       7.50 6.00         2½ to 3 in.       12.50 10.00         3 to 3½ in.       15.00 12.50         sieboldiana. Siebold Willow.       30'
8 to 10 ft. 3.00 2.75 2.50  1½ to 1½ in. 3.75 3.25 3.00  1½ to 1¾ in. 4.50 4.00 3.75  1¾ to 2 in. 5.50 5.00 4.50  2 to 2½ in. 7.50 6.00  2½ to 3 in. 12.50 10.00  3 to 3½ in. 15.00 12.50  sieboldiana. Siebold Willow. 30'
8 to 10 ft. 3.00 2.75 2.50  1½ to 1½ in. 3.75 3.25 3.00  1½ to 1¾ in. 4.50 4.00 3.75  1¾ to 2 in. 5.50 5.00 4.50  2 to 2½ in. 7.50 6.00  2½ to 3 in. 12.50 10.00  3 to 3½ in. 15.00 12.50  sieboldiana. Siebold Willow. 30'
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. $3.75$ $3.25$ $3.00$ $1\frac{1}{2}$ to $1\frac{3}{4}$ in. $4.50$ $4.00$ $3.75$ $1\frac{3}{4}$ to $2$ in. $5.50$ $5.00$ $4.50$ $2$ to $2\frac{1}{2}$ in. $7.50$ $6.00$ $2\frac{1}{2}$ to $3$ in. $12.50$ $10.00$ $3$ to $3\frac{1}{2}$ in. $15.00$ $12.50$ sieboldiana. $Siebold$ $Willow$ . $30'$
1½ to       1¾ in.       4.50       4.00       3.75         1¾ to       2 in.       5.50       5.00       4.50         2 to       2½ in.       7.50       6.00         2½ to       3 in.       12.50       10.00         3 to       3½ in.       15.00       12.50         sieboldiana.       Siebold Willow.       30'
2 to 2½ in. 7.50 6.00 2½ to 3 in. 12.50 10.00 3 to 3½ in. 15.00 12.50 sieboldiana. Siebold Willow. 30'
2½ to 3 in
$3$ to $3\frac{1}{2}$ in
sieboldiana. Siebold Willow. 30'
6 to 8 ft
8 to 10 ft 2.50 2.25 2.00
smithiana. Smith Willow. 20'
2 to 3 ft
3 to 4 ft
tomini. 20'
3 to 4 ft
4 to 5 ft
vitellina. (see alba vitellina).
wentworthi. 50' 8 to 10 ft
1½ to 1¾ in
1 <sup>3</sup> / <sub>4</sub> to 2 in
$\frac{1}{4}$ to $\frac{1}{2}$ in 6.50
2 (0 272 111 0.00
Sambucus canadensis. American Elder. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft 1.25 1.10 1.00
canadensis acutiloba. Cutleaf Elder. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft 1.25 1.10 1.00
nigra. European Elder. 15'
4 to 5 ft
5 to 6 ft 1.50 1.25

	1-4 Each	5-24 Each	25 & up Each
Sambucus			
nigra aurea. Golden European Elde	er. 1	5 <b>'</b>	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
	1.00		.75
5 to 6 ft	1.25	1.10	1.00
nigra albo-variegata.			
Whiteblotch European Elder		) <b>*</b>	
3 to 4 ft	1.50		
pubens. Scarlet Elder. 8'			
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.90	
5 to 6 ft	1.50	1.25	
racemosa. European Red Elder. 8	,		
	.75	.65	
4 to 5 ft	1.00	.90	
5 to 6 ft	1.50	1.25	
Sassafras albidum. Common Sassafras.			
6 to 8 ft	4.50	3.75	3.50
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	
Schizophragma hydrangeoides.	,		
Japanese Hydrangea-vine.	20'		
from pots	2.00	1.75	
·			
Sciadopitys verticillata. Umbrella Pine.			
10 ft. specB&B 10	00.00		
Shepherdia argentea. Silver Buffalober	rry.	<i>15</i> ′	
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.50	2.00	1.75
canadensis. Russet Buffaloberry.	8'		
· · · · · · · · · · · · · · · · · · ·	2.00	1.75	
4 to 5 ft	2.25	2.00	
Smilax rotundifolia. Common Greenbri			
18 to 24 in	.75		
2 to 3 ft	1.00	.85	.75
Solanum dulcamara. Bitter Nightshade	e. 6'		
2 year		.50	.40
₩ J Com	.00	.00	.10

	1-4 Each	5-24 Each	25 & up Each
Sophora japonica. Chinese Pagodatree.	. 25'		
2 to 3 ftB&B			
3 to 4 ftB&B		6.50	
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
6 to 8 ftB&B	15.00	12.50	
5 to 6 ft. specB&B	20.00		
6 to 8 ft. specB&B	25.00		
Sorbaria aitchisoni. Kashmir False S	•	. 8'	
3 to 4 ft		.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
arborea glabrata. $Smooth\ Tree\ F$	alse S	piraea	. 15'
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
tomentosa. Lindley False Spiraea.	. 8'		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
Sorbus americana American Mountain	$A \circ h$	25'	
5 to 6 ft		3.00	2.50
6 to 8 ft	4.00	3.50	2.00
	5.00	4.50	
8 to 10 ft		4.50	
aucuparia. European Mountain As		). 	
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
1½ to 1½ in	5.00		
	6.50		
— · · · · · · · · · · · · · · · · · · ·	7.50		
	10.00		7.50
	15.00	12.50	
	20.00		10.00
		20.00	
			0'
aucuparia columnaris. Columnar		sh. 4	U
1¼ to 1½ in			
1½ to 1¾ in	10.00		

# Sorbus

aucuparia fastigiata. Pyramidal Mt. Ash	ı. 40'	
8 to 10 ft	4.01	
aucuparia pendula. Weeping Mt. Ash. 2 vr., 5 to 6 ft. stem	10'	
— <i>V</i> ,		
commixta. Korean Mountain Ash. 25' 6 to 8 ft	3.50	
6 to 8 ft 4.00 8 to 10 ft 5.00		
10 to 12 ft 6.50		
latifolia. 40'	0.00	
6 to 8 ft	3.00	
8 to 10 ft 4.00		
2 to 2½ in 7.50		
quercifolia. (see thuringiaca).		
spuria. 15'		
6 to 8 ft	3.00	
8 to 10 ft 4.00.	3.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.00	4.50	
thuringiaca. (quercifolia). Oakleaf Mt.	Ash. 35	,
6 to 8 ft 3.50		
8 to 10 ft 4.00		
1½ to 1½ in 5.00		
1½ to 1¾ in		
134 to 2 in		
2 to 2½ in		
$2\frac{1}{2}$ to 3 in	15.00	
	10.00	
torminalis. Checkertree Mt. Ash. 50'	4.00	
6 to 8 ft	4.00	
	4.00	
Spirea arguta. Garland Spirea. 6'		
2 to 3 ft	,50	.45
3 to 4 ft	.60	.55
4 to 5 ft 1.00 5 to 6 ft		.75 1.00
	1.10	1.00
billiardi. Billiard Spiraea. 6' 2 to 3 ft	.50	45
3 to 4 ft		.45
4 to 5 ft 1.00		.75
bumalda. Bumalda Spiraea. 3'	.00	.10
18 to 24 in	.55	
***************************************	••••	

Spiraea	1-4 Each	5-24 Each	25 & up Each
bumalda Anthony Waterer.  Anthony Waterer Spiraea	ı. 3'		
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
		.00	.00
bumalda walluffi. 3'	0.00		
18 to 24 in	.65		
24 to 30 in,	.75	.65	
cantonensis. Reeves Spiraea. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
cantonensis lanceata. Double Reeve	es $Sp$	iraea.	8'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
chamadanfalia ulmifalia Elmlasf	Carion		,
chamaedryfolia. ulmifolia. Elmleaf 2 to 3 ft	.75	aea. 6	
3 to 4 ft			
	1.00		
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
japonica. Japanese Spiraea. 6'			
	.60	.50	.45
24 to 30 in	.75	.60	.55
japonica fortunei. Fortune Spirae	α. /,*		
	.65	.55	.50
3 to 4 ft	.75		
			,
japonica ovalifolia. Ovalleaf Japan 18 to 24 in			
24 to 30 in			.65
•			
japonica ruberrima. Red Japanese	_		
2 to 3 ft			
3 to 4 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
latifolia. (bethlehemensis).			
$Broadleaf\ Meadows weet\ Sp$	iraea.	6'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
margaritae. Margarita Spiraea.	5 <b>'</b>		
	.75	.65	
3 to 4 ft	1.00	.75	
nipponica rotundifolia. $Big\ Nippon$	n Spir	raea. 1	0'
3 to 4 ft	1.00		
4 to 5 ft	1.25		
5 to 6 ft	1.50		
	- 0		
prunifolia. Bridal Wreath Spirae			<b>#</b> 0
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
pubescens. 6'			
3 to 4 ft	1.25		
4 to 5 ft	1.50		
salicifolia. Willowleaf Spiraea. 5	,		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
superba. Striped Spiraea. 4'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
syringiflora Lilac Spiraea. 3'			
18 to 24 in	1.25		
thunbergi. Thunberg Spiraea. 5	,		
18 to 24 in	.55	.45	.40
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
tomentosa. Hardhack. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55

Culman	1-4 Each	5-24 Each	25 & up Each
Spiraea			
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
van houttei. Vanhoutte Spiraea.	10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.85	.70	.65
5 to 6 ft	1.00	.80	.75
veitchi. Veitch Spiraea. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.75	.65
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	• • •
Staphylea bumalda. Bumalda Bladdern	nut. 8	3 <b>*</b>	
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.50	1.25	
colchica. Colchis Bladdernut. 12'			
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
pinnata. European Bladdernut. 1	12'		
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	
trifolia. American Bladdernut. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Charles and in size (flames)			
Stephanandra incisa (flexuosa).  Cutleaf Stephanandra. 6'			
Cutleaf Stephanandra. 6' 2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
5 to 4 It	.10	.00	.00

Stewartia ovata. (pentagyna). Mountain	Stewartia.	
3 to 4 ftB&B 7.		
4 to 5 ftB&B 10.	00 7.50	
5 to 6 ftB&B 12.		
6 to 8 ftB&B 20.		
8 to 10 ftB&B 25.		
ovata grandiflora. Showy Mountain S		
6 to 8 ftB&B 20.		
8 to 10 ftB&B 25.		
serrata. 30'		,
4 to 5 ftB&B 12.	50	
5 to 6 ftB&B 15.		
6 to 8 ftB&B 20.		
Stranvaesia davidiana. Chinese Stranvaes	sia. 5'	
12 to 15 in., from pots 1.	75	
24 to 30 inB&B 3.	00	
Styrax japonica. Japanese Snowbell. 20'		
3 to 4 ftB&B 6.		
4 to 5 ftB&B 7.	50 6.50	
5 to 6 ftB&B 10.		
6 to 8 ftB&B 15.	00 12.50	
8 to 10 ftB&B 20.		
obassia. Fragrant Snowbell. 20'		
5 to 6 ftB&B 12.	50	
6 to 8 ftB&B 17.	50	
8 to 10 ftB&B 22.	50	
Symphoricarpus albus. (racemosus). Snow	vberry. 6'	
2 to 3 ft	.50 .4	15
3 to 4 ft	75 .60 .5	55
4 to 5 ft	00 .85 .7	75
chenaulti. Chenault Coralberry. 5'		
2 to 3 ft	.50 .4	15
3 to 4 ft	75 .60 .5	55
mollis. Spreading Snowberry. 6'		
2 to 3 ft	.50 .4	15
3 to 4 ft	75 .60 .5	55
occidentalis. Western Snowberry. 5'		
2 to 3 ft	35 .55 .5	50
3 to 4 ft	75 .65 .6	30

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos			
o. heyeri. Thinleaf Western Sn	owberry.	<i>5</i> ′	
· 2 to 3 ft	_	-	
orbiculatus (vulgaris). Indiancur	rant Cor	ralberr	y. 5'
2 to 3 ft			.40
3 to 4 ft			
racemosus. (see albus).			
*Symplocos paniculata. Sapphireber	mu Sweet	tleaf	20 <b>'</b>
2 to 3 ft			.75
3 to 4 ft			1.00
4 to 5 ft			
5 to 6 ft			1.75
6 to 8 ft	. 3.50	3.00	2.50
Syringa amurensis japonica.			
Japanese Tree Lilac. 20'			
3 to 4 ft	. 1.25	1.10	1.00
4 to 5 ft	. 1.50	1.35	1.25
5 to 6 ft	. 2.25	2.00	1.75
6 to 8 ft		2.75	2.50
8 to 10 ft		3.25	3.00
10 to 12 ft		7.50	
12 to 15 ft	. 15.00		
chinensis. syn. rothomagensis. (	Chinese L	ilac.	10'
2 to 3 ft	65	.55	.50
3 to 4 ft	75	.65	.60
4 to 5 ft	. 1.15	1.00	.90
5 to 6 ft			
6 to 8 ft	. 1.50	1.35	1.25
chinensis alba. White Chinese I	Lilac. 10	) <i>'</i>	
2 to 3 ft	. 1.00	.75	.60
3 to 4 ft	. 1.25	1.00	.75
4 to 5 ft	. 1.50	1.25	1.00
5 to 6 ft	. 1.75	1.50	1.25
chinensis metensis. 10'			
3 to 4 ft	. 1.25	1.00	.75
4 to 5 ft	. 1.50	1.25	1.00
5 to 6 ft	. 1.75	1.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Syringa	Lucii	20011	2001
chinensis saugeana. Purple Chines	se Lile	ac. 10	,
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
henryi eximea. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	•	
japonica. (see amurensis japonica).		0.00	
josikaea. Hungarian Lilac. 10' 2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.00
microphylla. Littleleaf Lilac. 10'	1,00	1.00	
2 to 3 ft	1.50	1,25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
oblata. Early Lilac. 12'	0.00	2,00	2.00
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1,20
5 to 6 ft	2.50	2.00	
oblata dilatata. Korean Early Lila			
2 to 3 ft	1.25	1,10	1.00
3 to 4 ft	1.50	1.35	1.25
* 4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	2.00

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Sy

	1-4 Each	5-24 Each	25 & up Each.
ringa	20011	200	EGG11.
pekinensis. Peking Lilac. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.75	3.50
10 to 12 ft	7.50	6.00	
6 to 8 ft. specB&B	15.00		
8 to 10 ft. specB&B	20.00		
persica. Persian Lilac. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
persica alba. White Persian Lilac.	10'		
2 to 3 ft	1.00	.90	
3 to 4 ft	1.25	1.00	
pubescens. Hairy Lilac. 6'			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
velutina. Manchurian Lilac. 10'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.00		
villosa. Late Lilac. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	2.00	
vulgaris. Common Purple Lilac.	<i>15</i> ′		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	
6 to 8 ft	2.00	1.75	1.50
4 to 5 ft. clumps B&B			
5 to 6 ft. clumpsB&B	12.50		

	1-4 Each		25 & up Each
Syringa			
vulgaris alba. Common White Lile	ac. 1	5'	
2 to 3 ft	.75	.65	· .60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50		
5 to 6 ft		1.50	
4 to 5 ft. clumps B&B			
5 to 6 ft. clumps B&B	12.50		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are grow	vn or	n their	own
roots in bush form. Can also	o be	furnish	ned in
tree form in first two sizes at	25% a	additio	nal.
2 to 3 ft	1.00		.70
3 to 4 ft		1.10	
		1.50	
5 to 6 ft			
6 to 8 ft	3.50	3.00	2.50
Belle de Nancy-Double Rose.			
2-3' 3-4' 4-5' 5-6' 6-8'			
Chas. Joly—Dark Purplish Red.			
2-3' 3-4' 4-5' 5-6' 6-8'			
Frau Dammann—Single White.			
2-3' 3-4' 4-5' 5-6' 6-8'			
	7		
La Tour d'Auvergne—Double Pu	arple.		
.2-3' 3-4' 4-5'			
Ludwig Spaeth—Single Red.			
2-3' 3-4' 4-5' 5-6'			
Mad. Abel Chatenay—Double W	hite.		
2-3' 3-4' 4-5' 5-6' 6-8'			
Mad. Casimer Perier—Double Ca	reamy	White	2.
2-3' 3-4' 4-5' 5-6' 6-8'	·		
Mad. Lemoine—Large Double V	Vhite.		
2-3' 3-4' 4-5' 5-6' 6-8'			
Marie Le Graye—Single White.			
2-3' 3-4' 4-5' 5-6'			
Pres. Grevy—Double Blue.			
2-3' 3-4' 4-5' 5-6' 6-8'			
Princess Alexandra—Single Whi	te.		

2-3' 3-4' 4-5' 5-6' 6-8'

	1-4 Each	5-24 Each	25 & up
Syringa vulgaris. Named Varieties		,	
We have a limited quantity			
rieties of Lemoine's hybrid na		*	
we offer at the following pri			of va-
rieties will be forwarded on		est.	
2 to 3 ft	1.50 $2.00$		
4 to 5 ft	2.50		
5 to 6 ft	3.50		
6 to 8 ft	5.00		
yunnanensis. Yunnan Lilac. 10'			
4 to 5 ft	2.50		
2 00 0 20000000000000000000000000000000			
Tamarix africana. African Tamarix.	<i>15</i> ′		
3 to 4 ft	.75		
4 to 5 ft	1.00	.85	
gallica. French Tamarix. 10'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00		
gallica indica. India Tamarix. 10	0'		
3 to 4 ft			
4 to 5 ft	1.00		
juniperina. Juniper Tamarix. 15	,		
3 to 4 ft			
odessana. Odessa Tamarix. 6'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00		
5 to 6 ft		1.25	
pentandra. Fivestamen Tamarix.			
3 to 4 ft	1.00		
4 to 5 ft	1.50		
tetandra. Fourstamen Tamarix.			
3 to 4 ft			
4 to 5 ft	1.00	.85	
Taxodium ascendens. Pond Baldcypres	ss. 50	) <b>'</b>	
8 to 10 ft			
10 to 12 ftB&B			
LARGE SPECIMEN SHRUBS QUOTED		REQUEST	
- LANGE DI BOMBIT DIMONDE			

	1-4 Each	5-24 Each	25 & up
Taxodium			
distichum. Common Baldcypress.	50 <b>'</b>		
		7.50	
6 to 8 ftB&B			
8 to 10 ft		15.00	
10 to 12 ftB&B		20.00	
10 to 12 1t	20.00	20.00	
Taxus baccata. English Yew. 50'			
18 inB&B	5.00		
2 ftB&B	6.00		
2½ ftB&B	7.50		
3 ftB&B	10.00		
3½ ftB&B	12.50		
baccata erecta. Broom Yew. 10'			
2 ftB&B	6.00	5.00	
2½ ft B&B			
272 10	7.50	0.50	
baccata fastigiata. Irish Yew. 10'			
2 ftB&B	12.50		
3 ftB&B	15.00		
baccata repandens. Spreading Eng	alish Y	ew. 2	·
18 to 24 in, spdB&B			
24 to 30 in. spdB&B			6.50
30 to 36 in. spd			9.00
36 to 42 in. spd			0.00
baccata washingtoni. Washington			
18 inB&B		7.50	
24 in. spec	12.50		
cuspidata. Japanese Yew. 10'			
18 to 24 in. spdB&B	6.00	5.50	
2 to 2½ ft. spd B&B			
2½ to 3 ft. spd B&B			
3 to 3½ ft. spd B&B			
3½ to 4 ft. spdB&B			
4 to 4½ ft. spdB&B			
4½ to 5 ft. spdB&B			
5 to 6 ft. specB&B			
6 to 7 ft. specB&B			
o to r it. spec, B&B	00.00	30.00	
cuspidata aurescens. $Goldtip\ Japa$	anese I	Yew.	20'

18 in. .....B&B 7.50

1-4	5-24	25 & up
Fach	Fach	Fach

## Taxus

cuspidata nana. Dwarf Japanese	Yew.	<i>6'</i>	
18 to 24 inB&B			
24 to 30 inB&B			
30 to 36 inB&B			
36 to 42 in			
cuspidata nana compacta. 6'			
18 to 24 inB&B	10.00	7.50	
24 to 30 inB&B	12.50		
cuspidata capitata. Upright Japan	nese Y	ew. 25	,
2 ftB&B			
2½ ftB&B	12.50	10.00	9.00
3 ftB&B	15.00	13.50	12.00
3½ ftB&B	20.00	17.50	15.00
4 ftB&B	27.50	25.00	
4½ ftB&B	32.50	30.00	
5 ftB&B	37.50	35.00	
5½ ftB&B	42.50	40.00	
6 ft	50.00	45.00	
6½ ftB&B	55.00	50.00	
7 ftB&B	60.00	55.00	
media. Anglojap Yew. 12'			
18 to 24 inB&B	6.50		
24 to 30 inB&B	8.50		
media browni. Brown's Yew. 10'			
18 to 24 inB&B	6.50	5.50	
24 to 30 inB&B	8.50	7.00	
media hatfieldi. Hatfield Yew. 2			
18 to 24 in			
24 to 30 inB&B	8.50		
media hicksi. Hicks Yew. 20'			
18 to 24 in	6.50	5.50	
24 to 30 in			
30 to 36 in			
36 to 42 in			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Thuja occidentalis. Eastern Arborvita	e. 40	,	
3 ftB&B		4.00	3.75
4 ftB&B	6.50	5.50	5.00
4 ft. heavy spec B&B	10.00		
5 ftB&B	8.50	7.00	6.50
5 ft. heavy specB&B	12.50		
6 ftB&B	12.50	10.00	9.50
6 ft. heavy specB&B	15.00		
7 ftB&B	15.00	13.50	12.50
7 ft. heavy specB&B	20.00		
8 ftB&B	20.00	18.00	15.00
8 ft. heavy specB&B	25.00		
9 ftB&B	25.00	20.00	17.50
10 ftB&B	30.00	25.00	20.00
10 ft. heavy specB&B	35.00		
For larger sizes to 18 ft., add	\$5.00 j	per foo	t.
eggidentalig ayınca deyglegi			
occidentalis aurea douglasi.	1 = 1		
Douglas Golden Arborvitae		2.50	
3 ft B&B			
4 ftB&B 5 ftB&B			
5 It	7.50	0.50	
occidentalis columbia. Silvertip A	rborvi	itae. 4	0'
3 ftB&B	5.00		
4 ftB&B	7.50		
5 ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
8 ftB&B	20.00		
9 ftB&B	25.00		
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis compacta. $Compact$ $A$	.rborv	itae. 4	
15 inB&B		2.00	
18 inB&B	3.00	2.50	
24 inB&B	3.50	2.75	
30 in,B&B	4.00	3.50	
36 in		4.50	
42 inB&B	7.50	6.00	
48 inB&B			
occidentalis cristata. Crested Arbe			
3 ftB&B			
4 ft			

1-4 5-24 25 & up Each Each Each

Thuj	ja

occidentalis elegantissima.         Geo. Peabody Arborvitae.       15'         2 ft.       B&B 4.00 3.50 2.7         3 ft.       B&B 5.00 4.50 3.7         4 ft.       B&B 6.50 5.50 5.0         5 ft.       B&B 10.00 7.50         6 ft.       B&B 12.50         occidentalis ellwangeriana.         Ellwanger Arborvitae.       6'         2 ft.       B&B 3.50 3.00 2.5         2½ ft.       B&B 4.00 3.50 3.0         3 ft.       B&B 5.00 4.00         3½ ft.       B&B 6.50 5.00         4 ft.       B&B 10.00 7.50	75 00
2 ft. B&B 4.00 3.50 2.7 3 ft. B&B 5.00 4.50 3.7 4 ft. B&B 6.50 5.50 5.0 5 ft. B&B 10.00 7.50 6 ft. B&B 12.50  ccidentalis ellwangeriana.  Ellwanger Arborvitae. 6' 2 ft. B&B 3.50 3.00 2.3 2½ ft. B&B 4.00 3.50 3.0 3 ft. B&B 5.00 4.00 3½ ft. B&B 6.50 5.00	75 00
3 ft. B&B 5.00 4.50 3.7 4 ft. B&B 6.50 5.50 5.0 5 ft. B&B 10.00 7.50 6 ft. B&B 12.50  occidentalis ellwangeriana.  Ellwanger Arborvitae. 6' 2 ft. B&B 3.50 3.00 2.5 2½ ft. B&B 4.00 3.50 3.0 3 ft. B&B 5.00 4.00 3½ ft. B&B 6.50 5.00	75 00
4 ft	50
5 ft.       B&B 10.00       7.50         6 ft.       B&B 12.50         occidentalis ellwangeriana.         Ellwanger Arborvitae.       6'         2 ft.       B&B 3.50       3.00       2.5         2½ ft.       B&B 4.00       3.50       3.0         3 ft.       B&B 5.00       4.00         3½ ft.       B&B 6.50       5.00	50
6 ft	
occidentalis ellwangeriana.         Ellwanger Arborvitae.       6'         2 ft.       B&B 3.50 3.00 2.5         2½ ft.       B&B 4.00 3.50 3.0         3 ft.       B&B 5.00 4.00 3½ ft.         B&B 6.50 5.00	
Ellwanger Arborvitae. 6'         2       ft.       B&B 3.50 3.00 2.5         2½ ft.       B&B 4.00 3.50 3.0         3       ft.       B&B 5.00 4.00         3½ ft.       B&B 6.50 5.00	
2 ft. B&B 3.50 3.00 2.5 2½ ft. B&B 4.00 3.50 3.0 3 ft. B&B 5.00 4.00 3½ ft. B&B 6.50 5.00	
2½ ft.       B&B 4.00 3.50 3.0         3 ft.       B&B 5.00 4.00         3½ ft.       B&B 6.50 5.00	
3 ft	10
3½ ftB&B 6.50 5.00	JU
A ft D2-D 10.00 7.50	
4½ ftB&B 12.50 10.00	
occidentalis ericoides Heath Arborvitae. 5'	
2 ftB&B 4.50	
occidentalis globosa. Globe Arborvitae. 3'	
18 in	25
24 in	0
30 inB&B 4.00 3.50 3.0	0(
36 in	5
42 inB&B 7.50 6.00	
occidentalis hoveyi. Hovey Golden Arborvitae. 8'	
18 in	
2 ftB&B 3.50 2.75 2.5	
2½ ftB&B 4.00 3.50 3.0	0
3 ftB&B 5.00 4.50	
3½ ftB&B 7.50 6.00	
4 ftB&B 10.00 7.50	
4½ ftB&B 12.50 10.00	
occidentalis lutea. (see occ. elegantissima).	
occidentalis pumila. Little Gem Arborvitae. 3'	
18 in. spreadB&B 3.50 3.00	
24 in. spreadB&B 4.00 3.50	
30 in spreadB&B 5.00 4.00	
36 in. spreadB&B 6.00 5.00	
42 in. spreadB&B 7.50 6.00	

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis pyramidalis. Pyramida	al Art	ornita	e. 25'
2 ftB&B		3.50	3.25
3 ft		4.00 5.50	3.75 5.00
4 ft		7.50	
	15.00	12.50	
	18.00	15.00	10.00
8 ft		18.00	
9 ft		20.00	
10 ftB&B		25.00	
For larger sizes to 18 ft., add	\$5.00 p	oer foo	t.
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arbon	rvitae.	20'	
2 ftB&B	4.50	3.75	
3 ftB&B	5.50	4.50	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
occidentalis reevesi. Reeves Arbor	vitae.	10'	
2½ ftB&B	4.00		
3 ftB&B	5.00		
occidentalis reidi. $Reid\ Arborvitae$	e. 8'		
2 ftB&B	3,50	3.00	2.50
2½ ftB&B		4.00	
3 ftB&B	6.50	5.50	5.00
3½ ftB&B	7.50	6.50	
4 ftB&B	10.00	7.50	
41/ C4 DOD	10 50	10.00	

4½ ft. .....B&B 12.50 10.00

1-4	5-24	25 & up
Each	Each	Each

## Thuja

occidentalis riversi. 1	$Rivers\ Arborv$	vitae.	12'	
7 ft	B&B	15.00		
8 ft	B&B	20.00		
9 ft	B&B	25.00		
occidentalis rosenthal	i. Rosenthal	Arbor	vitae.	10'
2 ft	B&B	4.50	4.00	3.75
3 ft. :	B&B	5.50	5.00	4.50
4 ft	B&B	8.50	7.00	6.25
5 ft	B&B	12.50	10.00	7.50
6 ft			12.50	10.00
7 ft	B&B	20.00		
occidentalis spiralis.	Spiral Arbor	vitae.	25 <b>'</b>	
2 ft	B&B	4.50	3.75	3.25
3 ft	B&B	5.50	4.50	3.75
4 ft	B&B	7.00	6.00	5.00
5 ft	B&B	9.00	7.50	
6 ft	B&B	12.50	10.00	
7 ft	B&B	17.50		
8 ft	B&B	22.50		
9 ft	B&B	25.00		
Tan languaginas	- A2 0.0 -4	ΦE 00 -		L
For larger sizes	10 20 It., add	\$5.00 J	per 100	l.
		~~ A		
occidentalis umbracu				e. 3'
	spdB&B			
	spd B&B			
24 to 30 in. s	_			
$2\frac{1}{2}$ to 3 ft. s	_			
3 to 3½ ft.	spdB&B	5.00	4.50	
occidentalis vervaene	eana. Vervaen	ne Arb	or vitae.	. 12'
3 ft	B&B	5.00	4.00	
4 ft	B&B	6.50	5.50	
5 ft	B&B	10.00		
6 ft	B&B	12.50		
7 ft	B&B	15.00		,
8 ft	B&B	20.00		
9 ft	B&B	25.00		

Thuja	1-4 Each	5-24 Each	25 & up Each
Inuja			
occidentalis wareana. Ware Arbor	vitae.	15'	
18 inB&B	3.50	2.75	-2.50
2 ftB&B	4.00	3.25	3.00
2½ ftB&B	5.00	4.50	4.00
3 ftB&B	6.50	6.00	5.50
3½ ftB&B	8.00	7.00	6.50
	10.00	8.00	
	12.50	10.00	
5 ftB&B	15.00	12.50	
occidentalis woodwardi. Woodwar	A Anh	omnitae	e. 6'
occidentalis woodwardi. Woodward	a Aio	or orace	
18 inB&B	3.00	2.50	
24 inB&B	3.50	3.00	
orientalis. Oriental Arborvitae. 2	<i>5'</i>		
3 ftB&B	4.50	3.75	
4 ftB&B	6.00	5.50	
	10.00	7.50	
	12.50	10.00	
	15.00		
	20.00		
9 ftB&B	25.00		
orientalis conspicua. $Goldspire \ Ar$	borvit	ae. 20	,
2 ftB&B	4.50	4.00	
3 ftB&B	5.50	4.50	
4 ftB&B	7.50		
5 ftB&B	10.00		
orientalis elegantissima.			
Yellow Column Arborvit	ae. 1	0'	
2 ftB&B	4 50	4.00	
3 ft B&B		5.00	
4 ft,B&B		2.00	
5 ft			
6 ftB&B			
7 ft			
8 ft			

Thuja	1-4	5-24	25 & up
orientalis nana aurea.	Each	Each	Each
Berkman's Golden Arbo	rvitae.	3'	
18 inB&B	3.00	2.75	
2 ftB&B	4.00	3.50	
2½ ftB&B	5.00	4.00	
3 ftB&B	7.50		
orientalis sieboldi. Siebold Arborv	vitae.	3'	
3 ftB&1	B 5.0	0	
plicata. Giant Arborvitae. 20'			
3 ftB&B	5.00	4.50	
4 ftB&B	6.50	5.50	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
7 ft	15.00	12.50	
For larger sizes to 14 ft., add	\$5.00 p	per foo	t.
plicata fastigiata. Pyramidal Gian	t Arbo	rvitae.	20'
3 ftB&B	5.00	4.50	3.75
4 ftB&B	6.50	5.50	5.00
5 ftB&B	10.00	7.50	
6 ftB&B	12.50		
7 ftB&B	15.00		
standishi. Japanese Arborvitae. 18	5 <b>'</b>		
3 ftB&B	6.00		
Tilia americana. American Linden. 75	5'		
8 to 10 ft	3.00	2.50	2.25
1½ to 1½ in	3.50	2.75	2.50
1½ to 1¾ in	4.50	3.75	3.25
13/4 to 2 in	6.00	5.00	4.50
2 to 2½ in	9.00	7.50	6.50
2½ to 3 in	13.50	11.50	9.00
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
americana fastigiata.			
Pyramidal American Lind	en 75	5'	
8 to 10 ft	10.00		
1½ to 1¾ in	15.00		
cordata. Littleleaf European Lind	en. 70	) <b>'</b>	
1½ to 1½ in	5.00	4.00	3.50
1½ to 1¾ in	6.00	5.00	4.50
1¾ to 2 in	7.50	6.50	6.00
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	11.00
3 to 3½ in	20.00	18.00	
4 to 4½ in	35.00		

m	1-4 Each	5-24 Each	25 & up Each
Tilia			
euchlora. Crimean Linden. 75'	<b>5</b> 00	4.50	4.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.50 $7.50$	5.50 6.50	5.00 6.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	10.00	8.50	7.50
134 to 2 in	12.50	10.00	9.00
2 to 2½ in	15.00	12.50	11.00
2½ to 3 in	17.50	15.00	14.00
	25.00	20.00	22.00
europaea. European Linden. 75'			
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	3.50	2.75	2.50
11/4 to 11/2 in	4.50	3.75	3.50
1½ to 1¾ in	<b>5.</b> 50	5.00	4.50
13/4 to 2 in	7.50	6.50	6.00
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	11.00
3 to 3½ in	20.00	18.00	15.00
	25.00	22.50	20.00
4 to 5 in	35.00		
henryana. Henry Linden. 50'			
1¼ to 1½ in	7.50		
heterophylla. Beetree Linden. 60'			
	15.00		
	17.50		
3 to 3½ in	25.00		
oliveri. Oliver Linden. 50'			
8 to 10 ft	7.50		
platyphyllos. Bigleaf Linden. 75	,		
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	2.75	
	4.50	3.75	•
	6.00	5.00	
	7.50	6.00	
	10.00	8.50	
2½ to 3 in		12.50	
3 to 3½ in		18.00	
3½ to 4 in			
4 .to 5 in	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Tilia			-				1-4 Each		25 & up E <b>ac</b> h
pla	typh	_		ramida					.3
					igleaf			0'	
	6		8						
	8	to	10	ft			10.00		
tor	nento	sa.	Silve	er Lind	len. 40	,			
	11/2	to	13/4	in			10.00		
	13/4	to	2	in			12.50		
	2	to	$2\frac{1}{2}$	in			15.00		
	$2\frac{1}{2}$	to	3	in			17.50		
	3	to	$3\frac{1}{2}$	in			25.00		
	$3\frac{1}{2}$	to	4	in			30.00		
	4	to	5	in			45.00		
vu	lgaris	. (s	ee eı	uropea)	•				
Trinter	vaiun	n re	aeli.	Regel	s Three	อาเก๋า	anut	5 <b>'</b>	
ripici					B				1.50
					B				
	0 00	, 1	1.0		<i>ـــــ</i>	.cc	2.00	2.20	2,00
Tsuga -	canad	lens	is. <i>C</i>	Canada	Hemloo	ck.	75'		
					B			5.00	
					B				
					B				
	4				B				
	5				B			13.50	
	5				B			20,00	
	6				B			20.00	
	7				B				
	8				B				
	_				18 ft, a				t.
			a	7 •	TT 7	,	w 0.1		
cai					Hemloc				
					B				
					B				
					<u>B</u>				
					B				
	6 ft	t			B	8&B	20.00		
	7 f	t			E	8&B	25.00		

Ulex europeaus. Common Gorse. 4'	1-4 Each	5-24 Each	25 & up Each
18 to 24 in., 4 in. pots	1.50	1.25	
Ulmus americana. American Elm. 80		9.00	1 775
8 to 10 ft	2.50	2.00	$1.75 \\ 2.25$
1½ to 1½ in	$\frac{3.00}{4.00}$	2.50 $3.50$	$\frac{2.25}{3.25}$
1¾ to 2 in	6.50	5.00	4.00
2 to 2½ in		7.50	7.00
2½ to 3 in	12.50	10.00	
3 to 3½ in		15.00	
3½ to 4 in		20.00	
4 to $4\frac{1}{2}$ in		25.00	
	1		
	80'	1.50	1.05
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	3.00 4.50	2.75 $4.00$	$\frac{2.50}{3.50}$
13/4 to 2 in	6.50	5.50	4.50
2 to 2½ in	10.00	7.50	4.50
2½ to 3 in		10.00	
3 to 3½ in	18.00	15.00	
0 10 0/2 111	10.00	10.00	
americana urni. Vase Elm. 60'			
6 to 8 ft	1.75		1.25
8 to 10 ft	2.50	2.25	2.00
1¼ to 1½ in	3.00	2.75	2.50
11/2 40 19/4 in	4 60	4 00	0 50
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.50	5.50	<b>4.5</b> 0
$1\frac{3}{4}$ to 2 in	6.50 10.00	5.50 7.50	
1¾ to 2 in. 2 to 2½ in. 2½ to 3 in.	6.50 10.00 12.50	5.50 7.50 10.00	
$1\frac{3}{4}$ to 2 in	6.50 10.00 12.50	5.50 7.50 10.00	
1¾ to 2 in.  2 to 2½ in.  2½ to 3 in.  3 to 3½ in.	6.50 10.00 12.50	5.50 7.50 10.00	
13/4 to 2 in.  2 to 21/2 in.  21/2 to 3 in.  3 to 31/2 in.  campestris. (see procera).	6.50 10.00 12.50 18.00	5.50 7.50 10.00 15.00	
134 to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley	6.50 10.00 12.50 18.00	5.50 7.50 10.00 15.00	
13/4 to 2 in. 2 to 21/2 in. 21/2 to 3 in. 3 to 31/2 in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft.	6.50 10.00 12.50 18.00 Elm. 5.00	5.50 7.50 10.00 15.00 75' 4.00	
134 to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft. 1¼ to 1½ in.	6.50 10.00 12.50 18.00 Elm. 5.00 6.00	5.50 7.50 10.00 15.00 75' 4.00 5.00	
13/4 to 2 in. 2 to 21/2 in. 21/2 to 3 in. 3 to 31/2 in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft. 11/4 to 11/2 in. 11/2 to 13/4 in.	6.50 10.00 12.50 18.00 Elm. 5.00 6.00 7.50	5.50 7.50 10.00 15.00 75' 4.00 5.00 6.50	
134 to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft. 1¼ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in.	6.50 10.00 12.50 18.00 Elm. 5.00 6.00 7.50 10.00	5.50 7.50 10.00 15.00 75' 4.00 5.00 6.50 7.50	
134 to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft. 1¼ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in.	6.50 10.00 12.50 18.00 Elm. 5.00 6.00 7.50 10.00 15.00	5.50 7.50 10.00 15.00 75' 4.00 5.00 6.50 7.50 12.50	
134 to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft. 1¼ to 1½ in. 1½ to 1¾ in. 1½ to 1¾ in. 2 to 2½ in. 2½ to 3 in.	6.50 10.00 12.50 18.00 Elm. 5.00 6.00 7.50 10.00 15.00 20.00	5.50 7.50 10.00 15.00 75' 4.00 5.00 6.50 7.50 12.50 15.00	
1¾ to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.  campestris. (see procera).  carpinifolia sarniensis. Wheatley 8 to 10 ft. 1¼ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in.	6.50 10.00 12.50 18.00 Elm. 5.00 6.00 7.50 10.00 15.00 20.00 25.00	5.50 7.50 10.00 15.00 75' 4.00 5.00 6.50 7.50 12.50	

Jlmus	1-4 Each	5-24 Each	25 & up Each
fulva. Slippery Elm. 65'			
6 to 8 ft			
8 to 10 ft	3.50	3.00	
glabra. Scotch Elm. 75'			
1½ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
	7.50	6.00	
2 to 2½ in,		7.50	
2½ to 3 in	12.50		
3 to 3½ in			
3½ to 4 in			
glabra camperdowni. Camperdown			
6 ft. stem	6.00	5.00	
glabra nana. Globe Elm.			
6 to 8 ft. standards	10.00		
8 to 10 ft. standards			
o to 10 It. Standards	10.00		
hollandica klemmeri. $Klemmer\ El$	m. 75'	,	
8 to 10 ft	7.50		
1¾ to 2 in	12.50		
hollandica latifolia. Belgian Elm.	75'		
1½ to 1½ in		3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in		6.00	
2 to 2½ in		0.00	
2½ to 3 in			
3 to 3½ in			
hollandica vegeta. Huntington Elm			
1½ to 1¾ in	5.00	4.5C	
1¾ to 2 in	6.50	5.50	
2 to 2½ in	10.00	7.50	
2½ to 3 in,			
3 to 3½ in		15.00	
3½ to 4 in	25.00	20.00	
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
1½ to 1¾ in			
172 10 1/4 111	0.00		

Ulmus	1-4 Each	5-24 Each	25 & up Each
parvifolia. Chinese Elm. 30'			
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	7.50	6.00	
procera. (campestris). English Eli	m. 75	,	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00		
3½ to 4 in	25.00		
4 to 5 in	35.00		
5 to 6 in	50.00		
p. monumentalis. Monument Engl		m. 75'	
8 to 10 ft	5.00	4.00	
1½ to 1½ in	6.00	5.00	
1½ to 1¾ in	7.50	6.50	
13/4 to 2 in	10.00	7.50	
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	18.00	15.00	13.50
$3$ to $3\frac{1}{2}$ in	25.00	20.00	18.00
$3\frac{1}{2}$ to 4 in,		25.00	
4 to 4½ in	40.00		
p. purpurea. Purpleleaf English E	Elm. 7	, o'	
8 to 10 ft	3.00		
pumila. Siberian Elm. 75'			
6 to 8 ft,	2.50	1.75	1.50
8 to 10 ft	3.00	2.25	2.00
10 to 12 ft	3.50	2.75	2.50
	4.50	3.50	3.25
1 <sup>3</sup> / <sub>4</sub> to 2 in	6.00	5.00	4.50
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3½ to 4 in	20.00	18.00	

Ulmus	1-4 Each	5-24 Each	25 & up Each
Olmus			
thomasi. (racemosa). Rock Elm. 7	<b>5</b> '		
6 to 8 ft	5.00	4.50	
8 to 10 ft	6.00	5.60	
1¼ to 1½ in	7.50	6.50	
4 to 5 in	10.00		
Vaccinium corymbosum. Highbush Blue	eberry	y. 8'	
2 to 3 ftB&B		4.00	3.75
3 to 4 ftB&B	6.50	5.50	5.00
4 to 5 ftB&B	8.50	8.00	7.50
Viburnum acerifolium. Mapleleaf Vibu	ranm	. 5'	
2 to 3 ft	1.00		
3 to 4 ft		1.00	
4 to 5 ft			
	1.75		
	1110	1.00	
americanum. (see trilobum).			
	12'		
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00		
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ftB&B	3.50	3.00	
4 to 5 ftB&B			
burejaeticum. Manchurian Viburni			
2 to 3 ft			
3 to 4 ft		2.50	
0 to 1 tt	0.00	2.00	e
burkwoodi. Burkwood Viburnum. 4			
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	6.00		
carlesi. Koreanspice Viburnum. 4'			
18 to 24 inB&B	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	
3 to 4 ftB&B	5.00	4.50	
18 to 24 in., own roots. B&B	4.00		
2 to 3 ft., own roots. B&B	5.00		
Standards			
		4.00	
	6.00		
3 ft. stemB&B	7.50	6.00	

Viburnum	1-4 Each	5-24 Each	25 & up Each
	12'		
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	
6 to 8 ft	2.00	1.60	1.50
dentatum. Arrowwood Viburnum.	12'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
dilitatum. Linden Viburnum. 10'			
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.00	
	10.00		
_	15.00		
d. xanthocarpum.			
Yellowberry Linden Vibus	raa a taaa	10'	
2 to 3 ft		10	
fragrans. Fragrant Viburnum. 10			
2 to 3 ftB&B		4.00	
3 to 4 ftB&B	6.00		
hupehense. Hupeh Viburnum. 6'			Z
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
5 to 6 ft	1.25		
6 to 8 ft	1.50	1.35	
lantana rugosum. Wrinkleleaf Wa			
3 to 4 ft	~ ~	•	
4 to 5 ft	*	.85	
		1.10	
6 to 8 ft		1.35	
, 0 10 0 10,	1.00	1,00	1,40

	1-4 Each	5-24 Each	25 & up Each
Viburnum	Lacii	Lucii	Lacii
lentago. Nannyberry. 20'			
3 to 4 ft	.75	.65	.55
4 to 5 ft	1,00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft. spec	20.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nudum. Possumhaw Viburnum. 1	5'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
opulus. European Cranberrybush.	12'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
opulus nanum. Dwarf Cranberry	Bush.	2'	
10 to 12 in		.80	.75
12 to 15 in	1.25	1.10	1.00
15 to 18 in	1.50	1.35	1.25
opulus sterile. Common Snowball.	10'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	
opulus xanthocarpum.			
Yellowfruit Cranberrybu	sh. 1	0'	
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
LARGE SPECIMEN SHRUBS QUOTED	ON R	EQUEST	

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
ovatifolium. Eggleaf Viburnum.	10'		
3 to 4 ft	1.50		
	15'		
prunifolium. Blackhaw Viburnum.  3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
pubescens. Downy Viburum. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
p. canbyi. Canby Downy Viburnu	m. 10	,•	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
rhytidophyllum. Leatherleaf Vibu	rnum.	<i>8</i> ′	
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
5 to 6 ftB&B	10.00		
rufidulum. Rusty Blackhaw Vibur	num.	15'	
3 to 4 ft			1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sargenti. Sargent Cranberrybush.	10'		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	1.75	1.50
8 to 10 ft	3.50	3.00	2.50

Viburnum	1-4 Each	5-24 Each	25 & up Each
setigerum Tea Viburnum. 12'	Lacii	Eddii	Eden
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
tomentosum. Doublefile Viburnum	. 8'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
t. sterile. (plicatum). Japanese Sno	wball.	8'	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
trilobum. (americanum). American	Cranbe	errybu	sh. 12'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50		
4 to 5 ft	1.75		
5 to 6 ft	2.00		
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	1.75	
5 to 6 ft	2.50	2.00	
Vinca minor. (see Herbaceous Material	.).		
Vitex agnuscastus. Lilac Chastetree.	4'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
a. alba. White Chastetree. 4'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	
a. latifolia. (macrophylla).			
Hardy Lilac Chastetree.	4'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
negundo. Negundo Chastetree. 4'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
negundo incisa. Cutleaf Chaste-tre	ee. 4'		
3 to 4 ft			

	1-4 Each	5-24 Each	25 & up Each
Vitis aestivalis. Summer Grape. 40'			4.0
2 year	.55	.45	
3 year	.65	.55	.50
amurensis. Amur Grape. 40'			
3 year	.75	.60	
coignetiae. Gloryvine. 40'			
3 year	1.00	.85	.75
4 year	1.25	1.00	
labrusca. Fox Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
riparia. Riverbank Grape. 40'			
2 year	.60	.50	
3 year	.75	.60	
rotundifolia. Muscadine Grape. 40	)′		
3 year	.75	.60	.50
4 year	.85	.70	.60
vulpina. Frost Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
4 year	.75	.65	.60
Weigela floribunda. Crimson Weigela.	10'		
2 to 3 ft	.65	.55	
3 to 4 ft	.80	.70	
4 to 5 ft	1.00	.85	
florida. (rosea). Oldfashioned Weig	rela.	8'	
2 to 3 ft	.60	.50	.45
	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
hortensis rubra. 10'			
2 to 3 ft,	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
japonica. Japanese Weigela. 8'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
5 to 6 ft		1.10	
rosea. (see florida).			

Wagneri Abel Carriere.           Abel Carriere Wagner Weigela.         10'           2 to 3 ft.         .60         .50         .45           3 to 4 ft.         .75         .60         .55           4 to 5 ft.         1.00         .85         .75           5 to 6 ft.         1.25         1.10         1.00           w. Candida. Snow Weigela.         8'         2 to 3 ft.         .60         .50           3 to 4 ft.         .75         .60         .60         .50           4 to 5 ft.         1.00         .60         .50         .45           3 to 4 ft.         .75         .60         .55         .45           3 to 4 ft.         .75         .60         .55         .45           3 to 4 ft.         .75         .60         .55         .45           3 to 4 ft.         .75         .65         .60         .35         .75           w. Eva Rathke. Eva Rathke Weigela.         5'         2 to 3 ft.         .75         .65         .60         .35           4 to 5 ft.         1.00         .85         .75         .5         .60         .55           4 to 5 ft.         1.00         .85         .75		1-4 Each	5-24 Each	25 & up Each
Abel Carriere Wagner Weigela. 10' 2 to 3 ft	Weigela		20011	20011
2 to 3 ft	wagneri Abel Carriere.			
3 to 4 ft	Abel Carriere Wagner W	reigelo	a. 10'	
4 to 5 ft. 1.00 .85 .75 5 to 6 ft. 1.25 1.10 1.00  w. Candida. Snow Weigela. 8' 2 to 3 ft	2 to 3 ft	.60	.50	.45
5 to 6 ft.       1.25       1.10       1.00         w. Candida. Snow Weigela. 8'       2 to 3 ft.       .60       .50         3 to 4 ft.       .75       .60       .4       to 5 ft.       1.00         w. Desboisi. Desbois Weigela. 8'       2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         w. Eva Rathke. Eva Rathke Weigela. 5'       2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .80       .75         w. Groenewegeni. Groenewegeni Weigela. 8'       8'       3 to 4 ft.       .100       .85       .75         4 to 5 ft.       1.00       .85       .75       .5 to 6 ft.       1.25       1.10       1.00         w. Gustav Mallot. Gustav Mallot Weigela. 8'       2 to 3 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela. 5'       2 to 3 ft.       .75       .60       .55         3 to 4 ft.       .85       .75         4 to 5 ft.       1.00	3 to 4 ft	.75	.60	.55
w. Candida. Snow Weigela. 8'       2 to 3 ft.       .60 .50         3 to 4 ft.       .75 .60         4 to 5 ft.       1.00         w. Desboisi. Desbois Weigela. 8'       2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55       .4 to 5 ft.       1.00 .85 .75         w. Eva Rathke. Eva Rathke Weigela. 5'       2 to 3 ft.       .75 .65 .60       .60         3 to 4 ft.       1.00 .80 .75         w. Groenewegeni. Groenewegeni Weigela. 8'       3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .85 .75         5 to 6 ft.       1.25 1.10 1.00         w. Gustav Mallot. Gustav Mallot Weigela. 8'       2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .85 .75         5 to 6 ft.       1.25 1.10 1.00         w. nana variegata. Dwarf Variegated Weigela. 5'         2 to 3 ft.       .75 .60 .55         3 to 4 ft.       1.00 .85 .75         w. siebold Silveredge Weigela. 8'         3 to 4 ft.       .85 .75         4 to 5 ft.       1.00 .85         3 to 4 ft.       .85 .75         4 to 5 ft.       1.00 .85         3 to 4 ft.       .85 .75         4 to 5 ft.       1.00 .75	·4 to 5 ft	1.00	.85	.75
2 to 3 ft	5 to 6 ft	1.25	1.10	1.00
3 to 4 ft	w. Candida. Snow Weigela. 8'			
4 to 5 ft.       1.00         w. Desboisi. Desbois Weigela. 8'       2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55       .4 to 5 ft.       1.00 .85 .75         w. Eva Rathke. Eva Rathke Weigela. 5'       2 to 3 ft.       .75 .65 .60       .60 .3 to 4 ft.       1.00 .80 .75         w. Groenewegeni. Groenewegeni Weigela. 8'       3 to 4 ft.       .75 .60 .55       .55       .4 to 5 ft.       1.00 .85 .75       .5 to 6 ft.       1.25 1.10 1.00       .00         w. Gustav Mallot. Gustav Mallot Weigela. 8'       2 to 3 ft.       .60 .50 .45       .45       .45       .5       .45       .45       .5       .45       .45       .5       .45       .45       .5       .45	2 to 3 ft	.60	.50	
w. Desboisi. Desbois Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         w. Eva Rathke. Eva Rathke Weigela.       5'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .80       .75         w. Groenewegeni. Groenewegeni Weigela.       8'         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. Gustav Mallot. Gustav Mallot Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela.       5'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca.       8'       .8 <th>3 to 4 ft</th> <th>.75</th> <th>.60</th> <th></th>	3 to 4 ft	.75	.60	
2 to 3 ft	4 to 5 ft	1.00		
3 to 4 ft	w. Desboisi. Desbois Weigela. 8'			
## Eva Rathke. Eva Rathke Weigela. 5'  2 to 3 ft	2 to 3 ft	.60	.50	.45
w. Eva Rathke. Eva Rathke Weigela.       5'         2 to 3 ft.       .75       .65       .60         3 to 4 ft.       1.00       .80       .75         w. Groenewegeni. Groenewegeni Weigela.       8'         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. Gustav Mallot. Gustav Mallot Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela.       5'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .85       .75         w. sieboldi argenteomarginata.       8'       .85       .75         4 to 5 ft.       1.00       .85         3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60       .50	3 to 4 ft	.75	.60	.55
2 to 3 ft			.85	.75
3 to 4 ft.       1.00       .80       .75         w. Groenewegeni. Groenewegeni Weigela.       8'         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. Gustav Mallot. Gustav Mallot Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela.       5'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .85       .75         w. sieboldi argenteomarginata.       8'       3       .75       .4       .4       .75       .4       .4       .4       .75       .4       .4       .5       .75       .4       .75       .4       .75       .4       .75       .60       .55       .55       .55       .75       .55       .75       .75       .75       .60       .55       .75       .75       .75       .4       .75	,	jela.	5 <b>'</b>	
w. Groenewegeni. Groenewegeni Weigela.       8'         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .85 .75         5 to 6 ft.       1.25 1.10 1.00         w. Gustav Mallot. Gustav Mallot Weigela.       8'         2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .85 .75         5 to 6 ft.       1.25 1.10 1.00         w. nana variegata. Dwarf Variegated Weigela.       5'         2 to 3 ft.       .75 .60 .55         3 to 4 ft.       1.00 .85 .75         w. sieboldi argenteomarginata.       Siebold Silveredge Weigela.         8'       3 to 4 ft.       .85 .75         4 to 5 ft.       1.00 .85         w. Styriaca.       8'         3 to 4 ft.       1.00 .75         4 to 5 ft.       1.25 1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .85		.75	.65	.60
3 to 4 ft				.75
4 to 5 ft. 1.00 .85 .75 5 to 6 ft. 1.25 1.10 1.00  w. Gustav Mallot. Gustav Mallot Weigela. 8' 2 to 3 ft60 .50 .45 3 to 4 ft75 .60 .55 4 to 5 ft. 1.00 .85 .75 5 to 6 ft. 1.25 1.10 1.00  w. nana variegata. Dwarf Variegated Weigela. 5' 2 to 3 ft75 .60 .55 3 to 4 ft. 1.00 .85 .75  w. sieboldi argenteomarginata. Siebold Silveredge Weigela. 8' 3 to 4 ft85 .75 4 to 5 ft. 1.00 .85  w. Styriaca. 8' 3 to 4 ft. 1.00 .75 4 to 5 ft. 1.25 1.00  w. vanhouttei. Vanhoutte Weigela. 8' 2 to 3 ft60 .50 .45 3 to 4 ft75 .60 .55 4 to 5 ft. 1.25 1.00		_		
5 to 6 ft.       1.25       1.10       1.00         w. Gustav Mallot. Gustav Mallot Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela.       5'       .55       .60       .55         3 to 4 ft.       .75       .60       .55         3 to 4 ft.       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca.       8'       .85       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela.       8'       .60       .50       .45         3 to 4 ft.       .60       .50       .45         4 to 5 ft.       .75       .60       .55         4 to 5 ft.       .75		-		
w. Gustav Mallot. Gustav Mallot Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75         5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela.       5'       .55       .3 to 4 ft.       .75       .60       .55         3 to 4 ft.       1.00       .85       .75         w. sieboldi argenteomarginata.       8'       .35       .75         4 to 5 ft.       1.00       .85         w. Styriaca.       8'       .3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75				
2 to 3 ft				1.00
3 to 4 ft				4.5
4 to 5 ft. 1.00 .85 .75 5 to 6 ft. 1.25 1.10 1.00  w. nana variegata. Dwarf Variegated Weigela. 5' 2 to 3 ft75 .60 .55 3 to 4 ft. 1.00 .85 .75  w. sieboldi argenteomarginata.  Siebold Silveredge Weigela. 8' 3 to 4 ft85 .75 4 to 5 ft. 1.00 .85  w. Styriaca. 8' 3 to 4 ft. 1.00 .75 4 to 5 ft. 1.25 1.00  w. vanhouttei. Vanhoutte Weigela. 8' 2 to 3 ft60 .50 .45 3 to 4 ft75 .60 .55 4 to 5 ft. 1.00 .85				
5 to 6 ft.       1.25       1.10       1.00         w. nana variegata. Dwarf Variegated Weigela.       5'         2 to 3 ft.       .75       .60       .55         3 to 4 ft.       1.00       .85       .75         w. siebold argenteomarginata.       8'       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca. 8'       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela. 8'       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75				
w. nana variegata. Dwarf Variegated Weigela.       5'         2 to 3 ft.       .75 .60 .55         3 to 4 ft.       1.00 .85 .75         w. sieboldi argenteomarginata.       Siebold Silveredge Weigela.       8'         3 to 4 ft.       .85 .75         4 to 5 ft.       1.00 .85         w. Styriaca.       8'         3 to 4 ft.       1.00 .75         4 to 5 ft.       1.25 1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .85 .75				
2 to 3 ft				
3 to 4 ft.       1.00       .85       .75         w. siebold Silveredge Weigela. 8'         3 to 4 ft.       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca. 8'       3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela. 8'       2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75				
w. sieboldi argenteomarginata.         Siebold Silveredge Weigela. 8'         3 to 4 ft.       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca. 8'       3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela. 8'       2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75	·			
Siebold Silveredge Weigela. 8'         3 to 4 ft.       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca. 8'       3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela. 8'       2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75		1.00	.00	.10
3 to 4 ft.       .85       .75         4 to 5 ft.       1.00       .85         w. Styriaca.       8'         3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75		la &	,	
4 to 5 ft. 1.00 .85  w. Styriaca. 8' 3 to 4 ft. 1.00 .75 4 to 5 ft. 1.25 1.00  w. vanhouttei. Vanhoutte Weigela. 8' 2 to 3 ft60 .50 .45 3 to 4 ft75 .60 .55 4 to 5 ft. 1.00 .85 .75				
w. Styriaca. 8'       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela. 8'       2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75				
3 to 4 ft.       1.00       .75         4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75		1.00	,00	
4 to 5 ft.       1.25       1.00         w. vanhouttei. Vanhoutte Weigela.       8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75	•	1.00	.75	
w. vanhouttei. Vanhoutte Weigela. 8'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75				
2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .85       .75				
4 to 5 ft			.50	.45
4 to 5 ft				.55
		1.00	.85	.75
5 to 6 ft			1.10	1.00
6 to 8 ft 1.50 1.35 1.25				1.25

	1-4 Each	5-24 Each	25 & up Each
Wisteria floribunda hybrids.			
2 year	3.50		
<b>Kyushaku</b> — lavender			
<b>Murasaki Noda</b> — purple			
Naga Noda — lavender			
Penn Valley — deep pur	ple		
Rosea — pink		•	
Royal Purple — purple			
Rubra — red			
floribunda macrobotrys (multijuga		a o t	
Longcluster Japanese Wi			0.5
2 year	1.00		.65
3 year	1.25		.85
4 year	1.50	1.25	1.00
frutescens. American Wistaria. 3	o'		
2 year	.75	.60	.50
2 year	,10	.00	•00
macrostachya. Kentucky Wistaria.	25'		
2 year	.75	.60	.50
3 year	1.00	.75	.60
sinensis. Chinese Wistaria. 40'			
2 year	1.00		• • •
3 year	1.25	1.10	1.00
3 year grafted flower-			
ing plants	3.00	2.50	
Standards. 4 ft. stem,			
30 in. headB&B	10.00		
sinensis alba. White Chinese Wist	01.000.01	40'	
			.75
2 year		.85 1.10	1.00
4 year			1.00
3 year grafted flower-	1.10	1.50	
ing plants	2.00	2.50	
Standards. 4 ft. stem,	3.00	4.50	
30 in, headB&B	12.50		
50 m, nead	12.00		
Zanthorhiza simplicissima. Yellowroot.	3'		
12 to 15 in, clumps	.75	.65	.60
15 to 18 in. clumps	1.00		.75
18 to 24 in. clumps			

	1-4 Each		25 & up Each
Zanthoxylum americanum. Prickly As	ch. 15'		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.50	1.25
schinifolium. Peppertree Prickly 3 to 4 ft		12'	
simulans. Flatspine Prickly Ash.	25'		
3 to 4 ft	2.00		
Zelkova serrata Japanese Zelkova. 5	0'		
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	

## HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (\*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

*Acaena buchanani. Bluish gray, Aug., 1"\$	.25	\$ .20
*sanguisorbae. Bright green foliage, 2"	.25	.20
Acanthus mollis. Purple rose, July 4'	.25	
mollis latifolins. Rose, July, 3'	.25	
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.25	.20
clavennae. White, July, 1'	.25	.20
filipendulina. Yellow, June, July, 3'	.25	.18
*millefolium Cerise Queen. Rose, July 2'	.25	.18
*nana. White, June, July, 6"	.25	.20
*nitida. White, June, July, 1'	.25	.20
*ptarmica The Pearl. White, July, 2'	.25	.18
*ptarmica Boule de Neige. White, June,		
July, 2'	.25	.18
*ptarmica Perry White. June, July, 2'	.25	.18
*tomentosa. Yellow, June, 1'	.25	.20
Aconitum autumnale. Blue, July, August, 4'	.35	.30
fischeri. Blue, September, 3'	.30	.25
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July,	,	
Aug., 5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.30	
		1.0
*Actaea alba. White, May, June, 3-4	.25	.18
rubra. Red, May, June, 3-4'	.25	.18
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.25	.18
Adonis amurensis. Yellow, March, 18"	.75	
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.25	.18

	5-24 each	25 lip
*Aethionema cordifolium. Rosy lilac, June, 6"	,30	.25
grandiflorum. Pink, June, 12"	.30	.25
*kotschyi. Rose, July, 4"	.30	.25*
*persicum. Pink, June, July, 9"	.30	.25
*pulchellum. Pink, June, 8"	.30	.25
*schistosum. Rose, June, 4"	.30	.25
*Ajuga brockbanki. Purple, June, 6"	.25	.20
*genevensis. Bright blue, May, 6"	.25	.20
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.25	.18
*reptans alba. White, May, 6"	.25	
*Allium carinatum. Rose, June, July, 2'	.25	.20
*karataviense. White, June, July, 8"	.25	.20
*narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple June,		
July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.25	.20
*thibetica. Lilac mauve, June, July, 8"	.25	.20
Althea rosea. Hollyhock	9.5	10
*Double. Separate colors, July, Aug., 5'	.25	.18
*Double. Chaters' strain, separate colors	.25	.18
Fringed Allegheny. July, Aug., 5'	.25	.18
Single. Mixed colors, July, Aug., 5'	.25	.18
Single. Separate colors, July, Aug., 5'	.25	.18
*Alyssum argenteum. Yellow, July, Aug., 6"	.25	.20
*creticum. Yellow, June, July, 1'	.25	.20
*montanum. Yellow, June, July, 8"	.30	.25
*rostratum. Yellow, June, July, 12"	.25	.20
*saxatile compactum. Yellow, May, 1'	.25	.18
*saxatile sulphureum. Yellow, May, 1'	.30	.25
*serpyllifolium. Yellow, June, July, 4"	.25	.20
*spinosum. Pink and white, June, 3"	.30	.25
*Augusta tahannaamantana Dina Mary		
*Amsonia tabernaemontana. Blue, May,	.25	20
June, 3'	.40	.20
Anchusa barrelieri. Blue, May, 2'	.25	
*capensis. Blue, summer, 18"	.25	.20
italica Dropmorei. Blue, June, 4-5'	.25	.18
*myosotidiflora. Bright blue, May, 1'	.30	.25
• • • • • • • • • • • • • • • • • • • •		

*Anemone hupehensis. Mauve, Aug., Sept., 1' .30 .25  * *japonica alba. White, fall, 3'30 .25  * *japonica Alice. Rose pink, fall, 3'30 .25  japonica Louise Uhink. White, fall, 3'30  japonica Prince Heinrich. Deep pink, fall, 3'30 .25  japonica Queen Charlotte. Rose, fall, 3' .30 .25  japonica Richard Ahrends. Shell pink, fall, 2'30 .25  japonica rubra. Red, fall, 2'30 .25  japonica September Charm. Silvery pink, fall, 2'30 .25  japonica September Sprite. Pink, fall, 2' .30 .25  *japonica Whirlwind. Pure white, fall, 3' .30 .25  *japonica Whirlwind. Pure white, fall, 3' .30 .25  *pulsatilla. Blue, April, 15"30 .25  *pulsatilla rubra. Dark red, April, 12" .30 .25  *pulsatilla rubra. Dark red, April, 12" .30 .25  *Anthemis cinerea. White, May, June, 1'30 .25  *Moonlight. Pale yellow, summer, 2' .30 .25  *Moonlight. Pale yellow, summer, 2' .30 .25  *tinctoria. Yellow, July, Aug., 3, .25 .18  tinctoria kelwayi. White, May, June, 3' .25 .18  tinctoria kelwayi. White, May, June, 3' .25 .18  tinctoria kelwayi. White, May, June, 3' .25 .20  *Anthericum liliago. White, May, June, 3' .25 .20  *Anthyllis vulneriaria dilleni. Red, summer, 1' .30  *Aquilegia alpina. Blue, May, June, 1' .25 .20  *Anthyllis vulneriaria dilleni. Red, summer, 1' .30  *Aquilegia alpina. Blue, May, June, 1' .25 .20  *coerulea. Blue, May, June, 1' .25 .20  *coerulea hybrida. Various, June, 2' .25 .20  *coerulea hybrida. Various, June, 2' .25 .20  *chrysantha. Yellow, June, July, 3' .25 .20	*Androsace lanuginosa. Rose, June, 8"	5-24 each .40	25 up each
*japonica alba. White, fall, 3'	Anemone hupehensis. Mauve, Aug., Sept., 1'	.30	.25
*japonica Alice. Rose pink, fall, 3'30     japonica Louise Uhink. White, fall, 3'30     japonica Marie Manchard. White, fall, 3'30     japonica Prince Heinrich. Deep pink,     fall, 3'3025     japonica Queen Charlotte. Rose, fall, 3'3025     japonica Richard Ahrends. Shell pink,     fall, 2'3025     japonica September Charm. Silvery     pink, fall, 2'3025     japonica September Sprite. Pink, fall, 2'30     japonica Whirlwind. Pure white, fall, 3'25     *pulsatilla. Blue, April, 15"3025     *pulsatilla Blue, April, 15"3025     *pulsatilla rubra. Dark red, April, 12"3025     *sylvestris. White, May, June, 1'3025     *Antennaria dioica. White, May, 6"2520     *Anthemis cinerea. White, Aug. 1'2520     *Moonlight. Pale yellow, summer, 2'3025     nobilis. White, summer, 1'2525     inctoria E. C. Buxton. White, yellow         eye, July, Aug., 3'2518     tinctoria kelwayi. Yellow, July, Aug., 3'25     introtoria kelwayi. White, July, 3'2520     Anthericum liliago. White, May, June, 3'40     Anthyllis vulneriaria dilleni. Red, summer, 1'30     *Aquilegia alpina. Blue, May, June, 1'2520     *Coerulea. Scarlet, May, June, 2'2520		.30	.25
japonica Marie Manchard. White, fall, 3' .30 japonica Prince Heinrich. Deep pink, fall, 3' .30 .25 japonica Queen Charlotte. Rose, fall, 3' .30 .25 japonica Richard Ahrends. Shell pink, fall, 2' .30 .25 japonica rubra. Red, fall, 2' .30 .25 japonica September Charm. Silvery pink, fall, 2' .30 .25 japonica September Sprite. Pink, fall, 2' .30 .25 'japonica Whirlwind. Pure white, fall, 3' .30 .25 'pennsylvanica. White, July, 18" .25 'pulsatilla. Blue, April, 15" .30 .25 'pulsatilla alba. White, April, 1' .30 .25 'pulsatilla rubra. Dark red, April, 12" .30 .25 'sylvestris. White, May, June, 1' .30 .25 'sylvestris. White, May, 6" .25 .20 'Anthemis cinerea. White, Aug. 1' .25 .20 'Moonlight. Pale yellow, summer, 2' .30 .25 nobilis. White, summer, 1' .25 .18 tinctoria. Yellow, July, Aug., 3, .25 .18 tinctoria kelwayi. Yellow, July, Aug., 3' .25 .18 tinctoria kelwayi. Yellow, July, Aug., 3' .25 .18 tinctoria kelwayi. White, May, June, 3' .40 Anthyllis vulneriaria dilleni. Red, summer, 1' .30 'Aquilegia alpina. Blue, May, June, 1' .25 .20 'coerulea. Blue, May, June, 1' .25 .20 coerulea hybrida. Various, June, 2' .25 .20 'canadensis. Scarlet, May, June, 2'		.30	.25
japonica Prince Heinrich. Deep pink, fall, 3'	japonica Louise Uhink. White, fall, 3'	.30	
fall, 3'	japonica Marie Manchard. White, fall, 3'	.30	
japonica Queen Charlotte. Rose, fall, 3' .30 .25 japonica Richard Ahrends. Shell pink,	japonica Prince Heinrich. Deep pink,		
japonica Richard Ahrends. Shell pink, fall, 2'		.30	.25
fall, 2'	japonica Queen Charlotte. Rose, fall, 3'	.30	.25
japonica rubra. Red, fall, 2'	japonica Richard Ahrends. Shell pink,		
japonica September Charm. Silvery pink, fall, 2'	· · · · · · · · · · · · · · · · · · ·		
pink, fall, 2'		.30	.25
japonica September Sprite. Pink, fall, 2' .30 .25 *japonica Whirlwind. Pure white, fall, 3' .30 .25 *pennsylvanica. White, July, 18"25 *pulsatilla. Blue, April, 15"30 .25 *pulsatilla alba. White, April, 1'30 .25 *pulsatilla rubra. Dark red, April, 12" .30 .25 *sylvestris. White, May, June, 1'30 .25 *Antennaria dioica. White, May, 6"25 .20 *Anthemis cinerea. White, Aug. 1'25 .20 *montana. White, July, 10"25 .20 Moonlight. Pale yellow, summer, 2'30 .25 nobilis. White, summer, 1'25 .18 tinctoria. Yellow, July, Aug., 3,25 .18 tinctoria E. C. Buxton. White, yellow eye, July, Aug., 3'25 .18 tinctoria kelwayi. Yellow, July, Aug., 3'25 .18 tinctoria kelwayi. White, July, 3'25 .20 Anthericum liliago. White, May, June, 3'40 Anthyllis vulneriaria dilleni. Red, summer, 1' .30  *Aquilegia alpina. Blue, May, June, 1'25 .20 coerulea. Blue, May, June, 1½'25 .20 coerulea hybrida. Various, June, 2'25 .20 *coerulea hybrida. Various, June, 2'25 .20 *canadensis. Scarlet, May, June, 2'25 .20		0.0	
*japonica Whirlwind. Pure white, fall, 3′ .30 .25 *pennsylvanica. White, July, 18″ .25 *pulsatilla. Blue, April, 15″ .30 .25 *pulsatilla alba. White, April, 1′ .30 .25 *pulsatilla rubra. Dark red, April, 12″ .30 .25 *sylvestris. White, May, June, 1′ .30 .25 *Antennaria dioica. White, May, 6″ .25 .20 *Anthemis cinerea. White, Aug. 1′ .25 .20 *Moonlight. Pale yellow, summer, 2′ .30 .25 nobilis. White, summer, 1′ .25 .18 tinctoria. Yellow, July, Aug., 3, .25 .18 tinctoria E. C. Buxton. White, yellow eye, July, Aug., 3′ .25 .18 tinctoria kelwayi. Yellow, July, Aug., 3′ .25 .18 tinctoria kelwayi. White, July, 3′ .25 .20 Anthericum liliago. White, May, June, 3′ .40 Anthyllis vulneriaria dilleni. Red, summer, 1′ .30 *Aquilegia alpina. Blue, May, June, 1′ .25 .20 coerulea. Blue, May, June, 1′ .25 .20 coerulea hybrida. Various, June, 2′ .25 .18 *canadensis. Scarlet, May, June, 2′ .25 .20			0.5
*pennsylvanica. White, July, 18"			
*pulsatilla. Blue, April, 15"			.25
*pulsatilla alba. White, April, 1'3025 *pulsatilla rubra. Dark red, April, 12"3025 *sylvestris. White, May, June, 1'3025 *Antennaria dioica. White, May, 6"2520 *Anthemis cinerea. White, Aug. 1'2520 *montana. White, July, 10"2520 Moonlight. Pale yellow, summer, 2'3025 nobilis. White, summer, 1'2518 tinctoria. Yellow, July, Aug., 3,2518 tinctoria E. C. Buxton. White, yellow eye, July, Aug., 3'2518 tinctoria kelwayi. Yellow, July, Aug., 3'2518 tinctoria kelwayi. White, July, 3'2520 Anthericum liliago. White, May, June, 3'40  Anthyllis vulneriaria dilleni. Red, summer, 1'30  *Aquilegia alpina. Blue, May, June, 1'2520 coerulea. Blue, May, June, 1½'2520 coerulea hybrida. Various, June, 2'2520 *canadensis. Scarlet, May, June, 2'2520			0.5
*pulsatilla rubra. Dark red, April, 12" .30 .25 *sylvestris. White, May, June, 1' .30 .25  *Antennaria dioica. White, May, 6" .25 .20  *Anthemis cinerea. White, Aug. 1' .25 .20  *montana. White, July, 10" .25 .20  Moonlight. Pale yellow, summer, 2' .30 .25  nobilis. White, summer, 1' .25 .18  tinctoria. Yellow, July, Aug., 3, .25 .18  tinctoria E. C. Buxton. White, yellow  eye, July, Aug., 3' .25 .18  tinctoria kelwayi. Yellow, July, Aug., 3' .25 .18  tinctoria kelwayi. White, July, 3' .25 .20  Anthericum liliago. White, May, June, 3' .40  Anthyllis vulneriaria dilleni. Red, summer, 1' .30  *Aquilegia alpina. Blue, May, June, 1' .25 .20  coerulea. Blue, May, June, 1' .25 .20  coerulea hybrida. Various, June, 2' .25 .18  *canadensis. Scarlet, May, June, 2' .25 .20			
*sylvestris. White, May, June, 1'			2
*Anthemis cinerea. White, May, 6"	- · · · · · · · · · · · · · · · · · · ·		
*Anthemis cinerea. White, Aug. 1'	sylvesitis. White, May, June, 1	.50	.40
*montana. White, July, 10"	*Antennaria dioica. White, May, 6"	.25	.20
Moonlight. Pale yellow, summer, 2'30 .25 nobilis. White, summer, 1'25 .18 tinctoria. Yellow, July, Aug., 3,25 .18 tinctoria E. C. Buxton. White, yellow eye, July, Aug., 3'25 .18 tinctoria kelwayi. Yellow, July, Aug., 3' .25 .18 tinctoria kelwayi. White, July, 3'25 .20 Anthericum liliago. White, May, June, 3'40 Anthyllis vulneriaria dilleni. Red, summer, 1' .30  *Aquilegia alpina. Blue, May, June, 1'25 .20 coerulea. Blue, May, June, 1½'25 .20 coerulea hybrida. Various, June, 2'25 .18 tcanadensis. Scarlet, May, June, 2'25 .20		.25	.20
nobilis. White, summer, 1'	*montana. White, July, 10"	.25	.20
tinctoria. Yellow, July, Aug., 3,			.25
tinctoria E. C. Buxton. White, yellow eye, July, Aug., 3' .25 .18 tinctoria kelwayi. Yellow, July, Aug., 3' .25 .18 tinctoria kelwayi. White, July, 3' .25 .20  Anthericum liliago. White, May, June, 3' .40  Anthyllis vulneriaria dilleni. Red, summer, 1' .30  *Aquilegia alpina. Blue, May, June, 1' .25 .20 *coerulea. Blue, May, June, 1½' .25 .20 coerulea hybrida. Various, June, 2' .25 .18 *canadensis. Scarlet, May, June, 2' .25 .20		.25	
eye, July, Aug., 3'		.25	.18
tinctoria kelwayi. Yellow, July, Aug., 3' .25 .18 tinctoria kelwayi. White, July, 3'	· ·	0.5	1.0
Anthericum liliago. White, May, June, 3'			
Anthericum liliago. White, May, June, 3'	·		
*Aquilegia alpina. Blue, May, June, 1'	incioria kelwayi. White, July, 3'	.25	.20
*Aquilegia alpina. Blue, May, June, 1'	Anthericum liliago. White, May, June, 3'	.40	
*coerulea. Blue, May, June, 1½'	Anthyllis vulneriaria dilleni. Red, summer, 1'	.30	
coerulea hybrida. Various, June, 2'	*Aquilegia alpina. Blue, May, June, 1'	.25	.20
*canadensis. Scarlet, May, June, 2'	*coerulea. Blue, May, June, 1½'	.25	.20
	· · · · · · · · · · · · · · · · · · ·		
*chrysantha. Yellow, June, July, 3'25 .20			.20
	*chrysantha. Yellow, June, July, 3'	.25	.20

Aquilegia	5-24 each	25 up each
chrysantha alba. White, June, July, 3'	25	20
Crimson Star. Crimson, May, June, 2'	.25 .30	.20
*flabellata nana-alba. White, June, 10"		
*hybrida. Mrs. Scott Elliott. Various,	.25	.20
·	.25	.20
June, 2'		
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.30	.25
rosea. Long spurred pink, June, 2'	.30	.25
*siberica fl. pl. Blue and white, June, 18"	.25	.20
*skinneri. Red and yellow, May, 2	.25	.20
*vulgaris. Purple, May, June, 2'	.25	.18
vulgaris nivea. White, May, 2'	.25	.20
*Arabis albida. White, May, 6"	.25	.20
*alpina. White, April, May, 6"	.25	.18
*alpina fl. pl. Dbl. White, April, May, 6"	.30	.25
*alpina Rosabella. Pink, April, May, 6"	.35	,
*alpina rosea. Pink, April, May, 6"	.30	.25
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.25	.20
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac. May, 8"	.25	.20
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
procurrens. willte, may, 1	.40	.40
*Arenaria balearica. White, July, Aug., 3"	.25	.20
*grandiflora. White, May, 4"	.25	.20
*montana. White, June, 4"	.25	.20
*verna. White, June, July, 3"		.20
vointe, valle, vall, v	,20	•=0
Arisaema triphyllum. Purple, May, 1'	.25	.18
*Armeria alpina. Pink, summer, 6"	.25	
*Bee's Ruby. Red, summer, 10"	.30	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,	.50	.20
	.25	.20
*laucheana. Crimson, May, June, 8"	.25	.18
*maritima. Pink, May, June, 6"	.25	.18
*maritima alba. White, May, June, 6"	.25	.18
*robusta. Crimson, May, June, 10"	.25	.18
Artemesia absinthium. Wormwood, 4'	.25	.20
dracunculus. White, August, 2'		.25
		,,

	5-24 each	25 up each
Artemesia		
frigida. Silver foliage. 18"	.30	.25
lactiflora. White, Aug., 4'	.25	.20
pontica. Gray foliage. 12"	.25	.18
purshiana. Gray foliage, 3'	.25	.18
Silver King. White foliage. 3'	.25	.18
stelleriana. White, summer, 2'	.25	.18
*Arundo-donax. Giant Reed, 12'	.40	.35
*Asarum canadense. Chocolate, May, 6"	.25	.18
Asclepias incarnata. Red, Aug., 4'	.25	.18
tuberosa. Orange, July, Aug., 2'	.25	.18
* A smoothly summer him Dink summer 10"	25	
*Asperula cynanchica. Pink, summer, 10"	.25	.20
hexaphylla. White, June, 1'		
*hirta. Pink, July, Aug., 6"	.25 .25	.20
*longifolia. White, summer, 8"	.25	.20
*odorata. White, May, 8"*scutellaria. White, June, July, 6"		.20
scutenaria. white, June, Jury, o'	.20	
Asphodeline lutea. Yellow, July, 3'	.25	.20
*Asplenium felix faemina. Lady Fern	.25	.18
*Aster alpinus. Blue, June, July, 8"	.25	.18
*alpinus albus. White, June, July, 8"	.25	.20
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amellus Mrs. R. Wood. Rose, July, 18"	.30	
Abendrothe. Rose pink, Oct., 3'	.25	.20
Acme. Light lavender, Oct., 5'	.25	.20
Ballard's Crimson. Fall, 3'	.25	.20
Beechwood Challenger. Crimson, fall,		
18"	.30	.25
Blue Gem. Blue, Sept, 3'	.25	.20
Blue Gown. Blue, fall, 4'	.30	
Blue Lagoon. Blue, fall, 4'	.40	
Climax. Blue, Sept., Oct., 3'	.25	.18
dracunculoides. Light blue, July, 2'	.30	.25
frikarti Wonder of Staefa. Lavender,		
fall, 2'	.45	.40

	5-24 each	25 up each
Aster		00011
Harrington's Pink. Fall, 3'	.30	.25
laevis. Lavender, Sept., 4'	.25	.18
Mauve Cushion. Mauve, Oct., 12"	.25	.18
Mauve Queen. Mauve, Sept. 3'	.25	.18
Mrs. Raynor. Crimson, Sept., 3'	.25	.18
Mt. Everest. White, fall, 3'	.30	.25
novae-angliae. Purple, Sept., Oct., 4'	.25	.18
novae-angliae roseus. Rose, Sept., 4'	.25	.20
Queen Mary. Blue, Sept., 3'	.25	.20
Red Cloud. Deep pink, fall, 3'	.40	
Red Rover. Red, fall, 3'	.30	
Robt. Parker. Lavender, Sept., Oct., 5'	.25	.18
Royal Blue, Blue, fall, 4'	.30	
Skylands Queen. Light blue, fall, 3'	.25	0.5
Sunset. Pink, Sept. 3'	.30	.25 .18
<b>Violetta.</b> Violet, Sept., 3'	.45	.10
Wartberg Star. Lilac blue, spring, 1'	.30	.25
White Climax. White, fall, 4'	.25	.18
dwarf varieties.		•
Countess of Dudley. Clear pink,		
Sept., 9"	.25	.20
Lady Henry Maddocks. Pink, Sept.,		
1'	.25	.20
Lavenda. Lavender blue, Sept., 6"		.25
Marjorie. Rose pink, Sept., 1'	.25 .25	.20
Nancy. Flesh pink, Sept., 1' Niobe. White, Sept., 6"	.25	.20
Ronald. Lilac pink, Sept., 1'	.25	.20
Snowsprite. White, Sept., 1'	.25	.20
Victor. Lavender blue, Sept., 8"	.25	.20
	0.5	2.0
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2' arendsi Grandis rosea magnifica. Pink,	.30	
July, 4'	.35	
arendsi Juno. Purplish pink, July, 3'	.30	.25
arendsi Kreimhilde. Rose, June, July, 2'	.30	.25
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.35	.30

Astilbe	5-24 each	25 up each
arendsi Moerheimi. White, July, 3'	.35	.30
arendsi Moerneimi. Wille, July, 5	.00	.50
July, 2'	.35	
arendsi Rhineland. Crimson, shaded sal-	.00	
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.30	.25
arendsi Salland. Red, July, 5'	.30	.25
biternata. Cream, June, 4'	.30	.25
rosea Queen Alexandra. Deep pink,		
July, 3'	.30	.25
rosea Queen of Holland. Rose pink,		
July, 3'	.30	.25
rubella Solferino. Violet pink, July, 3'	.35	.30
rubella Vesta. Lilac rose, July, 3'	.30	.25
Astrantia major. Silvery pink, May, 2'	.25	.18
*Aubrietia deltoidea. Purple, April, May, 4"	.25	.20
*deltoidea bougainvillei. Dark blue,		
April, 5"	.30	.25
*deltoidea eyrei. Rosy lilac, April, 5"	.30	.25
*deltoidea Fire King. Red, May, 4"	.30	0.5
*deltoidea graeca. Violet, May, 4"	.30	.25
*deltoidea leichtlini. Pink, April, 5"	.30	.25
*deltoidea purpurea. Purple, April, 5" *hybrida. Various, April, May, 6"	.30	
Baptisia australis. Indigo, June, 4'	.25 .25	.20
tinctoria. Yellow, June, 3'	.25	.20
Belamcanda chinensis. Orange, summer, 3'	.25	.18
*Bellis perennis alba. White, April, May, 3"	.25	.18
*perennis rosea. Pink, April, May, 3	.25	.18
*rotundifolia caerulescens. Blue, May		.20
2"	.30	.25
*Bellium bellidioeides. Bluish, summer, 4"	.25	
Bocconia cordata. Creamy white, Aug., 6'	.25	.20
Boltonia asteroides. White, Sept., 5'	.25	.18
latisquama. Lavender, Aug., 5'	.25	.18
latisquama nana. Lavender, Aug., 2'	.30	.25
Boykinia rotundiflolia. White, June, 2'	.25	.20
Buphthalmum speciosum. Yellow, June, 3'	.25	.18
salicifolium. Yellow ,summer, 2'	.25	.20
*Calamintha alpina. Purple, summer, 6"	.25	.20
*Calandrinia umbellata. Crimson, summer, 6"	.30	.25

Calimeris incisa. Pink, summer, 2'	5-24 each .25	25 up each
*Callirhoe involucrata. Red, all summer, 6"	.25	.18
*Caltha palustris. Yellow, April, May, 12"	.25	.20
Camassia leichtlini. Blue, May, 2'	.25	.20
quamash. Blue, May, 2'	.25	.20
*Campanula alliariaefolia. White, June, July,	.20	.20
2'	.25	.20
*bononiensis. Blue, June, 2'	.25	.20
*carpatica. Blue, July, August, 9"	.25	.20
*carpatica alba. White, July, Aug., 9"	.25	.20
*collina. Blue, July, Aug., 1'	.25	.20
*cullinmore. Blue, summer, 9"	.35	.30
*elatinoides. Blue, summer, 6"	.25	.00
*fenestrellata. Pale blue, summer, 3"	.25	.20
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	,
*glomerata. Purple, June, July, 2'	.25	.18
glomerata acaulis. Purple, June, 6"	.25	.20
glomerata superba. Violet, June, July, 2'	.25	.20
*grosseki. Blue, summer, 2'	.25	.18
*istriaca. Pale blue, June, July, 3"	.25	•10
*kolenatiana. Blue, July, 9"	,30	.25
lactiflora. Light blue, Aug., 4'	.25	.20
latifolia alba. White, July, 3'	.30	.25
latifolia macrantha. Purplish blue, July,	,,,,	•=•
3'	.25	.20
medium. Mixed, June, July, 3'	.25	.18
medium. Separate colors, June, July, 3'	.25	.20
medium calycanthema. Mixed, July,3'	.25	.18
medium calycanthema. Separate colors,		
July, 3'	.25	.20
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.25	.20
*persicifolia alba. White, June, 2'	.30	.25
persicifolia alba. fl. pl. White, summer,		
2'	.40	
persicifolia dbl. blue. Blue, summer, 2'	.40	
persicifolia Telham Beauty. Blue, sum-		
mer, 2'	.30	.25
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.25	.20
pyramidalis alba. White, July, 4-5'	.25	.20
*raddeana. Purple, July, Aug., 1'	.25	
*raineri. Dark blue, July, 6"	.25	.20

Campanula	5-24 each	25 up each
*raineri alba. White, July, 6"	.30	.25
*rhomboidalis. Blue, July, 1'	.25	.20
*riverslea. Dark blue, July, 9"	.25	.20
*riverlea alba. White, July, 9"	.30	.25
*rotundifolia. Blue, June, July, 12"	.25	.18
*sarmatica. Pale blue, summer, 12"	.30	.25
*siberica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.25	.20
*turbinata alba. White, June, July, 6"	.25	.20
*trachelium. Blue, July, 2-3'	.25	.18
*Carex morrowi. White-edged foliage, 1'	.40	
Cassia marilandica. Yellow, July, 3-4'	.25	.20
Catananche caerulea. Blue, June, July, 18"	.25	.18
Caulophyllum thalictroides	.25	.18
Centaurea babylonica. Yellow, July, 5'	.25	.18
*dealbata. Red, July, 1½'	.25	.18
macrocephala. Yellow, July, 3-4'	.25	.18
*montana. Blue, June, July, 2'	.25	
ruthenica. Straw color, July, 4'	.25	
Centranthus angustifolius. Rose, summer,		
18"	.25	
ruber, Red, summer, 3'	.25	.18
ruber albus. White, all summer, 3'	.25	.18
Cephalaria alpina. Yellow, July, 5'	.25	.20
tatarica. Cream, summer, 6'	.25	.20
*Cerastium arvense compactum.		
White, July, 8"		.18
*biebersteini. White, June, 6"	.25	.20
*tomentosum. White, June, 6"	.25	.18
*Ceratostigma plumbaginoides. Blue, fall, 6"	.30	.25
*Chieranthus allioni. Orange, July, 1'	.25	.18
*Golden Bedder. June, 1'	.25	
Chelone glabra. White, rosy tinged, July, 2'	.25	.20
lyoni. Deep rose, August, 2'	.25	.20
Chrysanthemum anemone-flowered	.25	.18
Snow Queen — White.		
*arcticum. White, fall, 2'	.25	.18
*arcticum Astrid. Pink, fall, 18"	.30	.25
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.25	.20
Cushion varieties. Fall, 1'	.25	.20
(white, yellow, pink, red, bronze)		

	5-24 each	25 up
Chrysanthemum		
*erubescens. Pink, Aug., Sept., 18"	.25	
hardy button varieties	.25	.18
Baby Marguerite — pink.		
Bronze Button — bronze.		
Irene — blush white.		
Lillian Doty — pink.		
Mitzi — yellow.		
Mrs. H. Harrison — pink.		
Niza — delicate pink.		
Pygmy Gold — golden yellow.		
September Bronze — bronze.		
September Cloud — white.		
September Gold — gold.		
White Doty — white. White Gull — white.		
	25	1.0
hardy large flowering, double, fall, 4'	.25	.18
Algonquin — yellow.		
Angelo — pink.		
Boston — orange.	ich hr	20220
Brune Poitevine — deep velvety redd:  Caliph — oxblood red.	ren bi	onze.
Canariense — yellow.		
Comoleta — yellow.		
Harvest Home — yellow.		
L'Argentuillais — deep chestnut.		
Lavender Lady — clear lavender.		
Mrs. F. H. Bergen — pale pink.		
Marie Antoinette — deep pink.		
Mrs. H. Craig — yellow, overlaid ora	ange (	erim-
son.		
Murillo — pink.		
Oconto — white.		
Ohio Gold — yellow.		
Old Homestead — pink.		
Pacific Supreme — pink.		
R. Marion Hatton — canary yellow.		
Snowclad — white.		
Vesuve — red.		
Aladdin. Coppery bronze, Aug., 2'		.20
Dazzler. Cardinal red, fall, 2'		.18
Daybreak. Shell pink, fall, 2'	.25	

Chrysanthemum, hardy, large-flowering.	5-24 each	
Dean Kay. Rose pink, Sept., Oct., 2'	.35	.30
Dean Ladd. Reddish bronze, Sept.,	4.5	
Oct. 2'	.45	10
Eden. Bright rose, fall, 2'	.25	.18
Emma Marie. Lemon yellow, fall, 2'	.25	.18
Glory of Seven Oaks. Yellow,	0.00	2.0
Sept., 2'	.25	.20
Jasper Spoon. Bronze red, fall, 2'	.40	.35
Jean Cumming. White, fall, 2'	.25	
Judith Anderson. Yellow, fall, 18"	.25	.20
Mrs. Willis J. Martin. Strawberry,		
fall, 2'	.25	.18
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink,		
fall, 2'	.25	.20
Tassiva. White, Sept., 18"	.25	.20
White Spoon, White, Oct., 18"	.25	.20
Yellow Normandie. Yellow, early		
fall, 2'	.25	.18
Yellow Spoon. Yellow, Oct., 18"	25	.20
hardy large flowering. Single, fall, 4'	.25	.18
California — yellow.		
Country Girl — lavender.		
Excelsior — golden yellow.		
Gypsy Girl — crimson, shading chestr	nut.	
Lady Smith — bright pink.		
Mrs. Calvin Coolidge — cardinal red.		
Mrs. W. E. Buckingham — salmon pi	nk.	
Silver Moon — white.		
Korean hybrids. October 2-2½'	.25	.18
Aphrodite — pale pink.		
Apollo — bronze, red and gold.		
Ceres — chamois yellow.		
Clara Curtis — salmon pink.		
Daphne — daphne pink.		
Diana — rose pink, blended lilac ros	se.	
Indian Summer — double orange.		
Kristina — deep rose pink.		
Mars — amaranth red.		
Mercury — bronze red.		
Nancy Copeland — spectrum red.		
Profusion — rich, coppery old gold.		
Saladin — oriental red, shading to co	ral.	

		25 up
Chrysanthemum, Korean hybrids.	eden	eden
Sappho — pure yellow.		
Saturn — orange and bronze.		
Siegfried — rich yellow.		
The Moor — port wine red.		
Viking — burnt orange.		
maximum. White, all summer, 2'	.20	.15
maximum Alaska. White, July, Aug., 2'	.25	.18
maximum Chiffon. Double White, sum-		
mer, 18"	.30	
maximum Esther Reed. Double, white,		
summer, 18"	.45	
maximum Giant Single. White, sum-		
mer, 30"	.25	.20
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.25	.18
maximum White Swan. Double White,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.25	.20
Cimicifuga racemosa. White, July, 5'	.25	.18
Clematis davidiana. Blue, Aug., 3'	.35	.30
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.30	.25
recta. White, July, 3'	.30	.25
recta mandschurica. White, July, 4'	.30	.25
Codonopsis clematidea. White, June, 3'	.30	.20
*Colchicum autumnale. Rosy lilac, Sept., 1'	.40	
autumnale roseum plenum. Rosy lilac,	• • • •	
Sept., 1'	.50	
*Convallaria majalis. Clumps, white, May, 6"	.30	.25
Coptis trifolia. White, summer, 6"	.25	.20
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.25	.18
lanceolata. Yellow, summer, 2'	.25	.18
*rosea. Rose, Aug., Sept., 1'	.25	.18
*verticillata. Yellow, July, Aug., 2'	.25	.18
*Coronilla cappadocica. Yellow, June, 6"	.30	.25
*varia. Pink, summer, 18"	.25	.18
*Corydalis cheilanthifolia.	.20	.10
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.30	.25
*Crucianella stylosa. Crimson pink, July, 8"	.25	.20
Oraciancia Sigiosa. Crimison pink, sury, s	,20	

	5-24 each	25 up each
Cynanchum acuminatifolium.		
White, summer, 18"	.25	.20
Cypripedium acaule. Rose-purple, May		-
June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
Delphinium bellodanna.		
Sky blue, all summer, 4'	.25	.18
bellamosum. Dark blue, all summer, 4'	.25	.18
*chinense. Blue, July, 2'	.25	.20
*chinense album. White, July, 2'	.25	.20
elatum. Blue, July, 4'	.25	.18
formosum. Indigo, July, 4'	.25	.20
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.25	.18
hybridum Wrexham's. Various, June, 5'	.35	.30
Pacific Hybrids. Various, summer, 4'	.40	.35
Pacific Hybrids. Separate colors, sum-		
mer, 4'	.50	
blue, lavender, purple, white		,
siberica hybrids. Shades of blue, July, 3'	.25	.18
Dennstedtia punctilobula. Hay-scented Fern	.20	.15
Dianthus allwoodi. Pink, July, 1'	.25	.20
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.20	.15
*arvernensis. Pink, June, 4"	.25	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.20	.15
barbatus alba. White, June, July, 1'	.20	
barbatus atrococcineus. Crimson, June,		
1'	.20	.15
*barbatus Dwarf Giants. Various, June,		
8"	.25	.18
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.20	.15
barbatus Giant White. June, 1'	.20	.15
barbatus nigricans.		•
Dark velvety red, June, 1'	.20	.15
barbatus Pink Beauty. Pink, June, 1'		.15
barbatus Salamoni. Salmon, June, 1'		.15
barbatus Sutton's Scarlet.	.20	,10
Crimson, June, 1'	.20	.15
		2 A T /

Dianthus	5-24 each	25 up each
*caesius. Rose pink, June, July, 9" *chinensis heddewigi.	.20	.15
Mixed, June, July, 8"	.25	.18
*deltoides. Pink, June, 9"	.25	.18
*deltoides albus. White, June, 9"	.25	.18
*deltoides Brilliant. Red, June, 9"	.25	.18
giganteus. Red, July, 2'	.25	.20
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks.		
Single, mixed, all summer, 9"	.25	.18
knappi. Yellow, summer, 1'	.25	.18
*latifolius atrococcineus.		
Crimson, summer, 1'	.25	.18
*plumarius. Mixed, summer, 8"	.20	.15
*plumarius fl. pl. Mixed, summer, 8"	.20	.15
*plumarius semperflorens.		
Pink, June, 9"	.25	.18
*Abbotsford. Crimson, all summer, 9"	.30	
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White&crimson, June 18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.25	.20
*Elizabeth Peters. Pink, June, July, 9"	.25	
*Furst Bismarck. Rose, summer, 1'	.25	.20
*Gladys Cranfield. Pink, summer, 1'	.25	
*Grenadin. Mixed, summer, 1'	.25	.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.25	.20
*Her Majesty. Dbl. white, June, July, 9"	.30	.25
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'	.25	.18
*Robert. Pink, summer, 1'	.25	.20
*Rose Cushion. Pink, June, 3"	.25	
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.25	.20
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.25	.20
*seguieri. Carmine, summer, 1'	.20	
*speciosa. Pink, July, 10"	.25	
*subacaulis. Purple, June, July, 4"	.30	.25

*Dicentra eximea. Rose, all summer, 1'	5-24 each .30	25 up each .25
spectabilis. Rose, May, June, 2'	.50	.45
Dictamnus albus. White, June, 2'	.30	.25
albus ruber. Red, June, 2'	.30	.25
caucasicus. Red, June, 3'	.30	.25
Digitalis ambigua. Yellow, June, July, 3'	.25	.18
gloxinaeflora. Mixed, June, July, 3'	25	.18
lanata. Creamy yellow, July, 3'	.25	.20
lutea. Yellow, June, July, 18"	.25	.20
Lutzii hybrids. Salmon, June, July, 3'	.25	.20
purpurea. Mixed, June, July, 3'	.25	.18
purpurea maculata. Spotted, June, July,		4.0
18"	.25	.18
purpurea monstrosa. Various, June,	0.5	1.0
July, 3'	.25	.18
purpurea, rose, June, July, 3'	.25	.18
purpurea, white, June, July, 3'	.25	.18
Shirley Hybrids, Mixed. June, July, 3'	.25	
*Dodecatheon meadia. Rose, May, 1'	.25	.20
*latilobum. White, May, June, 1'	.25	.18
Doronicum caucasicum. Yellow, April,	0.0	0.5
May, 18"	.30	.25
clusi. Yellow, May, 12"	.30	
plantagineum excelsum. Yellow,	20	95
April, May, 3'	.30	.25
*Draba aizoides. Yellow, March, 4"	.30	.40
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.25	
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.25	.20
Ruyschianum japonicum. Blue, sum-		
mer, 2'	.25	.20
Dryopteris spinulosum. Wood Fern	.25	.18
thelypteris. Shield Fern	.25	.18
Echinacea purpurea. Purple, July, Aug., 3'	.25	.18
Echinops humilis. Blue, July, 2'	.25	.20
ritro. Deep steel blue, July, 3'	.25	.18
sphaerocephalus. Pale blue, July, 5'	.25	.18
*Edraianthus dinaricus. Lilac, July, 3"	.30	

	5-24 each	25 up each
Elymus glaucus. Blue Lime Grass, 3'	.25	.20
*Epigaea repens. Pink, April, May, 4"	.45	
Epilobium angustifolium. Rose, Aug., 4'	.25	.18
*Epimedium niveum, White, May, June, 1'	.30	•
macranthum lilacina. Lilac, May,		
June, 1'	.30	.25
sulphureum. Yellow, May, 1'	.30	.25
Eremurus himalaicus. White, June, 6'	1.00	
Erianthus ravennae. Plume Grass, 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.25	.18
*glabratus roseus. Pink, June, 1'	.25	.20
macranthus. Violet, June, 2'	.25	.20
*speciosus. Rich purple, June, July, 2'	.25	.20
*Erinus alpinus albus. White, May, 4"	.30	.25
*alpinus roseus. Rosy purple, May, 4"	30	.25
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.25	.20
bourgati. Blue, summer, 18"	.25	0.0
*planum. Blue, July, Aug., 3'	.25	.20
*Erysimum kotchyanum. Orange, May,	0.5	4.0
June, 5"	.25	.18
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.25	.18
Eulalia gracillima. Japan Rush, 4-6' japonica variegata. 4-6'	.25 .30	.16
zebrina. Zebra Grass, 4-6'		.25
*Eupatorium ageratoides. White, Aug., 3'		.18
*coelestinum. Blue, Sept., Oct., 18"	.25	
purpureum. Purple, Aug., Sept., 5'	.25	.18
Euphorbia corollata. White, July, Aug., 2'	.25	.20
*cyparissias. Yellow, May, 10"	.25	.18
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.25	.20
	.25	.18
Foeniculum atrosanguineum. Summer, 6'	.25	.20
*Fragaria indica. White, May, 6"		.18
*Fuchsia magellanica. Red, summer, 3'	.40	
Funkia. (See Hosta).		

*Gaillardia grandiflora. Yellow and Crim-	5-24 each	
son, all summer, 2'	.25	.18
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.30	
*Galax aphylla. White, June, 10"	.30	.25
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white,	.25	.18
July, 3'	.25	.18
Galium boreale. White, July, 1½'	.25	.20
*purpureum. Dark brown, Aug., 1'	.25	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
andrewsi. Blue, August, 2'	.25	.20
alba. White, Aug., 2'	.25	.20
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.25	
*grevilleanum. Mauve, June, July, 6"	.25	.18
*ibericum. Purple, May, June, 2'	.25	.18
*lancastriense. Mauve, May, June, 1'	.25	.18
*maculatum. Pink, May, June, 1'	.25	.18
*pratense album. White, July, Aug., 2'	.25	.18
*sanguineum. Red, June, July, 2'	.25	.18
*Geum atrosanguineum. Dark red, sum-		
mer, 1½'	.25	.18
Lady Strathedon. Orange, summer, 15"		.25
*montana. Yellow, July, 1'		.18
*Mrs. Bradshaw. Double red, summer, 1'		.25
*Orange Queen. Orange, summer, 15"		.20
*sibericum. Scarlet, June, July, 1'		
*urbanum. Yellow, July, 15"	.25	.20
*Gillenia trifoliata. White, July, 4'	.25	.18
*Globularia cordifolia. Pale blue, June, 4"	.25	.20
*nana. Pale blue, June, 2"		.20
*trichosantha. Blue, May, June, 6"	.25	.20

	5-24 each	25 up each
Gypsophila acutifolia. Pink, July, 2-3'	.25	.18
*cerastoides. White, summer, 4"	.25	.20
paniculata. White, July, Aug., 2-3'	.25	.18
paniculata Bristol Fairy. Double white,		
summer, 3'	.45	.40
paniculata fl. pl. Double white, July,		
Aug., 3'	.40	.35
*repens. Bluish white, all summer, 6"	.25	.18
*repens bodgeri. Dbl. white, summer, 2'	.30	.25
*repens rosea. Pink, summer, 6"	.30	.25
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, Aug., Sept., 5'	.25	.20
autumnale superbum. Yellow, Sept., 5'	.25	.20
bigelovi. Yellow, Sept., 4'	.25	.20
Chippersfield Orange. Copper and gold,	.20	
Aug., 4'	.45	
Gartensonne. Yellow, Aug., Sept., 3	.30	.25
hoopesi. Orange, June, July, 3'	.30	.25
*pumilum. Yellow, Aug., 15"	.30	.25
Riverton Beauty. Lemon, Aug., Sept., 5'	.30	.25
Riverton Gem. Old Gold, Sept., Oct., 4'	.30	.25
rubrum. Brick red, Sept., 4'	.25	.20
*Helianthemum citrinum. Yellow, summer, 6"	.25	.20
*croceum. Saffron, June, July, 9"	.25	.20
*cupreum. Copper, June, July, 6"	.25	.20
*Fire Ball. Red, July, Aug., 12"	.25	.20
*mutabile. Flesh, May, June, 12"	.25	.20
*perfoliatum roseum. Salmon, sum-		
mer, 6"	.25	.20
*purpureum. Bright pink, June, 6"	.25	`
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.25	.18
maximiliana. Yellow, Sept., 6'	.25	.18
Miss Mellish. Yellow, Aug., Sept., 6'	.25	.18
mollis grandiflorus. Yellow, Aug.,		
Sept., 4'	.25	.18
*multiflorus fl. pl. Yellow, summer, 4'	.30	.25
orgyalis. Bright yellow, Sept., 6-8'	.25	.20
rigidus. Yellow, Aug., 3'	.25	.18
Wolly Dod. Deep yellow, Sept., 7'	.25	.18
Heliopsis excelsa. Double yellow, Aug., 3'	.25	.20
incomparabilis. Gold, summer, 30"	.30	.25
pitcheriana. Orange, July, Aug., 3'	.25	.18

	5-24 each	25 up each
*Helleborus niger. White, Feb., Mar., 1'	.75	
*Helxine soleiroli. Creeping herb, 1"	.25	.20
Hemerocallis Apricot. Apricot color, June, 2'	.25	.20
aurantiaca. Orange, June, July, 2½'	.25	.18
Dr. Regal. Orange yellow, May, 18"	.30	.25
dumortieri. Orange, June, 2'	.25	.18
flava. Lemon yellow, June, 3'	.25	.18
florham. Golden yellow, June, 3'	.30	.25
fulva. Bronze, Aug., 3'	.25	.18
Gold Dust. Indian yellow, June, 2½'	.25	.18
gracilis. Yellow, June, 2'	.25 .65	.20
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso fl. pl. Reddish orange, June, 2½'	.25	.20
luteola. Orange, June, 2'	.25	.20
May Queen. Orange, May, 4'	.25	
middendorffi. Orange, June, 3'	.25	.18
minor. Yellow, June, 2'	.25	.18
Orange Man. Deep orange, June, 2'	.25	.18
Sovereign. Rich orange, June, 1½'	.25	.18
thunbergi. Lemon yellow, June, 2-3'	.25	.18
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.		
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Aug	•	
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, April, 4"	.25	.18
*Herniaria glabra. Green, summer, 4"	.25	
*Hesperis matronalis. Purple, June, July, 3'	.25	.18
*matronalis alba. White, June, July, 3'	.25	.20
Heuchera americana. Greenish white, 3'	.25	.20
*brizoides. Pink, June, July, 2'	.25	.20
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Perry's White. White, summer, 15"	.35	.30
*Pleu de Feu. Red, May, June, 2'	.30	.25
*Red Pimpernell. June, 1'		
*rosamundi. Coral, summer, 18"		.25
*sanguinea. Coral red, June, 1'	.30	.25

Heuchera	5-24 each	
*sanguinea hybrids. Various, summer, 18"	.30	.25
*villosa. White, summer, 12"	.25	.20
Hibiscus Mallow Marvels. Mixed, July,	,	
Aug., 5'	.25	.18
Mallow Marvels. Separate colors,		•
Aug., 5'	.30	.25
Mallow Marvels. Giant Red, Aug., 5'	.30	.25
moscheutos. Rose, June, July, 5'	.25	.18
moscheutos crimson eye. White, red		
eye, Aug., 5'	.25	.18
*Hieracium aurantiacum. Orange, summer, 6"	.25	.18
*alpinum. Yellow, May, June, 9"	.25	.20
Hosta caerulea. Blue, July, 1½'	.25	.18
fortunei. Pale lilac, July, 2'	.25	.18
lancifolia. Blue, July, 2'	.25	.18
sieboldiana. Silvery foliage.	.30	.25
sub-cordata grandiflora. White, Aug.,		
18"	.45	.40
Thos. Hogg. Blue, summer, 18"	.40	
undulata variegata. White foliage, 2'	.25	.18
*Houstonia purpurea. Purple, May, June,1'	.25	
serpyllifolia. Blue, April, 2"	.30	.25
Hyacinthus candicans. White, Aug., 3'	.25	.20
*Hypericum calycinum. Yellow, July, Aug., 1'	.30	.25
*Coris. Yellow, summer, 4"	.30	.25
*fragile. Yellow, July, Aug., 1'	.30	.25
moserianum. (See Shrubs).	0.5	0.0
*polyphyllum. Yellow, summer, 8"	.25	.20
*repens. Yellow, July, 4"	.30	.25
*rhodopaeum. Yellow, July, 4"		.20
*Hyssopus officinalis. Purple, Aug., 18"	.25	.18
*Iberis gibraltarica. Delicate lilac, May, 1½'	.25	.18
*jordani. Rose, May, June, 6"	.30	
*sempervirens. White, May, June, 8".	.25	.20
*sempervirens Climax. White, May, 6" *sempervirens Little Cushion. White,	.30	.25
- · · · · · · · · · · · · · · · · · · ·	40	25
May, June, 4"	.40	.35
*sempervirens Little Gem. White,	.30	.25
April, 6"	.30	.25
*tenoreana. Purplish white, June, 6"	.30	.25
renoreana. Furpiisii wiiite, June, 6	.50	.20

	5-24 each	25 up each
*Incarvillea delavayi. Rosy purple, June,	eucii	cucii
July, 2'	.30	
*Inula ensifolia. Yellow, July, Aug., 8"	.25	.20
royleana. Yellow, July, Aug., 18"	.25	
*Iris cristata. Light blue, May, June, 6"	.30	.25
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.30	.25
fall blooming. Spring and fall, $1\frac{1}{2}-2'$	.30	.25
Autumn King — Blue-purple		
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
<b>Ultra</b> — ultramarine-blue		
germanica. May, June, 1½-2'		
Afterglow. Soft lavender shading		
yellow	.20	.15
Ambassadeur. Bronze, purple ma-		
roon falls	.20	.15
Aphrodite. Lilac pink	.20	.15
Archiveque. Purple	.20	
Asia. Smoky blue	.20	.15
Ballerine. Violet with deeper falls	.20	.15
Bruno. Bronze, red purple falls	.20	.15
Cecil Minturn. Pink	.20	.15
Chasseur. Yellow, red veining	.25	.18
Cinnebar. Violet, maroon falls	.25	.18
Cluny. Lilac blue	,20	.15
Coppersmith. Coppery red		.15
Darius. Yellow, lilac and white falls		.15
Dorothea. Pearl gray.		.15
Dream. Light pink	.20	
Fairy. White, bordered blue	.20	.15
Flavescens. Yellow	.20	.15
Florentina. Pale blue	.20	.15
Florentina alba. White	.20	.15
Germaine Perthius. Violet purple.	.25	.18
Gold Imperial. Golden yellow	.20	.15
Her Majesty. Lilac pink	.20	.15
Indian Chief. Velvety red		
Isolene. Lilac pink, old rose falls		.15
Jubilee. Cream, dotted brown	.20	.15

King of Iris. Yellow, brown falls	Tain manuacing	5-24 each	25 up each
King Edward.         Red violet         .20         .15           Kochi.         Rich deep claret purple         .20         .15           Labor.         Electric blue         .25           Leonidas.         Lavender, mauve falls         .25         .18           Lent A.         Williamson.         Violet, rich         purple falls with yellow beard         .20         .15           Lohengrin.         Lilac rose         .20         .15           Lord of June.         Lavender blue, violet         .20         .15           Lord of June.         Lavender blue, violet         .20         .15           Lord of June.         Lavender blue, violet         .20         .15           Madd.         Men.         Lavender blue         .20         .15           Madd.         Henri Cayeau.         Dark purple         .20         .15           Magnifica.         Violet and reddish violet         .20         .15           Magnifica.         Violet and reddish violet         .20         .15           Midnight.         Dark blue         .20         .15           Mme.         Chobaut.         Buff and wine,         .20         .15           Mme.         Chobaut.         Buff	Iris germanica.		
Kochi. Rich deep claret purple			
Labor. Electric blue			
Leonidas. Lavender, mauve falls .25 .18  Lent A. Williamson. Violet, rich purple falls with yellow beard .20 .15  Lohengrin. Lilac rose .20 .15  Lord of June. Lavender blue, violet falls .20 .15  Loreley. Light yellow, blue falls .20 .15  Mad. Henri Cayeau. Dark purple .20 .15  Magnifica. Violet and reddish violet .20  Mary Barnet. Lavender blue .20 .15  Midnight. Dark blue .20 .15  Midnight. Silvery white .20 .15  Moonlight. Silvery white .20 .15  Monsignor. Violet purple, crimson falls .20 .15  Mt. Royal. Pansy purple .20  Nuee d'Orage. Slate gray with bronze and purple falls .25 .20  Pallida Dalmatica. Lavender .25 .20  Pallida speciosa. Light blue .20 .15  Prairie Gold. Yellow .30  Pocahontas. White, edged blue .25 .18  Prairie Gold. Yellow .20 .15  Prospero. Lavender and purple .20 .15  Prospero. Lavender and purple .20 .15  Rhea. Violet .20 .15  Rhea. Violet .20 .15  Rhein Nixe. White, violet falls .20 .15  Shekinah. Pale yellow, shading to buff .25 .20  Sherwin-Wright. Golden yellow .25 .18			.15
Lent A. Williamson. Violet, rich purple falls with yellow beard 20 15 Lohengrin. Lilac rose 20 15 Lord of June. Lavender blue, violet falls 20 15 Loreley. Light yellow, blue falls 20 15 Mad. Henri Cayeau. Dark purple 20 15 Magnifica. Violet and reddish violet 20 Mary Barnet. Lavender blue 20 15 Midnight. Dark blue 20 15 Midnight. Silvery white 20 15 Monsignor. Violet purple, crimson falls 20 15 Mt. Royal. Pansy purple 20 Nuee d'Orage. Slate gray with bronze and purple falls 20 15 Opera. Violet red, purple falls 25 Pallida Dalmatica. Lavender 25 Pallida speciosa. Light blue 20 15 Prairie Gold. Yellow 30 Pocahontas. White, edged blue 25 Princess Victoria Louise. Sulphur yellow, rich violet falls 20 15 Prospero. Lavender and purple 20 Cueen Caterina. Lavender /iolet, orange beard 20 15 Rhea. Violet 20 15 Rhein Nixe. White, violet falls 20 15 Robt. W. Wallace. Violet purple 20 15 Robt. W. Wallace. Violet purple 20 15 Shekinah. Pale yellow, shading to buff 25 20 Sherwin-Wright. Golden yellow 25 18			10
purple falls with yellow beard 20 15 Lohengrin. Lilac rose 20 15 Lord of June. Lavender blue, violet falls 20 15 Loreley. Light yellow, blue falls 20 15 Mad. Henri Cayeau. Dark purple 20 15 Magnifica. Violet and reddish violet 20 Mary Barnet. Lavender blue 20 15 Midnight. Dark blue 20 15 Midnight. Buff and wine, dotted 25 Moonlight. Silvery white 20 15 Monsignor. Violet purple, crimson falls 20 15 Mf. Royal. Pansy purple 20 Nuee d'Orage. Slate gray with bronze and purple falls 20 15 Opera. Violet red, purple falls 25 Pallida Dalmatica. Lavender 25 Pallida speciosa. Light blue 20 15 Pluie d'Or. Yellow 30 Pocahontas. White, edged blue 25 18 Prairie Gold. Yellow 20 15 Prospero. Lavender and purple 20 15 Prospero. Lavender and purple 20 15 Rhea. Violet 20 15 Rhea. Violet 20 15 Rhein Nixe. White, violet falls 20 15 Robt. W. Wallace. Violet purple 20 15 Shekinah. Pale yellow, shading to buff 25 20 Sherwin-Wright. Golden yellow 25 18		.25	.18
Lohengrin. Lilac rose 20 15 Lord of June. Lavender blue, violet falls 20 15 Loreley. Light yellow, blue falls 20 15 Mad. Henri Cayeau. Dark purple 20 15 Magnifica. Violet and reddish violet 20 Mary Barnet. Lavender blue 20 15 Midnight. Dark blue 20 15 Mme. Chobaut. Buff and wine, dotted 25 Moonlight. Silvery white 20 15 Monsignor. Violet purple, crimson falls 20 15 Mt. Royal. Pansy purple 20 Nuee d'Orage. Slate gray with bronze and purple falls 20 15 Opera. Violet red, purple falls 25 Pallida Dalmatica. Lavender 25 Pallida speciosa. Light blue 20 15 Pluie d'Or. Yellow 30 Pocahontas. White, edged blue 25 Princess Victoria Louise. Sulphur yellow, rich violet falls 20 15 Prospero. Lavender and purple 20 15 Prospero. Lavender and purple 20 15 Rhea. Violet 20 15 Rhea. Violet 20 15 Rhein Nixe. White, violet falls 20 15 Robt. W. Wallace. Violet purple 20 15 Shekinah. Pale yellow, shading to buff 25 20 Sherwin-Wright. Golden yellow 25 18	•	9.0	1.5
Lord of June. Lavender blue, violet falls			
falls		.20	.15
Loreley. Light yellow, blue falls .20 .15 Mad. Henri Cayeau. Dark purple .20 .15 Magnifica. Violet and reddish violet .20 Mary Barnet. Lavender blue .20 .15 Midnight. Dark blue .20 .15 Mme. Chobaut. Buff and wine, dotted .25 Moonlight. Silvery white .20 .15 Monsignor. Violet purple, crimson falls .20 .15 Mt. Royal. Pansy purple .20 Nuee d'Orage. Slate gray with bronze and purple falls .20 .15 Opera. Violet red, purple falls .25 .20 Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Oueen Caterina. Lavender /iolet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18		20	1.5
Mad. Henri Cayeau. Dark purple .20 .15 Magnifica. Violet and reddish violet .20 Mary Barnet. Lavender blue .20 .15 Midnight. Dark blue .20 .15 Mme. Chobaut. Buff and wine, dotted .25 Moonlight. Silvery white .20 .15 Monsignor. Violet purple, crimson falls .20 .15 Mt. Royal. Pansy purple .20 Nuee d'Orage. Slate gray with bronze and purple falls .25 .20 Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Rhea. Violet .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18			
Magnifica. Violet and reddish violet .20 Mary Barnet. Lavender blue .20 .15 Midnight. Dark blue .20 .15 Mme. Chobaut. Buff and wine, dotted .25 Moonlight. Silvery white .20 .15 Monsignor. Violet purple, crimson falls .20 .15 Mt. Royal. Pansy purple .20 Nuee d'Orage. Slate gray with bronze and purple falls .25 .20 Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender /iolet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18	<u>-</u>		
Mary Barnet, Lavender blue .20 .15 Midnight, Dark blue .20 .15 Mme. Chobaut, Buff and wine, dotted .25 Moonlight, Silvery white .20 .15 Monsignor, Violet purple, crimson falls .20 .15 Mt. Royal, Pansy purple .20 Nuee d'Orage, Slate gray with bronze and purple falls .25 .20 Pallida Dalmatica, Lavender .25 .20 Pallida speciosa, Light blue .20 .15 Pluie d'Or, Yellow .30 Pocahontas, White, edged blue .25 .18 Prairie Gold, Yellow .20 .15 Princess Victoria Louise, Sulphur yellow, rich violet falls .20 .15 Prospero, Lavender and purple .20 .15 Rhea, Violet .20 .15 Rhein Nixe, White, violet falls .20 .15 Robt, W. Wallace, Violet purple .20 .15 Shekinah, Pale yellow, shading to buff .25 .20 Sherwin-Wright, Golden yellow .25 .18			.15
Midnight. Dark blue .20 .15  Mme. Chobaut. Buff and wine, dotted .25  Moonlight. Silvery white .20 .15  Monsignor. Violet purple, crimson falls .20 .15  Mt. Royal. Pansy purple .20  Nuee d'Orage. Slate gray with bronze and purple falls .25 .20  Pallida Dalmatica. Lavender .25 .20  Pallida speciosa. Light blue .20 .15  Pluie d'Or. Yellow .30  Pocahontas. White, edged blue .25 .18  Prairie Gold. Yellow .20 .15  Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15  Prospero. Lavender and purple .20 .15  Prospero. Lavender and purple .20 .15  Rhea. Violet .20 .15  Rhea. Violet .20 .15  Rhein Nixe. White, violet falls .20 .15  Robt. W. Wallace. Violet purple .20 .15  Shekinah. Pale yellow, shading to buff .25 .20  Sherwin-Wright. Golden yellow .25 .18			1 =
Mme. Chobaut. Buff and wine, dotted .25  Moonlight. Silvery white .20 .15  Monsignor. Violet purple, crimson falls .20 .15  Mt. Royal. Pansy purple .20  Nuee d'Orage. Slate gray with bronze and purple falls .20 .15  Opera. Violet red, purple falls .25 .20 Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15  Pluie d'Or. Yellow .30  Pocahontas. White, edged blue .25 .18  Prairie Gold. Yellow .20 .15  Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15  Prospero. Lavender and purple .20 .15  Rhea. Violet .20 .15  Rhea. Violet .20 .15  Rhein Nixe. White, violet falls .20 .15  Robt. W. Wallace. Violet purple .20 .15  Shekinah. Pale yellow, shading to buff .25 .20  Sherwin-Wright. Golden yellow .25 .18	-		
Moonlight. Silvery white		.20	.15
Monsignor. Violet purple, crimson falls	,	0.5	
Monsignor. Violet purple, crimson falls			1-
falls .20 .15  Mt. Royal. Pansy purple .20  Nuee d'Orage. Slate gray with bronze and purple falls .20 .15  Opera. Violet red, purple falls .25 .20  Pallida Dalmatica. Lavender .25 .20  Pallida speciosa. Light blue .20 .15  Pluie d'Or. Yellow .30  Pocahontas. White, edged blue .25 .18  Prairie Gold. Yellow .20 .15  Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15  Prospero. Lavender and purple .20 .15  Queen Caterina. Lavender /iolet, orange beard .20 .15  Rhea. Violet .20 .15  Rhein Nixe. White, violet falls .20 .15  Robt. W. Wallace. Violet purple .20 .15  Shekinah. Pale yellow, shading to buff .25 .20  Sherwin-Wright. Golden yellow .25 .18		.20	.15
Mt. Royal. Pansy purple .20 Nuee d'Orage. Slate gray with bronze and purple falls .20 .15 Opera. Violet red, purple falls .25 .20 Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Oueen Caterina. Lavender /iolet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18		0.0	4.5
Nuee d'Orage. Slate gray with bronze and purple falls			.15
bronze and purple falls2015 Opera. Violet red, purple falls2520 Pallida Dalmatica. Lavender2520 Pallida speciosa. Light blue2015 Pluie d'Or. Yellow30 Pocahontas. White, edged blue2518 Prairie Gold. Yellow2015 Princess Victoria Louise. Sulphur yellow, rich violet falls2015 Oueen Caterina. Lavender violet, orange beard2015 Rhea. Violet2015 Rhein Nixe. White, violet falls2015 Robt. W. Wallace. Violet purple2015 Shekinah. Pale yellow, shading to buff2520 Sherwin-Wright. Golden yellow2520		.20	
Opera. Violet red, purple falls .25 .20 Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Oueen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18		2.0	1-
Pallida Dalmatica. Lavender .25 .20 Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18			
Pallida speciosa. Light blue .20 .15 Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18	- · · · · · · · · · · · · · · · · · · ·		
Pluie d'Or. Yellow .30 Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18			
Pocahontas. White, edged blue .25 .18 Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18			.15
Prairie Gold. Yellow .20 .15 Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18	•		4.0
Princess Victoria Louise. Sulphur yellow, rich violet falls .20 .15 Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18			
yellow, rich violet falls		.20	.15
Prospero. Lavender and purple .20 .15 Queen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18	_	0.0	
Oueen Caterina. Lavender violet, orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18	•		
orange beard .20 .15 Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18		.20	.15
Rhea. Violet .20 .15 Rhein Nixe. White, violet falls .20 .15 Robt. W. Wallace. Violet purple .20 .15 Shekinah. Pale yellow, shading to buff .25 .20 Sherwin-Wright. Golden yellow .25 .18	·		
Rhein Nixe. White, violet falls2015 Robt. W. Wallace. Violet purple2015 Shekinah. Pale yellow, shading to buff2520 Sherwin-Wright. Golden yellow2518			
Robt. W. Wallace. Violet purple20 .15 Shekinah. Pale yellow, shading to buff25 .20 Sherwin-Wright. Golden yellow25 .18			
Shekinah. Pale yellow, shading to buff	•		
buff .25 .20 Sherwin-Wright. Golden yellow .25 .18		.20	.15
Sherwin-Wright. Golden yellow25 .18			
Snow White. White			.18
	Snow White. White.	.20	

		25 up each
*Iris germanica		
Souv. de Mad. Gaudichau. Deep	00	15
velvety purple	.20	.15
Taj Mahal. White	.20	.15
Tamerlan. Light blue, darker falls		.15
	.20	.15
True Delight. Pure pink	.25	1 =
	.20	.15
Wedgewood. Blue	.20	.15
intermedia hybrids. May, 18"	.25	.18
Gerda. Creamy yellow, darker falls.		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.30	.25
Awaji. Large white overlåid lavende		
Bandai-San. White standards and f		
dered lavender.	,	
Blue Bird. Single dark blue.		
<b>Eumee.</b> Double lavender blue.		
Fascination. Double mauve pink, veined white.		
Florence. Amaranth purple.		
Fukushima. Reddish purple, veined w	hite.	
Gold Bound. White, yellow shadings.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo.		
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet p	urple	•
Purple & Gold. Violet purple, golden	throa	at.
Pyramid. Double violet purple, veine	d whi	ite.
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety she	en.	
<b>Uchiu.</b> Crimson purple, white veins.		
Warei-hotei. Lavender blue, light bl	ue ha	ilo.
prismatica. Violet, May, June, 2'	.25	.18
pseudacorus. Yellow, June, 3'	.25	.18
		,

Iris	5-24 each	25 up each
*pumila alba. Dwarf, white, April, 9"	.25	.20
*pumila atroviolacea. Wine, April, 6"	.25	.20
*pumila Bride. White, April, 6"	.25	.20
pumila Cyanea. Crimson purple, April		
6"	.25	.20
*pumila Curiosa. Yellow, April, May, 9"	.30	.25
*pumila Fairy. Pale blue, April, 6"	.30	.25
*pumila lutea. Pale yellow, April, 6"	.25	.18
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.25	.18
*pumila Sambo. Violet, April 9"	.25	.18
siberica. Purplish blue, June, 3'	.25	.18
sibirica alba. White, June, 3'	.25	.18
sibirica Emperor. Clear blue, May, 2'	.25	.20
sibirica Snow Queen. White, May, 2'	.25	.20
spuria Dorothy Foster. Violet standards		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.25	.20
*tectorum. Blue, June, 1'	.30	.25
*tectorum alba. White, June, 10"	.35	
*verna. Blue, May, June, 6"	.25	.20
versicolor, Blue, June, 2'	.25	.20
Isatis tinctoria. Yellow, May, June, 6'	.25	.18
*Jasione humilis. Blue, July, Aug., 6"	.25	.20
*perennis. Blue, June, July, 6"	.25	.20
*Jeffersonia diphylla. White, May, 8"	.30	.25
*Kniphofia pfizeri. Coral, Aug., Sept., 4'	.30	.25
Early hybrids. Various, Aug., Sept., 2'	.35	
*Lactuca perennis. Blue, June, 15"	.25	.20
*Lamium maculatum. Purple red, summer, 8"	.50	
Lathyrus latifolius. Pink to Red, July, 6'	.25	.18
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.25	.18
officinalis alba. White, July, 2'	.25	.20
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.30	.25
*Lewisia rediviva. Pink, June, July, 3"	.40	
Liatris pycnostachya. Purple, Aug., Sept., 4'	.25	
spicata. Purple, Aug., 3'	.25	.18
Ligularia clivorum. Yellow, Aug., Sept., 3'	.25	.18
Lilium batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June, July, 3'	.25	.20
candidum. White, June, 3'	.50	.40
carolinianum. Orange, July, Aug., 3'	.50	

· ·	5-24 each	25 up each
Lilium	4.5	
concolor. Scarlet, July, 1'	.45	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	.75	
longiflorum. giganteum. Waxy white, 2'	.75	20
pardalinum. Scarlet and yellow, 2'	.35	.30
phillippinense formosanum. White,	.50	
June, July, 2' Orange red, June, July	.00	
3'	.45	.40
regale. White, July, 4'	.35	.30
superbum. Orange, July, Aug., 5'	.30	.25
*tenuifolium. Scarlet, June, 18"	.40	.35
testaceum. Apricot, June, July, 5'	2.50	,00
tigrinum. Orange, spotted, Aug., 4'	.40	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.40	
umbellatum. Scarlet red, July, 2'	.40	.35
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.25	.18
eximium. Lilac rose, Aug., 2'	.25	.18
*gmelini. Purplish blue, Aug., 18"	.25	.18
*latifolium. Blue, July, Aug., 2'	.25	.18
*Linaria aequitriloba. Pale mauve, June, 1"	.25	.20
*alpina. Blue, summer, 6"	.25	.18
*alpina rosea. Rose, summer, 6"	.25	
*cymbalaria. Lavender, summer, 4"	.25	.18
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'		.20
*Linum austriacum. Blue, summer, 3'		.20
*alpinum. Blue, June, 10"	.25	.20
*flavum. Yellow, June, July, 1'	.25	
*narbonnense. Blue, June, July, 2'	.30	
*perenne. Blue, June, July, 1½'	.25	.18
*Lithospermum purpureo-caeruleum. Blue May, 10"	60	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.60 .25	10
siphilitica. Blue, Sept., 3'	.20	.18
Lupinus polyphyllus. Blue, June, July, 3'	.25	.20
polyphyllus albus. White, June, July, 3'		.20
polyphyllus roseus. Pink, June, July, 3'		.20
Russell hybrids. Various, June July, 3'		.20
	.00	

*Lychnis alpina. Rose color, June, 1'	5-24 each .25 .25 .25 .25 .25 .25 .25 .25	25 up each .18 .18 .18 .18 .18 .18 .18
*nummularia. Yellow, June, July, 6"  *nummularia aurea. Yellow leaves, 3"  punctata. Yellow, June, 3'  vulgaris. Yellow, July, Aug., 3'	.25 .25 .25 .25 .25	.20 .18 .20 .20
Lythrum alatum. Magenta, July, Aug., 3' salicaria roseum. Rose, July, 4 superbum The Beacon. Rose, July, 3' virgatum. Deep rose, July, Aug.,1½'	.25 .25 .30 .25	.18 .20 .25
Malva alcea. Rosy purple, July, Aug., 3'  moschata. Rose, July, Aug., 2'  moschata alba. White, July, Aug., 2'  Marrubium vulgare. White, summer, 3'	.25 .25 .25	.18 .18 .18
Matricaria Golden Ball. Yellow, summer, 1' *parthenoides. White, May, 1' Silver Ball. Dbl. white, summer, 1'	.25 .25 .25	.18 .18
*Mazus reptans. Lilac, April, 4"	.25	.20
Melissa officinalis. White, Aug., 2"		.18
Mentha anisatus. Anis-flavored. 15" crispa. Curly mint. 12" piperita. Peppermint. Purple, 2' *requieni. Mauve, July, Aug., 2" rotundifolia. Apple mint. 30"	.25 .25 .25 .25	.18 .20
*Mertensia virginica. Purplish blue, March, April, 2'	.20	.15
*Micromeria rupestris. White, fall, 10"		.13
Mimulus luteus. Yellow, summer, 1'		.20
Mitchella repens. White shaded pink, Mar	•,	.25

	5-24 each	25 up each
Monarda didyma. Red, July, Aug., 3'	.25	.18
didyma alba. White, summer, 3'	.25	.20
didyma Cambridge. Scarlet, July, Aug.,		
3′	.25	.20
didyma Salmonea. Salmon, July, Aug., 3'	.30	.25
didyma Sunset. Mahogany. July, Aug., 3'	.25	.20
didyma splendens. Scarlet, July, Aug., 3'	.25	.18
didyma violacea. Voilet, July, Aug., 3'	.25	.18
fistulosa. Lilac, July, 3'	.25	.18
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.25	.18
*alpestris alba. White, May, June, 8"	.25	.18
*alpestris pink. May, June, 8"	.25	.18
*palustris. Blue, all summer, 6"	.25	.18
*palustris Pink Beauty. All summer, 6"	.25	.20
*Nepeta hederacea. Blue, May, 2"	.25	.18
macrantha. Lavender, summer, 2'	.25	.18
*mussini. Blue, June, July, 1'	.25	.18
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.25	.20
*Nierembergia rivularis. Creamy white, sum-		
mer, 4"	.30	.25
Oenothera fraseri. Yellow, summer, 1'	.25	.18
fruiticosa major. Yellow, summer, 2'	.25	.18
fruiticosa youngi. Lemon, June, July, 2'	.25	.20
lamarckiana. Yellow, July, Aug., 4'	.25	.18
missouriensis. Yellow, July, Aug., 6"	.30	.25
rosea. Rose, summer, 15"	.30	.25
speciosa. White, July, Aug., 1½	.25	
		.18
Onoclea sensibilis. Sensitive Fern	.25	.20
struthiopteris. Ostrich Fern.,	.25	.20
Onopordon bracteatum. Pink, July, 5'	.25	.20
*Opuntia fragilis. Yellow, June, 4"	.30	.25
*humifusa. Yellow, June, 10"	.30	.25
megacantha. Yellow, June, 3'	.30	.25
Origanum vulgare. Pink, summer, 2'	.30	
*Orobus vernus. Rose purple, May, 1'	.35	

	5-24 each	25 up each
*Osmunda cinnamonea. Cinnamon Fern	.25	.20
regalis. Royal Fern	.25	.20
Pachysandra terminalis. White, May, 3"		
2 year from pots	.20	.15
Paeonia officinalis rosea. Rose pink	.60	.50
officinalis rubra. Red	.60	.50
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.60	
August Dessert. Velvety rose	.75	
Beauty of France. Pale rose	.60	.50
Claire Dubois. Satiny pink	.65	
Dr. Vandertak. Crimson	.65	
Duc de Wellington. White	.60	.55
Duchess de Nemours. Creamy white	.60	.55
Edulis. Deep rose	.50	.45
Felix Crousse. Brilliant red	.60	.55
Festiva maxima. Finest early white	.60	.55
Karl Rosenfield. Early red	.60	
Lady Alexandra Duff. Pale pink	.85	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.75	
Marie Lemoine. Creamy white	.75	.60
Marquise of Lansdowne. Large, pink	.75	
Mons. Martin Cahuzac. Dark pur-		
ple garnet	1.00	
Mons. Jules Elie. Pink with dark-		
er guard petals		.75
Mrs. Van Leeuwen. Light crimson	.65	
Roem von Boskoop. Deep rose	.50	.45
Solange. White petals, golden		
brown center		
Souv. de Louis Bigot. Bengal rose	.85	
Therese. Violet rose	1.00	
Triumph de Paris. Light pink, yel-		
low center	.50	.45
Virginie. Lilac rose		.45
Walter Faxon. Pure pink		
Wm. Mesman. White		.50
single Japanese. Named varieties	1.00	
Alba Grandiflora. White		
Cleopatra. Red		
<b>Eva.</b> Bright lilac-crimson.		
Jacqueline. Pure white.		

	each	each
Paeonia single Japanese		
<b>L'Etincelante</b> . Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to w	hite.	
Shi-pen-kue. Nearest to blue in Peo	nies.	
suffruticosa. Tree Peony. (See Page 91	)	
*Papaver alpinum. Various, summer, 6"	.25	.20
*nudicaule. All colors, summer, 8"	.25	.18
*orientale bracteatum. Red, June, 2'	.25	.20
<b>criental.</b> Orange scarlet, June, 2'	.25	.18
Beauty of Livermore. Crimson,		
June, 3'	.35	
Fairy. Pale pink, June, 2'	.35	.30
Lulu A. Neeley. Ox-blood red,		
June, 3'	.40	
May Sadler. Salmon, June, 2'	.40	
Mrs. Perry. Salmon pink, June, 3'	.40	.35
Olympia. Scarlet, June, 3'	.35	.30
Perry's White. White, June, 3'	.35	
Wurtembergia, Rose-red, June, 2'	.40	.35
pilosum. Brick red, June, 3'	.30	.25
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.25	.20
*Pennisetum japonicum. Fountain Grass	.30	25
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.25	.20
barbatus. Scarlet, July, 3'	.25	.18
barbatus coccineus. Scarlet, July, Aug., 4'	.25	.20
barbatus Pink Beauty. Pink, summer, 2'	.30	.25
digitalis. White, Aug., 3'	.30	.25
Garnet. Red, summer, 18"	.30	.25
glaber. Blue, summer, 2'	.25	
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug., 2'	.25	.20
ovatus. Blue, July, Aug., 3'	.25	.18
*pygmaeus. Purplish blue, summer, 6"	.25	.20
unilateralis. Blue, June, 2'	.30	.25
Phalaris arundinacea variegata Ribbon Grass	.25	.18
*Phlox amoena. Pink, May, 4"	.25	.18
*divaricata. Lavender, May, June, 1'	.25	.20
*divaricata laphami. Violet, June, 1'	.30	.25

	5-24 each	25 up each
Phlox		
glaberrima. Pink, June, 18"	.25	.20
maculata. Purplish red, May, June, 4'	.25	.18
*ovata. Red, May, June, 1'	.25	
paniculata. 2-3'		
Africa. Carmine, red eye	.25	.18
Antonin Mercie. Lilac, white center	.25	.20
America. Rose pink	.25	.20
B. Compte. Rich French purple	.25	.20
Baron von Dedem. Salmon red	.25	.20
Border Queen. Dwarf pink	.25	
Capt. Koehl. Blood red	.30	
Caroline Vandenburg. Lavender blue	.30	
Champs Elysees. Rich purple		
crimson	.25	.18
Colonial. Light blue	.25	.20
Commander. Crimson	.25	20
Count Zeppelin. White, red eye	.30	
Daily Sketch. Salmon pink, car-	0.0	0.5
mine eye	.30	.25
Enchantress. Salmon pink, dark eye	.25	.20
Elizabeth Campbell. Salmon pink.	.25	.20
Ethel Pritchard. Mauve	.25	.20
Evelyn. Salmon rose	.25	.20
Feuerbrand. Orange scarlet	.25	.20
Fiance. White	.25	.20
George Stipp. Salmon, lighter eye Gustave Lind. Deep salmon	.30	.25
Johnson's Favorite. Salmon rose.	.30 .25	.20
Jules Sandeau. Large pink		.25
Karl Foerster. Orange scarlet		.40
Lavender Beauty. Lavender	.25	.20
Louis Abbema. Dwarf white		.20
Leo Shlageter. Bright scarlet	.30	.25
Lilian. Fine light pink	.30	.20
Mad. Paul Dutrie. Soft pink	.30	.25
Maid Marian. Soft lavender	.30	.25
Mary Louise. Pure waxy white	.30	.25
Mia Ruys. White	.30	.20
Mrs. Jenkins. Pure white		.18
Mrs. Milly van Hoboken. Soft pink		.20
Miss Lingard. White	.30	.25
Mrs. W. Van Bueningen. Salmon red		.25

Phlox paniculata	5-24 each	each
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.25	.18
Rheinlander. Salmon pink, claret		
eye	.25	.18
Rokoko, Soft pink	.25	.20
R. P. Struthers. Carmine, claret eye	.25	.18
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.25	.18
Splendour, Pink	.30	.25
Thor. Deep salmon pink	.25	.20
Von Hockberg. Velvety red	.30	.25
Widar. Light reddish violet, white		
eye,	.25	.20
*pilosa. Lavender, May, 1'	.25	.20
*reptans. Lilac, May, 6-12"	.25	.18
*stellaria. Creeping, May, 4"	.25	.18
*subulata alba. White, April, May, 4"	.25	.18
*subulata atropurpurea. Purple, Apr., 4"	.25	.20
*subulata Blue Hills. Light blue, April, 4"	.30	
*subulata Camla. Pink, May, 4"	.35	.30
*subulata Dixie Brilliant. Red, May 4"	.30	.25
*subulata Fairy. Blue, purple eye, April		
4"	.25	.18
*subulata G. F. Wilson. Lilac, May, 6"	.25	.18
*subulata lilacina. Light blue, April		
May, 4"	.25	.18
*subulata Little Dot. Lilac, April, 4"	.25	.18
*subulata nelsoni. White, May, 4"		.18
*subulata Perfection. Rose, pink eye,		
April, 4"	.25	.18
*subulata rosea. Pink, May, 4"		.18
*subulata The Bride. White, pink eye,		
May, 5"	.25	.18
*subulata Vivid. Pink, red eye, April, 4"	.25	.20
Phygelius capensis. Red, Aug., Sept., 3'	.25	
Physalis francheti. Red pods, Oct., 2'	.25	.20
Physostegia virginiana. Rose, Aug., 3'	.25	.18
virginiana alba. White, Aug., 3'		.18
virginiana Vivid. Deep pink, Aug., 2'		.25
Phyteuma orbiculare. Purple, June, July, 2'		.25
*scheuchzeri. Violet, June, 1'		.20
Platycoden grandiflorum. Blue, summer, 2'		.18
A TOTAL DISTRICT OF THE PROPERTY OF THE PROPER	1000	0.4.4

*Platycoden	5-24	25 up
grandiflorum album. White, summer, 2'	each .25	each .18
*mariesi. Deep blue, summer, 1'	.30	.25
*mariesi album. White, summer, 1'	.30	.25
*Plumbago larpentae. (See Ceratostigma).		•==
Podophyllum peltatum. White, May, June, 1'	.25	.18
*Polemonium caeruleum. Deep blue, June		
July, 1½'	.25	.18
*caeruleum album. White, June, July,	· · · · ·	•
1½	.25	
*confertum. Blue, June, July, 18"	.25	.20
*reptans. Blue, May, June, 6"	.25	.20
richardsoni. Sky blue, May, June, 6"	.25	.20
*Polygonum compactum. White, Aug., Sept.,		
1½'	.25	.20
cuspidatum. White, Aug., Sept., 5'	.25	.20
oxyphyllum. Creamy white, Sept., 3'	.30	.25
reynoutria. Pink, Sept., 1'	.50	.20
spaethi. Pink, Sept., 6'	.50	
Polystichum acrostichoides. Christmas Fern	.25	.18
*Potentilla atrosanguinea. Red, summer, 18"	.25	.20
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.25	.20
*nepalensis. Showy red, May, June, 2'	.25	.18
*nepalensis Miss Willmott. Salmon pink,	.20	.10
summer, 12"	.30	.25
	.25	.18
*pyrenaica. Yellow, summer, 18"	.25	.20
*tridentata. White, summer, 1'	.30	.25
*Primula acaulis. Yellow, May, 9"  *auricula alpina. Various, May, 6"	.30	.25
		.30
*beesiana. Purple, May, 18"  *bulleyana. Apricot, June, 18"	.35 .35	.30
	.35	.30
*bulleyana hybrids. Various, May, 18"		
*cashmiriana. Light lilac, May, 8"	.35	.30
*cortusoides. Deep rose, June, 10"	.35	.30
*denticulata. Purple, yellow eye, May, 6"	.35	.30
*denticulata alba. White, May, 6"	.40	.35
*elatior. Yellow, May, 8"	.35	
*elatior atrocoerulea. Dark blue, May, 8"	.45	0.77
florindae. Yellow, May, 4'	.40	.35
*japonica atrosanguinea. Red, May,	6.11	
June, 1'	.35	.30
*japonica pink. May, June, 1'	.35	
*moerheim hybrids. Various, May, 12"	.40	.35

	5-24 each	25 up each
*Primula		• • • • • • • • • • • • • • • • • • • •
*polyanthus. White, or yellow, May, 10"	.30	.25
*saxatilis. Rose, May, 10"	.35	.30
*veris. Yellow, April, May, 9"	.30	.25
*veris Giant Munstead. Various, May, 1'	.30	.25
*veris Gold Laced. Various, May, 9"	.35	.30
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May,8"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.25	.20
*incisa rubra. Red, summer, 6"	.25	.20
*webbiana. Purple, summer, 6"	.25	.20
Pyrethrum Dainty. Dbl. cherry red, sum-		
mer, 1'	.35	
James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink,		
June, 1'	.25	
Rose Glory. Dbl. rose, June, 1'	.25	
roseum. Various, May, June, 1'	.25	.18
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.30	.25
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept., 5'	.25	.18
Ranunculus acris fl. pl. Yellow, June, 3'	.25	.20
*repens. Yellow, June, 4"	.25	.18
repens fl. pl. Yellow, June, 1'	.25	.18
Rosmarinus officinalis. Light blue, April, 4"	.30	.25
Rudbeckia Autumn Glory. Yellow, Aug.,		
Sept., 6'		.18
hirta. Yellow, Aug., Sept., 3'		.18
laciniata. (Golden Glow). Yellow, Aug.,6'		.18
nitida. Single yellow, Aug., Sept., 6'		
Rayon d'Or. Yellow, Aug., 5'		
speciosa. Yellow, July, Aug., 2'	.25	.18
subtomentosa. Lemon yellow, Aug.,		
Sept., 4'		.18
*Ruta graveolens. Yellow, summer, 2½'		.18
*Sagina subulata. White, July, Aug., 3"		.20
Salvia argentea. Pinkish white, June, 3'	.25	.18
azurea. Blue, Aug., 4'	.25	
azurea grandiflora. Blue, Aug., 4'	.30	
farinacea. Blue, July, 2-3'	.25	
glutinosa. Yellow, June, July, 3'		
officinalis. Blue, summer, 18"	.25	.18

pitcheri. (See azurea grandiflora).  pratensis. Deep blue, June, 3'	0 8 8 0 0 8 0
pratensis. Deep blue, June, 3'	8 8 0 0 8 0
pratensis alba. White, June, 3'30 pratensis rubicunda. Rose, June, July, 3' .30 viscosa. Pink, July, 3'25 .18 *Sanguinaria canadensis. White, April, 8"25 .18 *Santolina chamaecyparissus. Gray foliage, 1'2520 *Saponaria caespitosa. Rose, July, 3"2520 *ocymoides. Pink, summer, 9"2520 *ocymoides alba. White, summer, 9"2520 officinalis rosea pl. Pink, summer, 18"2520 *Saxifraga aizoides. Yellow, Aug., 4"25	8 8 0 0 8 0
pratensis rubicunda. Rose, June, July, 3' .30 viscosa. Pink, July, 3' .25 .18 *Sanguinaria canadensis. White, April, 8" .25 .18 *Santolina chamaecyparissus. Gray foliage, 1' .25 .20 *Saponaria caespitosa. Rose, July, 3" .25 .20 *ocymoides. Pink, summer, 9" .25 .18 *ocymoides alba. White, summer, 9" .25 .20 officinalis rosea pl. Pink, summer, 18" .25 .20 *Saxifraga aizoides. Yellow, Aug., 4" .25	8 0 0 8 0
viscosa. Pink, July, 3' .25 .18 *Sanguinaria canadensis. White, April, 8" .25 .18 *Santolina chamaecyparissus. Gray foliage, 1' .25 .20 *Saponaria caespitosa. Rose, July, 3" .25 .20 *ocymoides. Pink, summer, 9" .25 .18 *ocymoides alba. White, summer, 9" .25 .20 officinalis rosea pl. Pink, summer, 18" .25 .20 *Saxifraga aizoides. Yellow, Aug., 4" .25	8 0 0 8 0
*Sanguinaria canadensis. White, April, 8"	8 0 0 8 0
*Santolina chamaecyparissus. Gray foliage, 1' .25 .20 *Saponaria caespitosa. Rose, July, 3"25 .20 *ocymoides. Pink, summer, 9"25 .18 *ocymoides alba. White, summer, 9"25 .20 officinalis rosea pl. Pink, summer, 18"25 .20 *Saxifraga aizoides. Yellow, Aug., 4"25	0 0 8 0
*Saponaria caespitosa. Rose, July, 3"	0 8 0
*ocymoides. Pink, summer, 9"25 .18 *ocymoides alba. White, summer, 9"25 .20 officinalis rosea pl. Pink, summer, 18"25 .20 *Saxifraga aizoides. Yellow, Aug., 4"25	8
*ocymoides alba. White, summer, 9"	0
officinalis rosea pl. Pink, summer, 18"	
*Saxifraga aizoides. Yellow, Aug., 4"	0
- · · · · · · · · · · · · · · · · · · ·	
*altissima. White, May, June, 2'	
*borisi. Yellow, May, June, 3"	
*caespitosa. Various, June, July, 6"25	
*cochlearis. White, May, June, 9"	
*cordifolia. Rose pink, May, June, 1'30 .25	
*cotyledon. White, May, June, 18"30 .25	
*crassifolia. Rosy pink, April, 1'30 .25	
*decipiens. White, May, June, 4"30 .25	5
*grisebachi. Purple, May, June, 8"40	
*haussmani. Yellow, May, June, 8"25	_
*lantoscana. White, May, June, 1'30 .23	
*lingulata rosea. Pink, April, 1 <sup>^</sup>	
*lingulata leichtlini. Rose, April, 1'	
*longifolia. White, May, June, 2'	0
*marginata. White, May, June, 3'	•
*McNabiana. White, May, June, 12"35 .30	
*purpurea. Rosy purple, April, 1'25 .20	
*sarmentosa. White, summer, 2'	5
Scabiosa caucasica. Lavender, all sum-	
mer, 1'	
*caucasica alba. White, summer, 1'35	
caucasica House's Hybrids. Various,	
summer, 1'	
fischeri. Blue purple, summer, 2'	
japonica. Lavender, Aug., Sept., 18"	
*Schivereckia bornmulleri. White, summer, 4" .30 .2	5
*Scutellaria alpina. Purple and white, sum-	
mer, 6"	
*coelestina. Blue, summer, 1'	111

*Scutellaria	5-24 each	25 up each
*orientalis. Yellow, June, July, 8"	.25	.20
*Sedum acre. Yellow, June, July, 4"	.25	.18
*aizoon. Yellow, July, Aug., 1'	.25	
*album. White, July, 4"	.25	.18
*altissimum. Yellow, July, Aug., 9"	.25	.20
*anglicum. Pink, July, Aug., 3"	.25	
	.25	.18
*ewersi. Pink, Aug., Sept., 6"	.25	.18
*glaucum. Blue foliage, 2"	.25	.18
*kamtschaticum. Yellow, July, 6"	.25	.18
*maximowiczi. Yellow, July, 1'	.25	.18
*maximum. Pink, Sept., Oct., 18"	.25	.18
*middendorffianum. Yellow, June, July,		
4"	.25	.18
*murale. Pink, July, 1'	.25	.18
*obtusatum. Yellow, July, Aug., 3"	.25	.20
*reflexum. Yellow, July, Aug., 8"	.25	.18
*sarmentosum. Yellow, July, 3"	.25	.18
*sexangulare. Yellow, June, July, 6"	.25	.18
*sieboldi. Pink, July, Aug., 1'	.30	.25
*spectabile. Pink, Aug., Sept., 1½'	.25	.20
spectabile Brilliant. Crimson, Sept., 1½'	.25	.20
*spurium album. White, July, Aug., 6"	.25	.18
*spurium splendens. Rosy crimson,		
Aug., 6"	.25	.20
*stoloniferum. Pink, July, Aug., 6"	.25	.18
*stoloniferum coccineum. Crimson,		
Aug., 6"	.25	.18
*ternatum. White, May, June, 4"	.25	.20
*Sempervivum arachnoideum. Red, June, 4"	.25	.20
*arenarium. Yellow, July, 6"	.25	.18
*alberti. White, July, 8"		.20
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.25	
*doellianum. Red, June, July, 6"	.25	.20
*funcki. Brown, June, July, 6"	.25	.20
*fauconetti. Pink, June, 6"		.20
*fimbriatum. Pink, July, 8"	.25	.20
*glaucum. Pink, July, Aug., 6"	.25	.20
*globiferum. Yellow, June, 12"	.25	.18
*tectorum violaceum. Violet red, June, 4"	.25	.18
*Shortia galacifolia. White, June, 8"	.35	.30

	5-24 each	25 up each
Sidalcea Rose Queen. Rose pink, July,	eacm	edcri
Aug., 4'	.25	.18
*Silene alpestris. White, May, June, 6"	.25	.18
*maritima. White, summer, 1'	.25	.18
*maritima rosea. Pink, summer, 1'	.25	.20
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.25	.18
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.25	.20
*schafta. Bright pink, July, 6"	.25	.20
Silphium perfoliatum. Yellow, July, 6'	.25	.20
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.30	.25
Smilacina racemosa. White, April, 2-3'	.25	.20
Solidago canadensis. Yellow, fall, 4-5'	.25	.18
rigida. Yellow, fall, 3-4'	.25	.18
shorti. Yellow, fall, 4'	.25	.20
Spigelia marilandica. Red, June, July, 2'	.35	
*Spirea aruncus. White, June, July, 3-5'	.25	.20
camtschatica. White, July, 6'	.25	.18
chinensis. Silvery pink, June, July, 2'	.25	.18
eximea. Pink, June, July, 2'	.25	.20
filipendula. Single, White, June, July, 1'	.25	.20
filipendula fl. pl. White, summer, 15"	.30	•
lobata. Pink, July, 4'	.25	.20
palmata. Rosy crimson, June, July, 2'	.25	.18
ulmaria fl. pl. White, June, 3-4'	.25	.20
venusta magnifica. Deep pink, July, 3'	.25	.20
Stachys lanata. Purple, June, July, 18"	.25	.18
Statice. (See Limonium).	0.5	0.0
*Stellaria holostea. White, May, June, 1½'.		.20
*Stenanthium robustum. White, Aug., 3'		10
Stokesia laevis. Lavender, Aug., Sept., 1'		.18
laevis alba. White, Aug., Sept., 1'	.25	.18
laevis Blue Moon. Blue, Aug., Sept., 1'	.35	.30
Tanacetum vulgare. Yellow, summer, 3'		
Teucrium chamaedrys. Rose, Aug., 1'	.30	.25
orientale. Blue, Aug., 10"	.30	
Thalictrum adiantifolium. Yellow, June, 4'	.25	
aquilegifolium. White, June, 5'	.25	.18
aquilegifolium purpureum. Purple,	0.0	0.5
June, 3'		.25
biacalens. Yellow, June, 4'		.20
dipterocarpum. Lilac, Aug., 3'	.30	.25

Thalictrum.	5-24	25 up
glaucum. Golden-yellow, June, 4'	.30	each .25
minus. Greenish yellow, June, July, 2'	.25	.18
Thermopsis caroliniana. Yellow, June, 6'	.30	.25
mollis. Yellow, June, July, 2-3'	.30	4.0
Thymus odoratissimus. Lilac, summer, 6"	.25	.18
*nitidus. Rose, June, July, 3"	.25	.20
*serpyllum. White, June, 4"	.25	.18
*serpyllum citriodorus. Purple, June,	0.5	20
July, 3-5"	.25	.20
*serpyllum coccineus. Scarlet, June, 4"	.25	.20
*serpyllum lanuginosus. Rosy purple,	0.5	9.0
June, July, 5"	.25	.20
*serpyllum roseus. Rose, summer, 8"	.25	.20
vulgaris. Lilac, June, July, 8"	.25	.20
*Tiarella cordifolia. Creamy white, June, 8"	.25	.18
Tradescantia virginiana. Blue, all summer, 2'	.25	.18
James Stratton. Deep blue, summer, 1'	.40	
Purple Dome. Purple, summer, 1'	.40	
Pauline. Cattleya mauve, summer, 1'	.40	
James C. Weguelin. Blue, summer, 1'	.30	.25
*Trientalis borealis. White, fall, 6"	.25	.20
*Trillium erectum. Purple, May, 1'	.25	.18
*grandiflorum. White, May, 1'	.25	.18
Tritoma. (See Kniphofia).		
Trollius asiaticus. Rich orange, July, Aug.,		
2'		.30
*europeus. Citron yellow, July, Aug., 1'		.25
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe. Orange, sum-		
mer, 18"	.35	.30
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	
*Tunica saxifraga. Light pink, June, July, 6"	.25	.18
*saxifraga alba. White, summer, 6"	.25	
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'.	.25	.20
Verbascum chaixi. White, summer, 3'	.25	.20
*Cotswold Gem. Amber, June, 4'		.25
olympicum. Yellow, July, Aug., 5'	.25	.18
phoeniceum. Various, May, June, 3'		.18
willmottiae. White, summer, 5'	.25	.18

	5-24 each	25 up each
*Verbena canadensis. Purple, Aug., 18"	.30	.25
hastata. Blue, Aug., Sept., 3'	.25	.18
Vernonia noveboracensis. Purple, Aug.,		
Sept., 5'	.25	.20
*Veronica allioni. Violet, June, 2"	.25	.20
*alpestris. Pale blue, June, 18"	.25	.18
amethystina Royal Blue. June, July, 12"	.25	.20
*Blue Spires. Blue, summer, 18"	.30	.25
caucasica. White, July, 6"	.25	.18
*chamaedrys. Blue, May, June, 18"	.25	.18
*elegantissima. Blue, July, Aug., 2'	.25	.18
*erica. Pink, summer, 10"	.25	.18
*filiformis. Blue, May, 2"	.30	.25
*incana. Pale blue, July, Aug., 1½'	.25	.18
*longifolia subsessilis. Blue, Aug., Sept., 2'	.35	.30
*orchidea. Blue, July, 18"	.25	.20
*pectinata rosea. Pink, May, June, 6"	.25	.18
*peduncularis. White, June, 6"	.25	.18
*pulchella. Blue, May, 1'	.25	.18
*repens. Pale blue, May, June, 2"	.25	.20
*rupestris. Blue, June, 6"	.25	.20
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2"	.30	.25
*rupestris pink. June. 4"	.30	.25
*saxatilis. Pale blue, July, 6"	.25	.20
*spicata. Blue, July, Aug., 2'	.25	.18
*spicata alba. White, Aug., 18"	.25	
*spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.25	.18
*teucrium prostrata. Blue, June, 1'	.25	.18
*True Blue. June, July, 12"	.25	.20
virginica. Pale blue, Aug., 4'	.25	.20
*Vesicaria utriculata. Yellow, April, May, 8"	.25	.20
Vinca minor. Blue, all summer, 6"	.20	.15
minor alba. White, all summer, 6"	.30	.25
minor Bowles. Blue, summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.25	.18
*bosniaca. Rosy mauve, June, July, 4"	.25	.20
*cornuta Admiration. Purple, all sum-		
mer, 6"	.25	.18
*cornuta alba, type. White, all summer, 6"	.25	.18
*cornuta Apricot, Apricot, summer, 6"	.30	.25

'Viola	5-24 each	25 up each
*cornuta Arkwright Beauty. Red, sum-	eden	CGCII
mer, 6"	.25	
*cornuta atropurpurea type. Purple, 6"	.25	.20
*cornuta Blue Perfection. Blue, all		
summer, 6"	.25	.18
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.35	
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.25	
cornuta G. Wermig. Violet, all sum-		
mer, 6"	.25	.20
*cornuta White Wermig. White, sum-		
mer, 8"	.30	.25
*cornuta Lord Nelson. Blue, summer, 6"	.25	
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.25	.18
*cornuta Mauve Queen. Mauve, all		
summer, 6"	.25	.18
*cornuta Papilio. Violet, all summer, 6"	.25	.18
*cornuta Primrose Dame. Yellow, sum-		
mer, 6"	.25	.20
*cornuta White Perfection. White, all		
summer, 6"	.25	.18
*Double Russian. Blue, June, 4"	.35	.30
*gracilis. Deep violet, summer, 1'	.25	.20
*Jersey Gem. Rich violet, summer, 6"	.30	.25
*odorata. Blue, April, May, 6"	.25	.18
*odorata Gov. Herrick. Blue, May, 6"	.25	.20
*odorata Princess of Wales. Violet, May,		
6"	,25	.20
*odorata Rosina. Pink, May, 4"	.30	.25
*odorata Royal Robe. Violet, summer, 8"	.30	.25
*pedata. Violet, May, June, 6"	.25	.20
*primulifolia. Pale blue, summer, 6"	.30	.25
*Purple Glory. Purple, summer, 6"	.35	
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*wellsiana. Various, all summer, 6"	.25	.20
*White Jersey Gem. Summer, 6"	.25	
Yucca filamentosa. White, June, July, 7'		
2 year	.25	.20
3 year	.30	.25
*glauca. White, June, July, 3'	.30	.25

### FRUIT GARDEN MATERIAL

## We are able to supply all the leading varieties

Apples,		5 to 7 ft 5 to 7 ft	1-4 Each 1.50 1.50	5-24 Each 1.35 1.35	25 & up Each
Cherry,	Sour,	5 to 7 ft	2.25	2.00	
	Sweet,	5 to 7 ft	2.75	2.50	
Peaches		5 to 7 ft	2.00	1.75	
Pears,	Dwarf,	5 to 6 ft	2.25	2.00	
	Standard,	5 to 7 ft	2.25	2.00	
Plums,		5 to 7 ft	2.25	2.00	
Quinces,		4 to 5 ft	2.50		
Asparagus				.15	.12
Blackberries				.20	.18
			.75	.60	
Goosebe	erries		.90	.75	
Grapes,	3 yr. stron	ng	.50	.45	.40
Raspber	ries			.20	.18
Rhubar	<b>b</b>			.25	.22
Strawbe	erries			.18	.15

#### CONIFEROUS EVERGREENS

J. v. keteleeri J. v. kosteri Abies alba A. alba pyramidalis J. v. pendula
J. v. plumosa
J. v. schotti
J. v. tripartita
J. v. venusta A. balsamea A. concolor
A. c. violocea
A. firma
A. fraseri
A. homolepis Libocedrus decurrens Picea abies
P. a. aurea
P. a. clanbrasiliana
P. a. maxwelli
P. a. parviformis
P. a. pendula
P. a. pygmaea
P. a. remonti
P. bicolor
P. engelmanni
P. glauca
P. g. conica
P. g. conica
P. g. densata
P. mariana
P. m. doumeti
P. omorika
P. polita
P. pungans A. nordmanniana
A. pinsapo
A. procera glauca
A. veitchi Picea abies Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. alumi C. I. Triomphe de Boskoop C. nootkatensis C. n. pendula C. obtusa compacta
C. o. gracilis
C. o. nana
C. pisifera C. pisitera
C. p. aurea
C. p. filifera
C. p. filifera aurea
C. p. filifera aurea variegata
C. p. plumosa
C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa sulphurea
C. p. squarrosa
C. p. squarrosa
C. p. squarrosa P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
Pinus banksiana Cryptomeria japonica lobbi Juniperus chinensis P. cembra
P. densiflora
P. flexilis
P. mugo J. c. albovariegata J. c. columnaris
J. c. globosa
J. c. mas P. m. mughus
P. nigra
P. parviflora J. c. neaboriensis J. c. oblonga P. peuce
P. ponderosa
P. resinosa J. c. pfitzeriana J. c. sargenti J. c. smithi P. strobus J. communis P. sylvestris P. thunbergi J. c. depressa J. c. depressa aureo-spica
J. c. hibernica
J. c. suecica Pseudotsuga taxifolia Sciadopitys verticillata J. c. suecica nana J. c. suecica dayi J. conferta Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni
T. canadensis
T. cuspidata J. excelsa J. e. stricta J. horizontalis T. cuspidata
T. c. aurescens
T. c. nana
T. c. nana compacta
T. c. capitata
T. modia J. h. alpina
J. h. glauca
J. h. plumosa J. japonica J. j. aurea J. recurva T. media T. media
T. m. browni
T. m. hatfieldi
T. m. hicksi
Thuja occidentalis
T. o. aurea douglasi
T. o. columbia
T. o. compacta
T. o. cristata J. rigida
J. Sabina
J. s. tamariscifolia
J. s. von ehron J. scopulorum
J. sphaerica
J. sauamata T. o. cristata
T. o. elegantissima
T. o. ellwangeriana J. s. meyeri J. virginiana
J. v. canaerti
J. v. elegantissima
J. v. glauca
J. v. globosa T. o. ericoides T. o. globosa

## Coniferous Evergreens continued

T. o. hoveyi
T. o. pumila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. reevesi
T. o. reidi
T. o. riversi
T. o. rosenthali
T. o. spiralis
T. o. umbraculifera
T. o. vervaeneana

T. o. wareana T. o. woodwardi T. orientalis

T. o. conspicua
T. o. elegantissima
T. o. nana aurea
T. o. sieboldi
T. plicata
T. o. standish

T. standishi

Tsuga canadensis

T. caroliniana

T. sieboldi

#### **BROAD-LEAVED EVERGREENS**

Arctostaphylos uva-ursi

Azalea obtusa amoena
A. o. j. hinodegiri
A. rosmarinifolia
A. r. sekidera A. r. sekiaera
Berberis julianae
B. sargentiana
B. triacanthophora
B. verruculosa
Bruckenthalia spiculifolia
Buxus microphylla
B. m. koreana
B. sempervirens handswor

B. sempervirens handsworthi

B. sempervirens
Calluna vulgaris
C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. compacta
C. v. rubra
C. v. searlei
C. v. searlei

Chamaedaphne calyculata Daphne cneorum

Erica carnea E. darleyensis E. vagans

Euonymus fortunei

E. f. argenteo-marginatus
E. f. carrieri

E. f. colorata E. f. kewensis

E. f. minima
E. f. radicans
E. f. vegetus
E. kiautschovicus

llex cornuta

I. crenata

I. c. bullata I. c. latifolia

I. c. microphylla

l. glabra l. opaca

Kalmia latifolia Leucothoe catesbaei

Lonicera nitida

L. pileata

Mahonia aquifolium Pachistima canbyi Pieris floribunda

P. japonica

Pyracantha lalandi

P. coccinea P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytidophyllum

#### **DECIDUOUS SHADE TREES**

Acer campestre

A. cappadocicum A. mandshuricum

A. negundo
A. nigrum
A. platonoides

A. p. columnare
A. p. schwedleri
A. pseudoplatanus

A. rubrum A. saccharinum

A. s. pyramidale A. s. wieri A. saccharum

Aesculus carnea

A. glabra
A. hippocastanum
A. h. baumanni

A. octandraA. turbinata

Ailanthus altissima

A. vilmoriniana

Alnus cordata

A. glutinosa

A. g. laciniata
A. hirsuta
A. incana
A. japonica

Betula maximowicziana

B. lenta B. lutea B. nigra

B. papyrifera

B. p. cordifolia B. pendula

B. p. fastigiata
B. p. laciniata
B. populifolia
C. caroliniana
Caroliniana

C. cordata
C. japonica
C. tschonoski

#### Deciduous Shade Trees Continued

Carya ovata Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Eucommia ulmoides Fagus grandiflora F. sylvatica F. s. fastigiata F. s. heterophylla F. s. pendula F. s. purpurea F. s. riversi Fraxinus americana F. excelsior F. mandshurica F. nigra F. pennsylvanica F. p. lanceolata quadrangulata Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Juglans cineria J. nigra J. sieboldiana Larix decidua L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron tulipifera L. t. fastigiatum Magnolia acuminata
M. denudata
M. fraseri
M. obovata
M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense lavallei Platanus occidentalis P. orientalis Populus alba P. a. bolleana P. a. nivea P. berolinensis P. candicans P. maximowiczi P. nigra italica P. nigra betulifolia P. simoni
P. suaveolens
P. tremuloides
P. trichocarpa

Prunus serotina Ptelia trifoliata

Quercus alba

Q. bicolor Q. borealis Q. borealis
Q. coccinea
Q. imbricaria
Q. lyrata
Q. macrocarpa
Q. palustris
Q. phellos
Q. prinus
Q. rubra
Q. stellata
Q. texana
Q. velutina
Robinia pseudo Robinia pseudoacacia R. p. bessoniana
R. p. decaisneana
Salix alba chermesina
S. a. vitellina S. a. pendula S. b. crispa S. blanda S. elegantissima S. fragilis S. mandshurica S. niobe S. pentandra S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia S. a. fastigiata
S. thuringiaca
S. torminalis
Taxodium distichum
Tilia americana T. cordata T. euchlora T. europea
T. henryana
T. heterophylla T. oliveri T. platyphyllos T. p. pyramidalis tomentosa Ulmus americana U. a. moline
U. a. urni
U. carpinifolia sarniensis
U. hollandica belgica
U. h. klemmeri
U. h. vegata U. procera U. p. monumentalis U. p. purpurea U. fulva U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia pumila thomasi Zelkova serrata

#### **DECIDUOUS SMALL TREES**

Acer buergerianum A. ginnala A. ginnald
A. giabrum
A. griseum
A. japonicum aureum
A. nikoense
A. palmatum
A. n. atronya

A. palmatum
A. p. atropurpureum
A. p. filicifolium
A. p. elegans
A. pennsylvanicum
A. platanoides globosum
A. sieboldianum
A. spicatum
A. tartaricum
A. laizzia kulibrissia ressa

Albizzia julibrissin rosea

Alnus pendula Aralia spinosa Asimina triloba

Broussonetia papyrifera Cercis canadensis

C. c. alba Cladrastis lutea Cornus florida

C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. k. chinensis C. mas officinalis

Cotinus coggygria Crataegus aprica C. arkansana C. arnoldiana

C. coccinioides
C. crusgalli C. crusgalli
C. cuneata
C. hupehensis
C. intricata
C. lavallei
C. macracantha
C. mollis

C. monogyna C. m. stricta C. nitida C. oxyacantha C. o. plena
C. o. pauli
C. o. punicea
C. o. rosea plena

C. peregrina
C. persistens
C. phaenopyrum
C. phaenopyrum C. pinnatifida major

C. pruinosa C. prunifolia C. punctata C. succulenta C. tomentosa C. viridis

Diospyros virginiana Franklinia alatamaha Halesia tetraptera H. monticola

Idesia polycarpa Kalopanax pictus K. p. maximowiczi Koelreuteria paniculata Laburnum alpinum

L. anagyroides watereri

Maackia amurensis

Magnolia kobus M. salicifolia M. soulangeana M. s. nigra M. s. lennei M. virginiana

Malus angustifolia

M. s. lennei
M. virginiana
Malus angustifolia
M. arnoldiana
M. adstringens
M. atrosanguinea
M. baccata
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda
M. fusca
M. glaucescens
M. halliana
M. h. parkmani
M. hopa
M. hupehensis
M. h. rosea
M. ioensis
M. i. plena
M. micromalus
M. niedzwetzkyana
M. Oekonemurat Echtermeyer
M. p. aldenhamensis
M. p. eleyi
M. p. lemoinei
M. prunifolia rinki
M. robusta
M. r. erecta
M. r. persicifolia
M. sargenti
M. scheideckeri
M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. toringoides
M. tschonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa
Morus alba pendula
Nyssa aquatica
N. sylvatica
Oxydendrum arboreum
Prunus americana

N. sylvatica

Oxydendrum arboreum

Prunus americana
P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi
P. cistena
P. davidiana

P. davidiana P. d. alba P. hortulana P. incisa P. maacki P. moseri fl. pl.

P. moseri II. pr.
P. mume
P. mume fl. pl.
P. padus
P. pennsylvanicum
P. persica
P. p. alboplena

#### Deciduous Small Trees Continued

P. p. Clara Meyer P. p. rubroplena

P. sargenti P. serrulata

P. serrulata
P. s. Amanogawa
P. s. Gioiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Jonioi
P. s. Kuramayami

P. s. Kuramay P. s. Kwanson Kuramavami

P. s. lannesiana

P. s. Miyako P. s. Shirofugen P. s. Shogetsu

P. s. sirotae P. s. Sumizome P. sieboldi syn. Naden

P. subhirtella

P. s. ascendens P. s. autumnalis

P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfakun

Pterostyrax corymbosa Pyrus calleryana

P. betulaefolia P. salicifolia P. serrulata

Rhus chinensis

Robinia fertillis

R. globosa R. hispida

R. holdti R. Margaretta

Salix amygdaloides

S. caprea S. matsudana

S. m. tortuosa S. regalis

Sophora japonica

Sorbus americana

S. commixta S. spuria

Styrax japonica

S. obassia

Syringa amurensis japonica

S. pekinensis

#### **DECIDUOUS SHRUBS**

Abelia chinensis

A. grandiflora

A. schumanni

Acanthopanax sieboldianus Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica

A. canad A. laevis canadensis

A. grandiflora rubescens A. oblongifolia

A. ovalis A. sanguinea

A. stolonifera

Amorpha brachycarpa

A. canescens A. fruticosa

Aronia arbutifolia A. melanocarpa

A. m. elata prunifolia

Artemisia abrotanum

Azalea calendulacea

A. canescens

A. kaempferi

A. lutea

A. mollis

A. nudiflora

A. viscosa A. yedoensis A. y. poukhanensis

Baccharis halimifolia Berberis koreana

B. circumserrata B. thunbergi

B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. erecta

Berchemia racemosa Bischoffia javanica Buddleia Charming

alternifolia

B. davidi

B. d. superba
B. d. veitchiana
B. farquhari
B. Ile de France
B. intermedia

B. lindleyana

B. paniculata

Callicarpa americana

C. dichotoma C. giraldiana C. japonica

Calycanthus floridus

C. occidentalis Caragana arborescens

C. a. lorbergi C. boisi

C. frutex
C. sophoraefolia
Caryopteris incana
Ceanothus americanus

Cephalanthus occidentalis

Cercis chinensis

Chaenomeles japonica

Chaenomeles japonica
C. j. alpina
C. lagenaria
C. l. alba
C. l. cathayensis
C. l. Columbia
C. l. Falconet Charlet
C. l. kermesina semiplena
C. l. pygmaea
C. l. rosea grandiflora
C. l. rosea plena
C. l. rubra
C. l. semperflorens
C. l. umbilicata
C. l. Vermilion
Chionanthus virginicus
Clerodendron trichotomum
Clethra alnifolia

Clethra alnifolia

C. a. paniculata C. barbinervis

Colutea arborescens

C. cilicica C. media

Comptonia asplenifolia

Cornus alba
C. a. elegantissima
C. a. sibirica
C. a. spethi
C. alternifolia

C. amomum

C. baileyi
C. paucinervis
C. pubescens
C. racemosa

C. rugosa
C. sanguinea
C. s. viridissima
C. stolonifera
C. s. flaviramea
Corylus americana

C. a. atropurpurea
C. heterophylla setchuenensis

C. rostrata Cotoneaster acutifolia

C. a. villosula
C. adpressa
C. ambigua
C. apiculata

C. ambigua
C. apiculata
C. dammeri
C. dielsiana
C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis
C. h. perpusilla
C. h. wilsoni
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C. moupinensis
C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica
C. racemiflora soongarica
C. rosea
C. s. floccosa
C. simonsi
C. tenuipes
C. zabeli
Cytisus nigricans
C. scoparius
C. supinus
Daphne mezereum

supinus

Daphne mezereum

D. m. alba Deutzia gracilis D. lemoinei D. I. compacta D. myriantha Boule Rose

D. ningpoense

D. parviflora D. rosea

D. rosea companulata
D. rosea companulata
D. r. carminea
D. r. venusta
D. scabra
D. s. Pride of Rochester
D. s. rosea plena

D. s. watereri
D. s. wellsi
D. schneideriana laxiflora

D. vilmorinae Diervilla sessilifolia D. Ionicera Dirca palustris

Eleagnus angustifolia

E. commutata E. multiflora
E. umbellata
E. u. parvifolia
Elsholtzia stauntoni Enkianthus campanulatus

Euonymus alatus

E. a. compacta E. americanus E. atropurpureus
E. bungeanus E. europaeus

e. fructu-coccineus

E. e. Truc. E. latifolius maacki E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli

E. hupehensis Exochorda racemosa

E. g. wilsoni

Fontanesia fortunei Forsythia europea F. i. spectabilis
F. ovata
F. suspensa
F. suspensa
F. suspensa

F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima

Fothergilla gardeni Gaylussacia baccata Genista juncea

G. pilosa G. sagittalis G. tinctoria

Hamamelis japonica

H. j. rubra H. mollis
H. vernalis
H. v. tomentella
H. virginiana

Helwingia japonica

Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. bucklei H. densiflorum H. frondosum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henryi H. prolificum llex geniculata laevigata I. montana l. serrata syn. sieboldi l. verticillata I. v. chrysocarpa Indigofera amblyantha l. kirilowi 1. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. thunbergi japonica Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. obtusifolium L. o. nanum L. o. regelianum L. ovalifolium L. o. variegatum L. vulgare L. v. foliosum L. v. leucocarpum v. nanum Lindera benzoin Lonicera bella albida L. bella atrorosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes orientalis longifolia .. kohneana

L. korolkowi floribunda

L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba
L. t. lutea
L. t. rosea
L. t. sibirica
L. t. virginalis xylosteum Lycium chinense L. halimifolium Lyonia ligustrina . mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius Philadelphus coronarias
P. c. aureus
P. c. multiflorus plenus
P. c. naus
P. cymosus Banniere
P. c. Norma
P. c. Voie Lactee
P. falconeri
P. gordonianus
P. arandiflorus P. grandiflorus P. incanus
P. inodorus
P. lemoinei Avalanche P. lemoinei Avaland
P. l. erectus
P. l. Dame Blanche
P. l. Pyramidale
P. lewisi
P. magdalenae
P. nenglensis P. nepalensis P. nivalis P. polyanthus Favorite P. p. Gerbe de Neige P. p. Pavillon Blanc P. purpureo mac. Ophelia P. p. Sybille P. sericanthus P. splendens P. virginalis Albatr P. v. Argentine P. v. Boquet Blanc P. v. Glacier P. v. Virginal P. zeyheri Albatre

Photinia villosa P. v. laevis Physocarpus intermedius

P. i. parvifolius
P. monogynus
P. opulifolius
P. o. luteus
P. o. nanus Potentilla fruticosa Prinsepia sinensis Prunus besseyi

Prunus bessey P. dunbari P. glandulosa P. g. albiplena P. g. sinensis P. japonica P. maritima P. pumila P. tenella

P. tenella
P. tenella
P. tomentosa
P. triloba
P. t. plena
P. v. demissa

Rhamnus caroliniana

R. cathartica
R. dahurica
R. frangula
R. f. asplenifolia
R. koraiensis R. purshiana R. spathulaefolia R. utilis R. wilsoni

Rhodotypos scandens

Rhus aromatica R. capallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum

R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti

R. kelseyi R. viscosa Rosa acicularis R. blanda R. carolina

R. canina R. coriifolia froebeli R. davurica R. ecae R. eglanteria R. e. hybrids R. foetida R. f. persiana R. fujisanensis R. helenae R. hugonis R. humilis R. laevigata R. marreti

R. maximowicziana jacki

R. moyesi R. multiflora R. m. cathayensis R. nitida

R. palustris R. pendulina

R. rouletti R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera

R. spinosissima altaica R. s. hispida R. s. hybrids R. virginiana R. watsoniana R. wichuraiana
R. w. hybrids
R. hybrid perpetuals
R. hybrid tea
R. climbing
R. polyantha hybrids

R. polyantha hybrids
R. woodsi
R. xanthina allard
R. x. spontanea Rubus deliciosus R. nemorosus R. odoratus R. phoenicolasius Salix discolor

S. doniana S. elaeagnos S. irrorata S. jessoensis S. lucida

S. mutabilis
S. myricoides rigida
S nigricans cotinifolia
S patula

S. purpurea nana S. purpurea purpurea gracilis
 Sambucus canadensis

S. c. acutiloba S. nigra

S. n. aurea S. n. albo-variegata S. pubens

S p. xanthocarpa S. racemosus

S'epherdia argentea

S. canadensis Smilax rotundifolia Sorbaria aitchisoni

5. arborea glabrata 5. tomentosa S sorbifolia Spirea arguta S. billiardi

S. bumalda S. b. Anthony Waterer S. b. walluffi

S. cantoniensis

S c. lanceata S. chamaedryfolia ulmifolia

S. douglasi S. froebeli S. japonica

S. japonica fortunei
S. j. ovalifolia
S. j. ruberrima
S. latifolia
S. margaritae

S. nipponica rotundifolia

S. prunifolia s. prunnolla pubescens S. salicifolia S. superba S. syringiflora S. tounbergi S. tounbergi S. trichocarpa S. van houttei S. veitchi S. wilsoni Staphylea bumalda S. colchica S. pinnata trifolia

Stephanandra incisa Stewartia ovata S. o. grandiflora S. serrata

Symphoricarpos chenaulti

S. albus S. mollis S. occidentalis S. o. heyeri S. orbiculatus

Symplocos paniculata

Syringa amurensis japonica

S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. o. giraldi S. persica

S. p. alba S. villosa S. vulgaris S. vulgaris alba
S. v. hybrids
S. yunnanensis

Tamarix africana T. gallica

T. g. indica T. juniperina T. odessana T. pentandra T. tetandra Ulex europeus Vaccinium corymbosum vibarnam acerifolium

V. bitchuiense V. betulifolium v. burejaeticum V. burkwoodi V. carlesi V. cassinoides
V. dentatum
V. dilatatum

V. d. xanthocarpum

V. fragrans V. hupehense V. hupehense
v. lantana
V. l. rugosum
V. lentago
V. molle
V. nudum
V. opulus
V. o. nanum
V. o. sterile
V. o. xanthocarpum
V. ovatifolium
V. prunifolium
V. pubescens

V. pubescens V. p. canbyi V. rufidulum V. sargenti V. sieboldi V. slebolal
V. setigerum
V. tomentosum
V. t. sterile
V. trilobum
V. veitchi
V. wrighti

Vitex agnus castus V. a. c. latifolia V. negundo incisa Weigela floribunda

Weigela floribunda
W. florida
W. f. nana variegata
W. hortensis rubra
W. japonica
W. w. Abel Carriere
W. w. candida
W. w. desboisi
W. w. Eva Rathke
W. w. Groenewegeni
W. w. sieboldi argenteomarginata
W. w. styriaca
W. w. vanhauttei
Zanthorhiza simplicissima

Zanthorhiza simplicissima Zanthoxylum americanum

### VINES

Actinidia arguta Akebia trifoliata A. quinata Ampelopsis acontifolia A. brevipedunculataA. b. elegans

A. b. maximowiczi Aristolochia durior A. tomentosa Campsis grandiflora C. radicans C. r. Mme. Galen

#### Vines Continued

C. r. speciosa Celastrus orbiculatus »

C. scandens Clematis apiifolia

Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. viorna

C. viorna C. virginiana C. vitalba C. viticella

Decumaria barbara

Hedera helix

Hedera helix
H. h. Albany
H. h. baltica
H. h. conglomerata
H. h. Emerald Gem
H. h. gracilis
H. h. Hahns
H. h. lobata

Hydrangea petiolaris Lonicera alseusmoides L. browni plantierensis

L. caprifolium L. fuchsoides .. heckrotti L. henryi

L. hirsuta L. japonica L. j. halleana

L. j. aurea reticulata L. periclymenum belgica

L. prolifera syn. sullavanti L. sempervirens L. tellmanniana

thibetica Parthenocissus henryana

P. quinquefolia
P. q. engelmanni
P. q. saintpauli
P. tricuspidata lowi
P. t. veitchi Perpiloca graeca Polygonum auberti

Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli Vinca minor

V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis
V. coignetae
V. labrusca
V. rotundifolia
V. vulpina
Wistaria frutescens

W. floribunda macrobotrys
W. macrostachya
W. sinensis
W. s. alba

#### LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

#### PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

#### WOODY PLANTS FOR AUGUST AND SEPTEMBER **FLOWERING**

Baccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

## Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia Aronia prunifolia

\*Betula populifolia
\*Betula populifolia
\*Betula lenta
\*Betula lutea
Cornus in variety \*Crataegus in variety Euonymus in variety

\*Hypericum prolificum
\*Juniperus virginiana
\*Juniperus communis
\*Ligustrum in variety

Lindera benzoin Lonicera in variety Morus alba

\*Myrica pennsylvanica Nyssa sylvatica

Parthenocissus quinquefolia

P. tricuspidata veitchi \*Pinus in variety Photinia villosa Prunus besseyi

Prunus padus Prunus pennsylvanicum Prunus serotina \*Rhamnus in variety

\*Rhus capallina \*Rhus glabra \*Rhus typhina

Ribes in variety

Sambucus in variety
\*Symphoricarpus in variety Vaccinium corymbosum
Viburnum in variety
Vitis in variety
\*Weigela hybrida in variety

## Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus fortunei minimus

Hypericum henryi
Jasminum nudiflorum
Juniperus horizontalis
Juniperus horizontalis glauca
Juniperus suecica nana
Juniperus sabina tamariscifolia
Lonicera springantha Lonicera syringantha Lonicera thibetica

## Woody Plants Enduring Shade

For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium Ligustrum vulgare Rhus aromatica Ribes alpinum R bus adoratus Symphoricarpus orbiculatus Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus fortunei in variety Fagus grandiflora Hedera helix Kalmia latifolia

Amelanchier in variety Lindera benzoin Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza simplicissima

## Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Euonymus fortunei
\*Lonicera halleana
\*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

\*Rhus typhina Robina pseudacacia \*Rosa setigera \*Rcsa wichuraiana

\*Rubus odoratus Salix caprea Salix discolor Salix elaeagnos

\*Symphoricarpus orbiculatus Vinca minor Vitis vulpina

#### Plants for the Herb Garden

Achillea millefolium
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum
Thymus vulgaris
Valeriana officinalis

### SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (\*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"		\$ .75
A 41		
4		
	_	Diameter of Ball
6-8' Shrubs 1" Trees	} \$3.00	16"
8-10' Shrubs	<b>4.25</b>	18"
11/4" Trees		0.077
11/2" Trees	5.50	20"
13/4" "	7.50	22"
	9.00	24"
4 1/2	13.50	30"
3′′ ′′	22.50	36"
31/2" "	32.50	42"
4" "	45.00	48"
4½" "	65.00	54"
5′′~ ′′	90.00	60′′

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

# MEMORANDA

## MEMORANDA

# MEMORANDA



